THERMA-TRU® DOORS | Where Home Begins™

2021 Full-Line Catalog



Building Professionals' Entry & Patio Door Directory



Therma-Tru. Where home begins.

Choosing a Therma-Tru® door means designing an inspired entrance with the confidence that it will perform for years to come.

Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers a wide selection to complement the architecture of a home and a homeowner's sense of style.

But it's more than beauty that makes Therma-Tru the brand builders and remodelers prefer most.* With a complete door system engineered with craftsman precision and backed by more than 55 years of industry experience, you can be confident that it will perform as exceptionally as it looks.

That's where the beauty of choosing Therma-Tru begins.

*Brand Use Studies, 2020 *Builder* and 2019 *Remodeling* magazines.

Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230
Right Page: Smooth-Star, Clear Glass with GBGs, Door – S8326, Finish – Onyx



Uncompromising quality, inside and out.

Your favorite doors – reorganized.

Throughout the catalog you'll find doors organized by glass shape (largest to smallest), followed by glass design, and then texture.

Table of Contents

Introduction 2–31
- 2021 Trends 6–7
- NEW Products 8–15
- Curb Appeal 16
- Door Selections 17–19
- Door System Components 20–21
- Tru-Defense® 22–23
- Decorative & Specialty Glass 24–29
- Impact Products 30–31

Classic Craft® 32–117
- Artíssa Collection™ 40–63
- Founders Collection™ 64–95
- Visionary Collection™ 96–107
- Sidelites 108–115
- Transoms 116–117

Fiber-Classic® & Smooth-Star® 118–211
- Decorative & Specialty Glass 124–131
- Accessories 132

Steel 212–237
- Profiles™ 214, 217–231
- Traditions 214, 232–237
- Decorative & Specialty Glass 215–216

Fire Doors 238–243

Pulse® 244–257

Hinged Patio 258–265

Finish Options 266–270
- PrismaGuard® Stain & Paint 266–269
- Same-Day® Stain Kit 270

Door System Components 271–283

Door Surrounds 284–287

Special Quote Program 288

3'6" Width Options Chart 289

7'0" & 6'6" Height Options Charts 290–291

Product Details 292–293


Index 294–306


Trade Resources 307


Welcome to the New Classic Craft

The premium doors you love – with a new focus on style.

The new Classic Craft® series aims to deliver the on-trend entryways your customers seek to enhance their homes. We worked with style and trend experts to curate three unique collections – Artíssa, Founders and Visionary – and have reorganized the catalog accordingly. Within each of the design style collections, doors will be shown in order by glass shape, then glass design, then texture.









Fir Grain

- Formerly known as Classic-Craft American Style Collection.
- Same part numbers.
- Same style numbers.

NEW



Walnut Grain

- NEW premium wood grain exclusively for Classic Craft.
- NEW part numbers and style numbers will begin with “CCW.”



Mahogany Grain

- Formerly known as Classic-Craft Mahogany Collection. Also includes doors in the former Classic-Craft Rustic Collection.
- NEW buff skin part numbers beginning with “CCR” will replace rose skin part numbers (CCM).
- Same style numbers.



Oak Grain

- Formerly known as Classic-Craft Oak Collection.
- Same part numbers.
- Same style numbers.



Canvas

- Formerly known as Classic-Craft Canvas Collection.
- Same part numbers.
- Same style numbers.

LIFETIME LIMITED WARRANTY TRANSFERABLE

Classic Craft products purchased on or after January 1, 2021, will be backed by a 1x transferable lifetime limited warranty. This provides the homeowner with a lifetime limited warranty that will also transfer to the new homeowner upon sale of the home.

10 YEAR LIMITED WARRANTY TRANSFERABLE

Classic Craft products purchased on or after January 1, 2021, with a PrismaGuard® premium finish will be backed by a transferable 10-year limited finish warranty. The balance of the 10-year limited finish warranty will transfer to the new homeowner upon sale of the home.

2021 Trends

Home design trends will continue to blend together in 2021 as we unlock our imaginations to create a variety of unique looks for the front entry. Therma-Tru's exciting new products bring together form, function and lifestyle trends that allow today's design-savvy homeowners to create exteriors that reflect their personal style while ultimately making them feel more at home.

Explore the 2021 Trends and the Therma-Tru® products that bring them to life at thermatru.com/trends.







REFINED SIMPLICITY

TRANQUIL
STREAMLINED
PURPOSEFUL





A simplified aesthetic that is streamlined, yet comfortable.





Natural Materials | Refined Textures | Geometric Accents

MODERN VIEW

SEAMLESS
LIVABLE LUXE
RETRO REVIVAL





A retro revival with
a livable edge.





Linear Design Elements | Softer Statements | Textural Interest

EASED *elegance*


CLASSICAL
TAILORED
INVITING





Classical design with
an inviting warmth.





Grand Arches | Relaxed Design Cues | Historic Origins



NEW

Walnut-Grained Flush Doors

For Classic Craft® Visionary Collection™





Minimalist details on a premium scale.

Classic Craft® Visionary Collection™ Walnut-grained flush doors feature a striking combination of natural elements and linear engravings for geometric appeal. Available with a variety of engraving patterns with modern design influences, starting on page 106.

LIFETIME LIMITED WARRANTY TRANSFERABLE
Classic Craft

E
Elevated 10" Bottom Rail Options*

PrismaGuard® Premium Stain: Acorn

An updated take on light and medium brown tones, this fresh neutral balances between warm and cool palettes making it the perfect complement to a wide range of home interior and exterior styles.



NEW

Direct Set Sidelites

For Therma-Tru® Doors

Simplistic design for maximum natural light.

Maximize the natural light coming into the home with a simplistic design that adds subtle contemporary appeal. Direct set sidelites can be paired with any Therma-Tru door and are included in the door's comprehensive warranty. Available in Low-E glass, starting on page 108.

*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.
Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

Left: Classic Craft Walnut Grain Door – CCW8901R, Low-E Direct Set Sidelite – DRS82131SL, Finish – Acorn



NEW

Mahogany-Grained Common Arch Doors

For Classic Craft® Founders Collection™







Graceful curves with timeless appeal.

Classic Craft® Founders Collection™ Mahogany-grained common arch doors accentuate historic roots while bringing in fresh details to create the perfect statement-making entry for homes with traditional design. Available with a variety of glass options, starting on page 83.

LIFETIME LIMITED WARRANTY TRANSFERABLE

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions.

Left: Classic Craft Mahogany Grain, Granite Glass with SDLs, Doors – CCM8306CARXN, CCM8306CALXN, Finish – Autumn Harvest
Top Right: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8303L, CCM8303R, Finish – Raven

NEW Shaker-Style Doors & Sidelites

For Fiber-Classic® Mahogany Collection™



Simple, historic style.

Rooted in Americana with recognizable ties to Craftsman design, 6'8" Shaker-style doors are now available in a rich Mahogany grain. Choose from a variety of flush-glazed glass options, starting on page 182.

Available SDL Patterns

Available GBG Patterns



2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



12"x 6'8"
14"x 6'8"

LIFETIME LIMITED WARRANTY

ENERGY STAR PARTNER

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions.

Top: Fiber-Classic Mahogany Collection, Low-E Glass with SDLs, Door – FCM4813, Sidelites – FCM2000SL, Transom – 19220T, Finish – Mulberry, Door Surround – TDS-FLTFLT

NEW Reeded Privacy & Textured Glass


For Classic Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse®



Refined, transitional style.

With clean lines and a vertical linear texture, Reeded glass brings a modern look to the home while providing ample natural light and moderate privacy.

Available for Classic Craft, starting on page 102; Fiber-Classic and Smooth-Star, starting on page 138; Profiles and Traditions, starting on page 218, and Pulse, starting on page 248.



Privacy Rating

1 — 7 — 10

Clear — Opaque

LIFETIME LIMITED WARRANTY TRANSFERABLE
Classic Craft

LIFETIME LIMITED WARRANTY
Fiberglass*

10 YEAR LIMITED WARRANTY
Steel*

ENERGY STAR PARTNER

WBDR / HVHZ Options**

*Included in the limited warranty when installed in a Therma-Tru fiberglass or steel door system.
**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru Impact-rated product approval. Some multi-lite door style configurations are approved for WBDR and HVHZ, see your dealer for details. WBDR and HVHZ options available for Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse only.

Note: See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, available product sizes and options, and limited warranties and exclusions.

Top: Smooth-Star, Reeded Glass with SDLs, Door – S85725XK, Finish – Indigo

NEW Smooth-Star® Entry Door Options

LIFETIME LIMITED WARRANTY



NEW Black Grilles Between Glass

For Smooth-Star® Entry Doors

Designed with today's home trends in mind, black grilles between glass (GBGs) are made to coordinate with black window grid patterns commonly seen on homes with Modern Farmhouse and Modern Tudor architectural influences. Choose from contour or flat bars in flush-glazed and Lip-lite doors and sidelites.

Available in Smooth-Star, starting on page 141, and Profiles and Traditions, starting on page 218.

GBG Bar Options



Contour
(18 mm / 0.708 in.)



Flat
(20 mm / 0.787 in.)

Available Grid Patterns

*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.
**Select grid patterns available with Low-E glass only.
Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

Left Page: Smooth-Star, Clear Glass with GBGs, Door – S82103, Finish – Cypress
Right Page: Smooth-Star, Maple Park Glass, Doors – S86107



NEW 8'0" Doors with Elevated Bottom Rail

Ideal for both single- and multi-family new construction and remodeling, the 8'0" Smooth-Star 2-panel square top door has been redesigned with an elevated bottom rail to meet ADA requirements. The redesign also accommodates 22" x 47" glass inserts to create the half-lite over 1-panel door style, starting on page 159.

2 Panel Square Top

Half Lite 1 Panel

NEW



Elevated
U1: 10-7/32"
Book / Hybrid: 10-7/16"

WBDR / HVHZ Options*

Fire-Rated Options*

Doors with an elevated bottom rail feature a minimum 10" net smooth surface as measured from the bottom of the slab to the beginning of the panel detail. Look for the (E) symbol.

Glass Options:
Decorative, Privacy & Textured, Specialty, Low-E, Clear

NEW EnLiten™ Flush-Glazed Design Options

For 3/4-Lite Smooth-Star Entry Doors & Sidelites

Create a timeless look perfect for the front entry with the 6'8" flush-glazed 3/4-lite 1-panel door and sidelite. Door now available with privacy and textured glass, starting on page 152, as well as privacy and textured glass with divided lites, starting on page 151. Also available with clear glass, starting on page 155, as well as clear glass with divided lites, starting on page 153. Sidelite now features sticking that is identical to the flush-glazed door, starting on page 203.

NEW



S2200__

NEW



S2200__SL

Available Glass Designs

NEW



Reeded (XK)

Satin Etch (XE)



Chord (XC)



Chinchilla (XJ)



Rainglass (XR)



Granite (XN)

Low-E

Available Grid Patterns**

EnLiten™ Flush-Glazed Warranty Riders

See page 27 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

The Power of Curb Appeal

Open the door to increased value with a stylish new Therma-Tru door. A new entry door can pay for itself – and then some – giving you and your customers more bang for your buck. Learn more at **thermatru.com/curbappeal**.




Perceived Value

A smart investment, a new Therma-Tru® entry door can increase a home's perceived value by **4.2%** or **$18,750** on average.*



Return On Investment

Homeowners who choose a stylish new Therma-Tru® entry door can see **more than 2 times** the return on their investment.*



A smart investment.

Lifetime Limited Warranties

We stand behind more parts and for longer than other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranties.

Energy Efficiency

In any region or climate, energy efficiency is key. More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.

Quality Testing

Our doors, glass and components are held to high standards. We conduct thorough testing to help ensure that our products will live up to a homeowner's toughest quality and performance expectations.

LIFETIME LIMITED WARRANTY TRANSFERABLE
Classic Craft

LIFETIME LIMITED WARRANTY


ENERGY STAR PARTNER

*Not based on actual home sales. Not a guarantee of investment returns, increase in value or selling price. Based on a nationwide survey of consumers' estimates of perceived home value based on exterior appearance. Results may vary based on region and home style. Therma-Tru's "National Home Valuation Study" was commissioned by Therma-Tru in 2015 and conducted by TNS, an independent provider of internet-based research.
Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top Right: Smooth-Star, Axis Glass, Door – S1652, Sidelite – S1652SL

The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



Door Selections

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 18–19.



Decorative & Specialty Glass

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 24–29.



Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 20–23.



Finish Options

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard® premium finish and Same-Day® stain on pages 266–270.







Door Surrounds

Add a beautiful, finished look to the entry with a stylish, low-maintenance door surround from Therma-Tru. More on pages 285–287.

Selecting a Door System

Therma-Tru pays close attention to regional and consumer trends to deliver choices designed to inspire. Keep these considerations in mind when choosing from our portfolio of door system products:

- What is the size of the doorway?
- What is the style of the home?
- Does the homeowner want to stain or paint the door?
- How much light or privacy is desired?

Also consider:

- Building codes specific to applications, such as house-to-garage, as well as regional weather conditions.



Door Selections

Choose from our many door selections to complement the architectural style of the home. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

The Classic Craft® Series Pages 32–117

Our premier engineered-to-last entryways showcase remarkably authentic wood grains and textures. Explore three curated collections inspired by the latest trends to bring your home design vision to life.

LIFETIME LIMITED WARRANTY TRANSFERABLE



Casual | Relaxed | Simple

Artíssa Collection
Pages 40–63





Traditional | Time-Honored | Decorative


Founders Collection
Pages 64–95





Modern | Confident | Minimal

Visionary Collection
Pages 96–107



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Fiber-Classic® Collections Pages 118–211

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.

LIFETIME LIMITED WARRANTY









Smooth-Star® Pages 118–211

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.

LIFETIME LIMITED WARRANTY





Steel Pages 212–237

Bring style and affordability together to create very attractive results with our steel doors.





Pulse® Pages 244–257


A contemporary series of door styles and glass designs that can be combined to make a bold statement.

LIFETIME LIMITED WARRANTY
Fiberglass

10 YEAR LIMITED WARRANTY
Steel








Engineered to Work Together


Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.




*See your Therma-Tru seller for details on product availability.




1 **Weatherstrip** is engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the **door** and **frame**. In addition, a rot-free Therma-Tru **composite door frame*** delivers extra protection from the damaging effects of moisture.




2 **Sill** and **bottom sweep** form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. **Sill pan** (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




3 **Corner seal pads** (inswing only) complete the seal between the **sill cap**, **bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




4 **Hinges** position the **door** to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.



5 **Multi-point locking system** (recommended) engages the **door** and **frame** at three points from top to bottom, helping to preserve the **weatherstrip's** seal even under wind pressure.



6 **Lip-lite frame** (shown right) features a **compression seal** against weather on the outside of the **door** and an **adhesive seal** against weather on the outside of the **glass**. **Flush-glazed glass** (shown left) is built directly into the door without a Lip-lite frame, featuring a **high-performance adhesive weather seal** inside and out.



Composite Door Frame*
featuring Tru-Guard™ Composite Technology

Therma-Tru® composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

TRU GUARD™
COMPOSITE TECHNOLOGY

Tru-Defense® Warranty Rider

A Therma-Tru® door system with Tru-Defense system components is a high-performing door system backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider.



Tru-Defense: The Ultimate Protection

More than beautiful doors and glass; a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru® genuine components in a Tru-Defense door system are our premium options for long-lasting durability.

Double Your Peace of Mind

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility should an issue arise.* Look for the (✤) icon.

CERTIFIED
DOOR SYSTEM
INSTALLER
THERMA-TRU® DOORS

*The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.
**Latch and deadbolt must meet Therma-Tru specifications.
Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Top: Classic Craft Canvas, Provincial Glass, Door – CCV10028, Sidelites – CCV108SL, Transom – CC420T, Finish – Chestnut

Required Components for Tru-Defense Door System

with Therma-Tru Fiberglass Door Slab & Components



Door Frame ✣
Provides a solid structure for the door slab and components. Recommended: Therma-Tru Composite Door Frame



Composite Adjustable Sill ✣
Provides a solid stepping surface and forms a tight seal at the bottom of the door system to help channel moisture away from the home.



Bottom Sweep ✣ (Inswing Only)
A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



Hinges ✣
Ensure smooth operation and position the door so it creates a tight seal with the weatherstrip when closed.



Corner Seal Pads ✣
(Inswing Only)
Fit securely behind the weatherstrip to help block wind-driven moisture infiltration at the bottom corner of the door system.



Weatherstrip ✣
Features a resilient design to help deliver a precise seal between the door and frame.



Astragal ✣ (Double Doors)
Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability.



Rain Guard ✣ (Outswing Only)
Creates a barrier at the top of the door to protect against moisture infiltration.

Recommended Components



Multi-Point Locking System ✣
(MPLS)
Engages the door and frame at three points from top to bottom for enhanced security and sealing.



Sill Pan ✣
Adds an extra layer of protection to help keep moisture away from the subfloor; protects flooring by catching and draining water in the event of infiltration.

Levels of Reimbursement

System Components	Reimbursement Eligibility	NEW Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan)**	$250	$500
Latch & Deadbolt with Sill Pan**	$500	$1,000
MPLS (No Sill Pan)	$1,000	$2,000
MPLS with Sill Pan	$1,250 New for 2021	$2,500 New for 2021

Baseline components required to qualify for the Tru-Defense Warranty Rider.

Decorative & Specialty Glass

A Therma-Tru door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Numerous glass colors, textures, shapes and caming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on ENERGY STAR qualified products.

Bottom: Classic Craft Mahogany Grain, Borrassa Glass, Door – CCR822215, Sidelites – CCR8000XHSL





ENERGY STAR PARTNER

Contributes to an energy-efficient home.



Triple-Pane Construction

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.





Our decorative glass is handcrafted and built with all-glass bevels for premium quality.

From small to large, Therma-Tru offers various glass sizes and shapes. Explore options to meet homeowners' needs for natural light without compromising their privacy.

Special Quote Program

Don't sacrifice the look you want. Talk to your Therma-Tru seller about additional glass options available in your market through our special quote program.

EnLiten™ Flush-Glazed Designs

For Classic Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten flush-glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the ( ) icons.



Front Entry

See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking



Flush-Glazed Glass with Square Sticking



Lip-Lite Frame

Maximum views.

Create an airy, open feeling in the home with larger daylight openings. EnLiten™ flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames.



Flush-Glazed Glass



Lip-Lite Frame

*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.
**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.

Top: Classic Craft Fir Grain, Geometric Glass with SDLs, Door – CCA2300XG, Sidelites – CCA2400XGSL
Right Page Top Left: Fiber-Classic Oak Collection, Low-E Glass with GBGs, Door – 2150, Finish – Raven
Right Page Bottom Left: Smooth-Star, Internal Blinds, Doors – S2600
Right Page Right: Fiber-Classic Mahogany Collection, Chord Glass with SDLs, Door – FCM4814XC, Sidelites – FCM2050XCSL, Transom – 19220T, Finish – Acorn, Door Surrounds – TDS-FLTFLT


Utility Door


Patio Doors


Front Entry

Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.

Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.

11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*

Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)

Warranty riders for peace of mind.

EnLiten™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish $300 toward installation and replace the flush-glazed fiberglass door or sidelite.

Convenient choices for more light.


Privacy & Textured Glass

Therma-Tru® doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- Category includes diverse textures for individual design expression.
- Varying opacity levels range from 7–10.
- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse® doors and sidelites.











Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (☀) icon.



In cold weather, Low-E glass can help reduce the loss of heat by reflecting the heat back inside the home.



In warm weather, Low-E glass reflects the sun's rays off of the glass, helping to keep the interior of the home cool.

Top: Classic Craft Fir Grain, Geometric Glass with SDLs, Doors – CCA2300XG, Finish – Raven
Bottom: Smooth-Star, Clear Glass with Fixed Grilles, Door – S262
Right Page Top: Smooth-Star, Internal Blinds, Door – S82600



Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Choose Low-E glass for improved energy efficiency or standard clear glass.
- EnLiten™ flush-glazed designs and Impact-rated options available.

Available in Fiber-Classic®, Smooth-Star®, Profiles™ and Traditions doors and sidelites.

Divided Lites

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices. For Classic Craft, see pages 45, 71 and 101. For Fiber-Classic & Smooth-Star, see pages 130–131.


- Coordinate with the home's window patterns for a cohesive look and increased curb appeal.
- Choose from Colonial, Craftsman or Prairie styles to suit the home's architectural details.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.



Tough when you need it. Beautiful always.

High-Power Testing

Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.



Impact-Rated Products

Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

1 Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.*

2 Use the icons to find available Therma-Tru® product options in this catalog.



Designed to withstand wind forces up to 167 mph (DP-50). (ASTM E 1886 / ASTM E 1996)

Structural Fiberglass Door + Impact Laminated Glass with Impact Lip-Lite Frame = WBDR Option



Designed to withstand wind forces up to 175 mph (DP-55). (TAS 201 / TAS 203)

Impact Steel-Plate Reinforced Fiberglass Door + Impact Laminated Glass with Impact Lip-Lite Frame = HVHZ Option

WBDR / HVHZ Options: Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.*

4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.
Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.


Right Page: Fiber-Classic Mahogany Collection, Maple Park Glass, Door – FCM900, Finish – Wildflower Honey

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.*



Impact Doors

Feature a built-in 24-gauge steel plate lining.



Impact Glass

Features special laminated glass construction.




Impact-Rated Internal Blinds

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile aesthetic cover for a simple look.



Impact Lip-Lite Frame

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.





Other Considerations

Fire Doors
See pages 238–243.

Noise Reduction Doors
See page 188.

E Elevated 10" Bottom Rail
Look for the (E) symbol.



An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Top: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8306CAL, CCM8306CAR, Finish – Driftwood
Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA210SL, Finish – Raven
Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8303L, CCM8303R, Finish – New Earth
Right Page Bottom: Classic Craft Walnut Grain Door – CCW8906R, Low-E Direct Set Sidelite – DRS82131SL, Finish – Lynx

Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.

Artíssa Collection

Casual | Relaxed | Simple






Founders Collection

Traditional | Time-Honored | Decorative





Visionary Collection

Modern | Confident | Minimal





Industry-leading warranties for peace of mind.

LIFETIME LIMITED WARRANTY TRANSFERABLE

Uniquely designed by Therma-Tru, Classic Craft complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.* This comprehensive lifetime limited warranty can be transferred one time to a new owner, should you ever sell your home.

10 YEAR LIMITED WARRANTY TRANSFERABLE

In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard® premium stain or paint are backed by a transferable 10-year limited finish warranty – Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our industry-leading warranties at **www.thermatru.com/warranty**.






Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.

*Brand Use Studies, 2020 *Builder* and 2019 *Remodeling* magazines.
Left Page: Classic Craft Mahogany Grain, Borrassa Glass, Door – CCM81519

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



Engineered for Moisture Protection

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.

Designed with Authenticity

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider* to welcome more natural light into the home.

Tested to Withstand Mother Nature

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.

Therma-Tru® Door Frame

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.

*Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.
**Comparison of R-Values of fiberglass to wood doors (both without glass).
Right Page Top: Classic Craft Walnut Grain Door – CCW8901L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn
Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass, Door – CCR30020; Provincial Glass, Sidelites – CCR3408SL; Low-E Glass, Transom – 19220T, Finish – Driftwood
Right Page Bottom: Classic Craft Canvas Door – CCV220, Low-E Glass, Sidelites – CCV100SL, Finish – Indigo

Designed for Long-Term Performance

Features fiberglass skins that are 46% thicker* for added durability and better long-term performance.

Triple-Pane Construction

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.

Crafted for a True-to-Wood Appearance

Revolutionary AccuGrain® technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.

Built for Strength and Security

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.*

Constructed for Energy Efficiency

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.**







True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.


AccuGrain®
TECHNOLOGY



Fir Grain


Formerly Classic-Craft American Style

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.



Walnut Grain

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.



Mahogany Grain


Formerly Classic-Craft Mahogany & Rustic

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.



Oak Grain

Designed to emulate the unique characteristics of Red Oak trees, embodying the look and feel of one of the most popular wood grains of all time.



Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.

Unique style.
Unmatched craftsmanship.



Classic Craft entry doors are rated a *Consumers Digest* Best Buy for their exceptional warranty, quality of materials and construction, and resemblance to a real wood door.







ARTÍSSA
Collection

Rooted in simple nostalgia, the Artíssa Collection pays homage to the handmade culture of the American Arts and Crafts movement. Highlighting the beauty of straight-forward design, this selection of premium Classic Craft® doors features clean lines, Shaker styling and Craftsman-inspired glass for a casual and welcoming approach to the entryway.









CASUAL

RELAXED

SIMPLE

Left Page: Classic Craft Oak Grain, Arborwatch Glass,
Door – CC1423, Sidelites – CC1423SL, Transom – ABRT, Finish – Barley
Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs,
Door – CCA230, Sidelites – CCA210SL, Finish – Raven



Decorative & Specialty Glass Designs

Villager™

Villager beautifully interprets the Craftsman chevron design with 1 bronze waterglass, 2 seeded glass, 3 clear bevels, 4 gray artique glass and caming. Artistically authentic in every detail.

Glass Shapes

Glass Privacy Rating





Black Nickel



Brushed Nickel

Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive 1 clear bevels, 2 seeded glass and 3 gray artique glass. An ideal complement for a Transitional home design.

Glass Shapes

Glass Privacy Rating





Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Arborwatch®

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines 1 narrow reeded glass, 2 M seedy glass, 3 waterglass and caming in a symmetrical arrangement accented by 4 pale amber glass, 5 amber artique glass and 6 clear bevels.

Glass Shapes

Glass Privacy Rating

1 — **6** — 10

Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 40 to see an example on a home.



Black Nickel



Brushed Nickel

Privacy & Textured Glass



Satin Etch

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

Glass Privacy Rating 1 — **10**



Chord

A vertical flowing pattern reminiscent of waves on the water.

Glass Privacy Rating 1 — **10**

Privacy & Textured Glass *continued*



Chinchilla

A free-flowing configuration, presenting quiet lines and curves.

Glass Privacy Rating 1 — 10



Rainglass

An elegantly fashioned glass, featuring ripples of cascading water.

Glass Privacy Rating 1 — 8 — 10




Granite

A coarse-grained arrangement with surface detail over the entirety of the glass.

Glass Privacy Rating 1 — 10

Glass Shapes



For sidelites and transoms, see pages 108–117.

Also Available:

Low-E

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Doors – CCA4940, Door Surround – TDS-CCCFLT

Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the ( ) icon.



(40.64 mm / 1.6 in.)
Look for the ( ) icon.


4-¼" and 5-½" flat profile bars are also used on solid-panel doors as door divider bars (DDBs). Look for the ( ) icon.



(107.95 mm / 4.25 in.)
Look for the (3) and (3)icons.



(139.70 mm / 5.5 in.)
Look for the (4) and (4) icons.



Note: Some door styles use a combination of 4-¼" and 5-½" divider bars. Look for the (5) and (5) icons.



(40.64 mm / 1.6 in.)
Look for the ( ) icon.

Fir Grain

Canvas



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft® Fir Grain 4-Block Dentil Shelf



Classic Craft® Fir Grain 4-Block Dentil Shelf*



Classic Craft® Fir Grain 16-Block Dentil Shelf



Classic Craft® Canvas 4-Block Dentil Shelf

*Pairs with 3'6" wide doors.



4-Block Dentil Shelf
Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf
Shown on 3'0" x 8'0" door.

Flush-Glazed Sticking Profiles

EnLiten™ flush-glazed designs feature a seamless look with simple profile around the glass. Look for the (🔥) and (💧) icons.



Detailed Sticking
Look for the (🔥) icon.



Square Sticking
Look for the (💧) icon.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Dentil Shelf



Full Lites

For sidelites and transoms, see pages 108–117.

Fir Grain
Formerly Classic-Craft American Style

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Homeward™



Mahogany*
CCR9925
3'0" x 6'8"



Oak
CC9925
3'0" x 6'8"



Canvas
CCV9925
3'0" x 6'8"

Arborwatch®



Mahogany*
CCR1423
3'0" x 6'8"




Oak
CC1423
3'0" x 6'8"



Canvas
CCV1423
3'0" x 6'8"

Privacy & Textured



Fir**

CCA2350__
5
3'0" x 6'8"


CCA82350__
5 E
3'0" x 8'0"



Fir**

CCA2360__
5
3'0" x 6'8"

CCA82360__
5 E
3'0" x 8'0"



Fir**

CCA2370__
4
3'0" x 6'8"

CCA82370__
4 E
3'0" x 8'0"

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- 3 Simulated Divided Lites (SDLF3)
- 4 Simulated Divided Lites (SDLF4)
- 5 Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 43–44.

XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Formerly Classic-Craft Rustic.
**Formerly Classic-Craft American Style.
Note: See page 293 for important product details that may help with your purchase decision.

Right Page: Classic Craft Oak Grain, Homeward Glass, Door – CC9925, Sidelites – CC9925SL, Transom – HWRT, Finish – Driftwood






Fir**

CCA4900__
3
3'0" x 6'8"


CCA84900__
3 E
3'0" x 8'0"



Fir**

CCA4910L__
3
3'0" x 6'8"

CCA4910R__
3
3'0" x 6'8"



Fir**

CCA84910L__
3 E
3'0" x 8'0"

CCA84910R_
3 E
3'0" x 8'0"

Privacy & Textured Glass *Continues on next page.*

Full Lites *continued*

For sidelites and transoms, see pages 108–117.


Fir Grain
Formerly Classic-Craft American Style

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas


Privacy & Textured



Fir*

CCA4920L__ 5
3'0"x 6'8"

CCA4920R__ 5
3'0"x 6'8"



Fir*

CCA84920L__ 5 E
3'0"x 8'0"


CCA84920R_ 5 E
3'0"x 8'0"



Fir*

CCA4930_ 5
3'0"x 6'6"

CCA84930__ 5 E
3'0"x 8'0"




Fir*

CCA4940__ 5
3'0"x 6'8"

CCA84940__ 5 E
3'0"x 8'0"

Low-E



Fir*

CCA2350 5
3'0"x 6'8"


CCA82350 5 E
3'0"x 8'0"



Fir*

CCA2360 5
3'0"x 6'8"

CCA82360 5 E
3'0"x 8'0"



Fir*

CCA2370 4
3'0"x 6'8"

CCA82370 4 E
3'0"x 8'0"



Fir*

CCA4900 3
3'0"x 6'8"

CCA84900 3 E
3'0"x 8'0"

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- 3 Simulated Divided Lites (SDLF3)
- 4 Simulated Divided Lites (SDLF4)
- 5 Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 43–44.

XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Formerly Classic-Craft American Style.
Note: See page 293 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Door – CCA4900XE, Sidelites – CCA2400XESL, Door Surround – TDS-FLTFLT



Fir*

CCA4910L | CCA4910R
3'0" x 6'8" | 3'0" x 6'8"



Fir*

CCA84910L | CCA84910R
3'0" x 8'0" | 3'0" x 8'0"




Fir*

CCA4920L | CCA4920R
3'0" x 6'8" | 3'0" x 6'8"




Fir*

CCA84920L | CCA84920R
3'0" x 8'0" | 3'0" x 8'0"



Fir*

CCA4930 | CCA84930
3'0" x 6'8" | 3'0" x 8'0"



Fir*

CCA4940 | CCA84940
3'0" x 6'8" | 3'0" x 8'0"



3/4 Lites

For sidelites and transoms, see pages 108–117.

Fir Grain
Formerly Classic-Craft American Style

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Homeward™



Mahogany
CCM9923
3'0"x 6'8"



Mahogany
CCM89922
3'0"x 8'0"



Oak
CC9922 3'0"x 6'8" | CC89922 3'0"x 8'0"



Canvas
CCV9922 3'0"x 6'8" | CCV89922 3'0"x 8'0"

Arborwatch®



Mahogany
CCM1419
3'0"x 6'8"



Mahogany
CCM81418
3'0"x 8'0"



Oak
CC1418 3'0"x 6'8" | CC81418 3'0"x 8'0"



Canvas
CCV1418 3'0"x 6'8" | CCV81418 3'0"x 8'0"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Removable Wood Grilles (RG)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 43–44.

XC = Chord
XN = Granite

Note: See page 293 for important product details that may help with your purchase decision.
Right Page: Classic Craft Canvas, Chord Glass, Door – CCV05020XC, Sidelites – CCV100XCSL

Privacy & Textured



Canvas

CCV05012__
3'0" x 6'8"



Canvas

CCV05020__
3'0" x 6'8"

Low-E



Oak

CC92
3'0" x 6'8"

CC892
3'0" x 8'0"



Canvas

CCV05012
3'0" x 6'8"

CCV805015
3'0" x 8'0"



Mahogany

CCM891
3'0" x 8'0"



Oak

CC90
3'0" x 6'8"

CC890
3'0" x 8'0"



Canvas

CCV05020
3'0" x 6'8"

CCV805020
3'0" x 8'0"



2/3 Lites

For sidelites and transoms, see pages 108–117.

Fir Grain
Formerly Classic-Craft American Style

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Homeward™



Mahogany*

CCR9921 3'0" x 6'8" | CCR89921 3'0" x 8'0" 3'6" x 8'0"



Mahogany*

CCR9919 3'0" x 6'8" | CCR89919 3'0" x 8'0" 3'6" x 8'0"



Canvas

CCV9919 3'0" x 6'8" | CCV89919 3'0" x 8'0"



Mahogany*

CCR9918 3'0" x 6'8" | CCR89918 3'0" x 8'0"



Mahogany*

CCR822218 3'0" x 8'0" 3'6" x 8'0"



Canvas

CCV9918 3'0" x 6'8" | CCV89918 3'0" x 8'0"

Arborwatch®



Mahogany*

CCR1417 3'0" x 6'8" | CCR81417 3'0" x 8'0" 3'6" x 8'0"



Mahogany*

CCR1415 3'0" x 6'8" | CCR81415 3'0" x 8'0" 3'6" x 8'0"



Canvas

CCV1415 3'0" x 6'8" | CCV81415 3'0" x 8'0"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Removable Wood Grilles (RG)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 43–44.

XC = Chord
XN = Granite

*Formerly Classic-Craft Rustic.
Note: See page 293 for important product details that may help with your purchase decision.
Right Page: Classic Craft Mahogany Grain, Low-E Glass, Door – CCR20520



Mahogany*

CCR1414
3'0" x 6'8"

CCR81414
3'0" x 8'0"



Mahogany*

CCR822214
3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV1414
3'0" x 6'8"

CCV81414
3'0" x 8'0"

Privacy & Textured



Canvas

CCV820512__
›
3'0" x 8'0"



Mahogany*

CCR20520__
3'0" x 6'8"

CCR820520__
3'0" x 8'0"



Canvas

CCV20520__
3'0" x 6'8"

CCV820520__
3'0" x 8'0"



Mahogany*

CCR822220__
3'0" x 8'0"

Low-E



Canvas

CCV820512
✸ ›
3'0" x 8'0"



Mahogany*

CCR20520
✸
3'0" x 6'8"

CCR820520
✸
3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV20520
✸
3'0" x 6'8"

CCV820520
✸
3'0" x 8'0"



1/2 Lites

For sidelites and transoms, see pages 108–117.

Fir Grain
Formerly Classic-Craft American Style

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Homeward™



Mahogany

CCM9926
3'0" x 6'8"



Oak

CC9926
3'0" x 6'8"



Canvas

CCV9926
3'0" x 6'8"

CCV89921
3'0" x 8'0"

Arborwatch®



Mahogany

CCM1424
3'0" x 6'8"



Oak

CC1424
3'0" x 6'8"



Canvas

CCV1424
3'0" x 6'8"

CCV81417
3'0" x 8'0"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)



*Pairs with 3'6" wide doors.
**Formerly Classic-Craft American Style.
Note: See page 293 for important product details that may help with your purchase decision.

Bottom: Classic Craft Canvas, Homeward Glass, Door – CCV9926, Sidelites – CCV911SL, Finish – Cabernet
Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA3400SL, Transom – 19220T, Dentil Shelf

Craftsman Lites



Optional Dentil Shelves

Available for all Classic Craft Craftsman Lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf*



4-Block Dentil Shelf

Villager™



Fir**

CCA212 — 3'0" x 6'8"

CCA8212 — 3'0" x 8'0"



Fir**

CCA222 — 3'0" x 6'8"


CCA8222 — 3'0" x 8'0"



Fir**


CCA232 — 3'0" x 6'8"

CCA8232 — 3'0" x 8'0"




Canvas

CCV912 — 3'0" x 6'8"



Canvas

CCV922 — 3'0" x 6'8"



Canvas

CCV932 — 3'0" x 6'8"

Homeward™



Fir**

CCA211 — 3'0" x 6'8"

CCA8211 — 3'0" x 8'0"



Fir**

CCA87112 — 3'6" x 8'0"

Homeward *Continues on next page.*

Craftsman Lites *continued*

For sidelites and transoms, see pages 108–117.

Fir Grain
Formerly Classic-Craft American Style

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 43–44.

XC = Chord
XR = Rainglass
XJ = Chinchilla
XN = Granite

Homeward™



Fir*
CCA221 | CCA8221
3'0"x 6'8" | 3'0"x 8'0"




Fir*
CCA87122
3'6"x 8'0"




Fir*
CCA231 | CCA8231
3'0"x 6'8" | 3'0"x 8'0"




Fir*
CCA87132
3'6"x 8'0"



Canvas
CCV911
3'0"x 6'8"



Canvas
CCV921
3'0"x 6'8"



Canvas
CCV931
3'0"x 6'8"

Arborwatch®



Fir*
CCA9100 | CCA89100
3'0"x 6'8" | 3'0"x 8'0"



Fir*
CCA87111
3'6"x 8'0"



Fir*
CCA9200 | CCA89200
3'0"x 6'8" | 3'0"x 8'0"

*Formerly Classic-Craft American Style.
Note: See page 293 for important product details that may help with your purchase decision.



Fir*

CCA87121

3'6" x 8'0"



Fir*

CCA9300

3'0" x 6'8"

CCA89300


3'0" x 8'0"



Fir*

CCA87131


3'6" x 8'0"



Canvas

CCV4100


3'0" x 6'8"



Canvas

CCV4200

3'0" x 6'8"



Canvas

CCV4300

3'0" x 6'8"

Privacy & Textured



Fir*

CCA210__

3'0" x 6'8"

CCA8210__

3'0" x 8'0"



Fir*

CCA87100XR

3'6" x 8'0"



Fir*

CCA220__

3'0" x 6'8"

CCA8220__

3'0" x 8'0"



Fir*

CCA87200XR

3'6" x 8'0"



Fir*

CCA230__

3'0" x 6'8"

CCA8230__

3'0" x 8'0"



Fir*

CCA87300XR

3'6" x 8'0"



Fir*

CCA240__

3'0" x 6'8"

CCA8240__

3'0" x 8'0"

Privacy & Textured Glass *Continues on next page.*

Craftsman Lites *continued*

For sidelites and transoms, see pages 108–117.

Fir Grain
Formerly Classic-Craft American Style

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 43–44.

XC = Chord
XR = Rainglass
XJ = Chinchilla
XN = Granite

Privacy & Textured



Fir*
CCA87400XR
3'6" x 8'0"



Fir*
CCA260__
3'0" x 6'8"
CCA8260__
3'0" x 8'0"




Fir*
CCA87600XR
3'6" x 8'0"



Canvas
CCV910__
3'0" x 6'8"



Canvas
CCV920__
3'0" x 6'8"



Canvas
CCV930__
3'0" x 6'8"



Canvas
CCV940__
3'0" x 6'8"



Canvas
CCV960__
3'0" x 6'8"

Low-E



Fir*
CCA220
3'0" x 6'8"
CCA8220
3'0" x 8'0"



Fir*
CCA87200
3'6" x 8'0"

*Formerly Classic-Craft American Style.
Note: See page 293 for important product details that may help with your purchase decision.



Fir*

CCA230 | CCA8230
3'0" x 6'8" | 3'0" x 8'0"



Fir*

CCA87300
3'6" x 8'0"



Fir*

CCA240 | CCA8240
3'0" x 6'8" | 3'0" x 8'0"



Fir*

CCA87400
3'6" x 8'0"



Fir*

CCA260 | CCA8260
3'0" x 6'8" | 3'0" x 8'0"



Fir*

CCA87600
3'6" x 8'0"




Fir*

CCA210 | CCA8210
3'0" x 6'8" | 3'0" x 8'0"




Fir*

CCA87100
3'6" x 8'0"




Canvas

CCV920
3'0" x 6'8"




Canvas

CCV930
3'0" x 6'8"




Canvas

CCV940
3'0" x 6'8"



Canvas

CCV960
3'0" x 6'8"



Canvas

CCV910
3'0" x 6'8"

Solid Panels

For sidelites and transoms, see pages 108–117.

Fir Grain
Formerly Classic-Craft American Style

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- 3 Door Divider Bars (DDBF3)
- 4 Door Divider Bars (DDBF4)
- 5 Door Divider Bars (DDBF5)
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options



Fir*

CCA1125	CCA81125
5	5 E
3'0" x 6'8"	3'0" x 8'0"



Fir*

CCA1149	CCA81149
5	5 E
3'0" x 6'8"	3'0" x 8'0"



Fir*

CCA1127	CCA81127
4	4 E
3'0" x 6'8"	3'0" x 8'0"




Fir*

CCA4905	CCA84905
3	3 E
3'0" x 6'8"	3'0" x 8'0"



Fir*

CCA4915L	CCA4915R
3	3
3'0" x 6'8"	3'0" x 6'8"



Fir*

CCA84915L	CCA84915R
3 E	3 E
3'0" x 8'0"	3'0" x 8'0"



Fir*

CCA4925L	CCA4925R
5	5
3'0" x 6'8"	3'0" x 6'8"

*Formerly Classic-Craft American Style.
**Formerly Classic-Craft Rustic.
Note: See page 293 for important product details that may help with your purchase decision.



Fir*

CCA84925L
5 E
3'0" x 8'0"

CCA84925R
5 E
3'0" x 8'0"



Fir*

CCA4935
5
3'0" x 6'8"

CCA84935
5 E
3'0" x 8'0"



Fir*

CCA4945
5
3'0" x 6'8"

CCA84945
5 E
3'0" x 8'0"



Fir*

CCA1166
5
3'0" x 6'8"

CCA81166
5 E
3'0" x 8'0"



Fir*

CCA1158
3
3'0" x 6'8"

CCA81158
3 E
3'0" x 8'0"



Fir*

CCA1147
5
3'0" x 6'8"

CCA81147
5 E
3'0" x 8'0"



Mahogany**

CCR100
3'0" x 6'8"
3'6" x 6'8"

CCR8100
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCM890
9
3'0" x 8'0"



Oak

CC91
9
3'0" x 6'8"




Canvas

CCV200
9
3'0" x 6'8"



Mahogany**

CCR8222
9
3'0" x 8'0"
3'6" x 8'0"






FOUNDERS
Collection

A revival of traditional and rustic styling, the Founders Collection honors the historic significance of classically inspired design. Taking a more decorative approach to the entryway, this selection of premium Classic Craft® doors includes curved and arched details, embellished panel embossments and intricate glass designs for a noteworthy entrance with enduring style.









TRADITIONAL

TIME-HONORED

DECORATIVE

Left Page: Classic Craft Mahogany Grain, Augustine Glass,
Doors – CCR804037, Finish – Bark
Right Page: Classic Craft Mahogany Grain, Low-E Glass with SDLs,
Doors – CCM8303L, CCM8303R, Finish – New Earth



Decorative & Specialty Glass Designs

Arcadia™

With its timeless petal design, Arcadia combines 1 gray baroque glass, 2 seeded glass, 3 clear curved bevels and caming for a distinctive display that evokes a simpler time.

Glass Shapes

Glass Privacy Rating





Black Nickel



Brushed Nickel



Brass*


Augustine®

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and 1 granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

Glass Shapes

Glass Privacy Rating





Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 64 to see an example on a home.

*Only available in Classic Craft Oak grain.
Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Bella™

As its name suggests, Bella's design is delicate and appealing, bringing together 1 clear bevels, 2 clear baroque glass, 3 rainglass, 4 seeded glass, 5 bronze waterglass and caming.

Glass Shapes

Glass Privacy Rating





Black Nickel

Borrassa®

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with 1 hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

Glass Shapes

Glass Privacy Rating





Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 24 to see an example on a home.

Provincial™

A unique diamond-based motif features ❶ double waterglass, ❷ clear bevels and caming surrounded by a ❸ gray baroque glass border. Provincial captivates with stunning clarity.

Glass Shapes

Glass Privacy Rating





Black Nickel



Brushed Nickel



Brass*


Longford™

The traditional design of Longford integrates a hint of a Celtic knot with ❶ seeded glass, ❷ clear bevels, ❸ granite glass and caming. A timeless design ideal for entries where modest privacy is desired.

Glass Shapes

Glass Privacy Rating





Black Nickel



Brushed Nickel

*Only available in Classic Craft Oak grain.
Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Cambridge™

Ornate and enchanting, Cambridge exhibits a traditional 19th century-inspired elegance with modest privacy using ❶ glue chip glass, ❷ clear curved bevels, ❸ double waterglass and caming.

Glass Shapes

Glass Privacy Rating





Black Nickel



Brushed Nickel



Brass

Lucerna®

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of ❶ curved, ❷ diamond and ❸ rectangular bevels surrounded by smooth, swirling ❹ barn wood and heavily textured ❺ diamond border glass.

Glass Shapes

Glass Privacy Rating





Black Nickel



Brushed Nickel

Privacy & Textured Glass



Satin Etch

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

Glass Privacy Rating 1 — 10



Chord

A vertical flowing pattern reminiscent of waves on the water.

Glass Privacy Rating 1 — 10



Rainglass

An elegantly fashioned glass, featuring ripples of cascading water.

Glass Privacy Rating 1 — 8 — 10



Granite

A coarse-grained arrangement with surface detail over the entirety of the glass.

Glass Privacy Rating 1 — 10

Glass Shapes

Also Available:

Low-E

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the (6) icon.



(40.64 mm / 1.6 in.)
Look for the (6) icon.

Mahogany Grain

Removable Wood Grilles

Removable wood grilles snap on and off the interior pane of tempered glass for easy cleaning. Can be stained or painted to complement the home décor. Look for the (›) icon.



Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



1-½" 1-¼" 1"



1-¾" 1-¼" 1"



18"











Full Lites

For sidelites and transoms, see pages 108–117.

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (A)
- Wrought Iron (W)
- Removable Wood Grilles (RG)

Arcadia™



Mahogany*
CCR30029**
3'0" x 6'8"



Oak
CC109
3'0" x 6'8"



Canvas
CCV10029**
3'0" x 6'8"

Augustine®



Mahogany*
CCR30027
3'0" x 6'8"



Canvas
CCV10027
3'0" x 6'8"

Bella™



Mahogany*
CCR30024B
3'0" x 6'8"



Oak
CC111B
3'0" x 6'8"



Canvas
CCV10024B
3'0" x 6'8"

Borrassa®



Mahogany*
CCR1528
3'0" x 6'8"



Canvas
CCV1528
3'0" x 6'8"

Provincial™



Mahogany*
CCR30028**
3'0" x 6'8"



Oak
CC107
3'0" x 6'8"

*Formerly Classic-Craft Rustic.
**Not available in brass caming.
Note: See page 293 for important product details that may help with your purchase decision.



Canvas

CCV10028**
3'0" x 6'8"

Longford™



Mahogany*

CCR30023
3'0" x 6'8"



Canvas

CCV10023
3'0" x 6'8"

Cambridge™



Mahogany*

CCR30026
3'0" x 6'8"



Oak

CC106
3'0" x 6'8"



Canvas

CCV10026
3'0" x 6'8"

Lucerna®



Mahogany*

CCR10022
3'0" x 6'8"



Oak

CC10022
3'0" x 6'8"



Canvas

CCV10022
3'0" x 6'8"

Low-E



Oak

CC102
3'0" x 6'8"



Canvas

CCV10015
3'0" x 6'8"



Mahogany*

CCR30020
3'0" x 6'8"



Oak

CC100
3'0" x 6'8"



Canvas

CCV10020
3'0" x 6'8"

3/4 Lites

For sidelites and transoms, see pages 108–117.

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (W)

Arcadia™



Mahogany
CCM209*
3'0" x 6'8"



Mahogany
CCM894*
3'0" x 8'0"



Oak
CC99
3'0" x 6'8"
CC899
3'0" x 8'0"



Canvas
CCV05029*
3'0" x 6'8"
CCV805029*
3'0" x 8'0"



Mahogany
CCM309*
3'0" x 6'8"

Augustine®



Mahogany
CCM1485
3'0" x 6'8"



Mahogany
CCM805027
3'0" x 8'0"



Canvas
CCV05027
3'0" x 6'8"
CCV805027
3'0" x 8'0"



Mahogany
CCM1495
3'0" x 6'8"

Bella™



Mahogany
CCM210B
3'0" x 6'8"



Mahogany
CCM895B
3'0" x 8'0"

*Not available in brass caming.
Note: See page 293 for important product details that may help with your purchase decision.



Oak

CC114B 3'0" x 6'8" | CC901B 3'0" x 8'0"



Canvas

CCV05024B 3'0" x 6'8" | CCV805024B 3'0" x 8'0"



Mahogany

CCM310B 3'0" x 6'8"

Borrassa®



Mahogany

CCM1475 3'0" x 6'8"



Mahogany

CCM81519 3'0" x 8'0"



Canvas

CCV1519 3'0" x 6'8" | CCV81519 3'0" x 8'0"



Mahogany

CCM1465 3'0" x 6'8"

Longford™



Mahogany

CCM203 3'0" x 6'8"



Mahogany

CCM892 3'0" x 8'0"



Canvas

CCV05023 3'0" x 6'8" | CCV805023 3'0" x 8'0"



Mahogany

CCM303 3'0" x 6'8"

Lucerna®



Mahogany

CCM204 3'0" x 6'8"



Mahogany

CCM898 3'0" x 8'0"



Oak

CC922 3'0" x 6'8" | CC898 3'0" x 8'0"



Canvas

CCV05022 3'0" x 6'8" | CCV805022 3'0" x 8'0"

Lucerna *Continues on next page.*

3/4 Lites *continued*

For sidelites and transoms, see pages 108–117.

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (W)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 70.

XC = Chord
XN = Granite

Optional Accessories



Clavos



Straps Hinge

Lucerna®



Mahogany
CCM302
3'0"x 6'8"

Provincial™



Oak
CC97 3'0"x 6'8" | CC897 3'0"x 8'0"



Canvas
CCV05028* 3'0"x 6'8" | CCV805028* 3'0"x 8'0"

Cambridge™



Oak
CC96 3'0"x 6'8" | CC896 3'0"x 8'0"



Canvas
CCV05026 3'0"x 6'8" | CCV805026 3'0"x 8'0"

Privacy & Textured



Mahogany
CCM200__
3'0"x 6'8"



Mahogany
CCM300__
3'0"x 6'8"

Low-E



Mahogany
CCM200
3'0"x 6'8"



Mahogany
CCM300
3'0"x 6'8"

*Not available in brass caming.
**Formerly Classic-Craft Rustic.
Note: See page 293 for important product details that may help with your purchase decision.

2/3 Lites

Arcadia™



Mahogany**

CCR804029
3'0" x 8'0"



Mahogany**

CCR820529
3'0" x 8'0"



Canvas

CCV820529
3'0" x 8'0"



Mahogany**

CCR820029
3'0" x 8'0"



Mahogany**

CCR822229
3'0" x 8'0"



Canvas

CCV822029
3'0" x 8'0"

Augustine®



Mahogany**

CCR04027
3'0" x 6'8"

CCR804027
3'0" x 8'0"
3'6" x 8'0"



Mahogany**

CCR20527
3'0" x 6'8"

CCR820527
3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV20527
3'0" x 6'8"

CCV820527
3'0" x 8'0"



Mahogany**

CCR20027
3'0" x 6'8"

CCR820027
3'0" x 8'0"



Mahogany**

CCR822227
3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV22027
3'0" x 6'8"

CCV822027
3'0" x 8'0"



Mahogany**

CCR04037
3'0" x 6'8"

CCR804037
3'0" x 8'0"
3'6" x 8'0"

Augustine *Continues on next page.*

2/3 Lites *continued*

For sidelites and transoms, see pages 108–117.

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Black Nickel Caming (1D)
- Wrought Iron (W)

Optional Accessories

Clavos

Straps Hinge

Augustine® ✕



Mahogany*

CCR20537	CCR820537
3'0"x 6'8"	3'0"x 8'0" 3'6"x 8'0"



Canvas

CCV20537	CCV820537
3'0"x 6'8"	3'0"x 8'0"



Mahogany*

CCR20037	CCR820037
3'0"x 6'8"	3'0"x 8'0"



Mahogany*

CCR20537A	CCR820537A
3'0"x 6'8"	3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR20037A	CCR820037A
3'0"x 6'8"	3'0"x 8'0"

Borrassa® ✕



Mahogany*

CCR1518	CCR81518
3'0"x 6'8"	3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR1516	CCR81516
3'0"x 6'8"	3'0"x 8'0" 3'6"x 8'0"



Canvas

CCV1516	CCV81516
3'0"x 6'8"	3'0"x 8'0"



Mahogany*

CCR1515	CCR81515
3'0"x 6'8"	3'0"x 8'0"

*Formerly Classic-Craft Rustic.
Note: See page 293 for important product details that may help with your purchase decision.



Mahogany*

CCR822215
3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV1515 | CCV81515
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR1514 | CCR81514
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR1512 | CCR81512
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV1512 | CCV81512
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR1511 | CCR81511
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR1512A | CCR81512A
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR1511A | CCR81511A
3'0" x 6'8" | 3'0" x 8'0"

Bella™



Mahogany*

CCR804024B
3'0" x 8'0"



Mahogany*

CCR820524B
3'0" x 8'0"



Canvas

CCV820524B
3'0" x 8'0"



Mahogany*

CCR820024B
3'0" x 8'0"



Mahogany*

CCR822224B
3'0" x 8'0"



Canvas

CCV822024B
3'0" x 8'0"

2/3 Lites *continued*

For sidelites and transoms, see pages 108–117.

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)

Optional Accessories



Clavos



Straps Hinge

Provincial™



Mahogany*
CCR804028
3'0" x 8'0"



Mahogany*
CCR820528
3'0" x 8'0"



Canvas
CCV820528
3'0" x 8'0"



Mahogany*
CCR820028
3'0" x 8'0"



Mahogany*
CCR822228
3'0" x 8'0"



Canvas
CCV822028
3'0" x 8'0"

Longford™



Mahogany*
CCR04023 3'0" x 6'8" | CCR804023 3'0" x 8'0"



Mahogany*
CCR20523 3'0" x 6'8" | CCR820523 3'0" x 8'0"



Canvas
CCV20523 3'0" x 6'8" | CCV820523 3'0" x 8'0"



Mahogany*
CCR20023 3'0" x 6'8" | CCR820023 3'0" x 8'0"

*Formerly Classic-Craft Rustic.
Note: See page 293 for important product details that may help with your purchase decision.

Cambridge™



Mahogany*
CCR822223
3'0"x 8'0"



Canvas
CCV22023 3'0"x 6'8" | CCV822023 3'0"x 8'0"



Mahogany*
CCR804026
3'0"x 8'0"



Mahogany*
CCR820526
3'0"x 8'0"



Canvas
CCV820526
3'0"x 8'0"



Mahogany*
CCR820026
3'0"x 8'0"



Mahogany*
CCR822226
3'0"x 8'0"



Canvas
CCV822026
3'0"x 8'0"

Lucerna®



Mahogany*
CCR04022 3'0"x 6'8" | CCR804022 3'0"x 8'0" 3'6"x 8'0"



Mahogany*
CCR20522 3'0"x 6'8" | CCR820522 3'0"x 8'0" 3'6"x 8'0"



Canvas
CCV20522 3'0"x 6'8" | CCV820522 3'0"x 8'0"



Mahogany*
CCR20022 3'0"x 6'8" | CCR820022 3'0"x 8'0"



Mahogany*
CCR822222
3'0"x 8'0"
3'6"x 8'0"



Canvas
CCV22022 3'0"x 6'8" | CCV822022 3'0"x 8'0"



Mahogany*
CCR804032
3'0"x 8'0"

Lucerna *Continues on next page.*

For sidelites and transoms, see pages 108–117.

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- 6 Simulated Divided Lites (SDLF6)
- Removable Wood Grilles (RG)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 70.

XE = Satin Etch
XC = Chord
XR = Rainglass
XN = Granite

Optional Accessories

Clavos

Straps Hinge

Lucerna®



Mahogany*
CCR820532
3'0" x 8'0"



Canvas
CCV820532
3'0" x 8'0"



Mahogany*
CCR820032
3'0" x 8'0"



Mahogany*
CCR820532A
3'0" x 8'0"

Privacy & Textured



Mahogany*
CCR820032A
3'0" x 8'0"



Canvas
CCV822012XC
CCV822012XN
3'0" x 8'0"



Mahogany*
CCR04020XC | CCR804020XC
CCR04020XN | CCR804020XN
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*
CCR20020XC | CCR820020XC
CCR20020XN | CCR820020XN
3'0" x 6'8" | 3'0" x 8'0"



Canvas
CCV22020XC | CCV822020XC
CCV22020XN | CCV822020XN
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*
CCR804030XC
CCR804030XN
3'0" x 8'0"

*Formerly Classic-Craft Rustic.
Note: See page 293 for important product details that may help with your purchase decision.



Mahogany*

CCR820530XC
CCR820530XN
3'0" x 8'0"



Canvas

CCV820530XC
CCV820530XN
3'0" x 8'0"



Mahogany*

CCR820030XC
CCR820030XN
3'0" x 8'0"



Mahogany*

CCR820530AXC
CCR820530AXN
3'0" x 8'0"



Mahogany

CCM302L_
3'0" x 6'8"

CCM302R_
3'0" x 6'8"



Mahogany

CCM8302L_
3'0" x 8'0"

CCM8302R_
3'0" x 8'0"



Mahogany

CCM304L_
3'0" x 6'8"

CCM304R_
3'0" x 6'8"



Mahogany

CCM8304L_
3'0" x 8'0"

CCM8304R_
3'0" x 8'0"



Mahogany

CCM303L_
3'0" x 6'8"

CCM303R_
3'0" x 6'8"



Mahogany

CCM8303L_
3'0" x 8'0"

CCM8303R_
3'0" x 8'0"

 Continues on next page.

2/3 Lites *continued*

For sidelites and transoms, see pages 108–117.

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF6)
- Removable Wood Grilles (RG)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 70.

XE = Satin Etch
XR = Rainglass
XC = Chord
XN = Granite

Optional Accessories



Clavos



Straps Hinge

Privacy & Textured



Mahogany

CCM301CAL_ 3'0"x 6'8"
CCM301CAR_ 3'0"x 6'8"



Mahogany

CCM8301CAL_ 3'0"x 8'0"
CCM8301CAR_ 3'0"x 8'0"



Mahogany

CCM305CAL_ 3'0"x 6'8"
CCM305CAR_ 3'0"x 6'8"



Mahogany

CCM8305CAL_ 3'0"x 8'0"
CCM8305CAR_ 3'0"x 8'0"



Mahogany

CCM306CAL_ 3'0"x 6'8"
CCM306CAR_ 3'0"x 6'8"



Mahogany

CCM8306CAL_ 3'0"x 8'0"
CCM8306CAR_ 3'0"x 8'0"

*Formerly Classic-Craft Rustic.
Note: See page 293 for important product details that may help with your purchase decision.

Low-E



Canvas

CCV822012

3'0" x 8'0"



Mahogany*

CCR04020

3'0"x 6'8"

CCR804020

3'0"x 8'0"
3'6"x 8'0"



Mahogany*

CCR20020

3'0"x 6'8"

CCR820020

3'0"x 8'0"



Mahogany*

CCR822220

3'0"x 8'0"
3'6"x 8'0"



Canvas

CCV22020

3'0"x 6'8"

CCV822020

3'0"x 8'0"



Mahogany*

CCR804030

3'0"x 8'0"



Mahogany*

CCR820530

3'0"x 8'0"



Canvas

CCV820530

3'0"x 8'0"



Mahogany*

CCR820030

3'0"x 8'0"



Mahogany*

CCR820530A

3'0"x 8'0"



Mahogany*

CCR820030A

3'0"x 8'0"



NEW



NEW

Mahogany

CCM302L

3'0"x 6'8"

CCM302R

3'0"x 6'8"



NEW



NEW

Mahogany

CCM8302L

3'0"x 8'0"

CCM8302R

3'0"x 8'0"

Low-E Glass *Continues on next page.*

2/3 Lites *continued*

For sidelites and transoms, see pages 108–117.

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF6)

Low-E



Mahogany

CCM304L
3'0" x 6'8"

CCM304R
3'0" x 6'8"



Mahogany

CCM8304L
3'0" x 8'0"

CCM8304R
3'0" x 8'0"



Mahogany

CCM303L
3'0" x 6'8"

CCM303R
3'0" x 6'8"



Mahogany

CCM8303L
3'0" x 8'0"

CCM8303R
3'0" x 8'0"



Mahogany

CCM301CAL
3'0" x 6'8"

CCM301CAR
3'0" x 6'8"



Mahogany

CCM8301CAL
3'0" x 8'0"

CCM8301CAR
3'0" x 8'0"

Note: See page 293 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Granite Glass with SDLs, Doors – CCM8305CALXN, CCM8305CARXN, Finish – Driftwood



Mahogany

CCM305CAL
3'0" x 6'8"

CCM305CAR
3'0" x 6'8"



Mahogany

CCM8305CAL
3'0" x 8'0"

CCM8305CAR
3'0" x 8'0"



Mahogany

CCM306CAL
3'0" x 6'8"

CCM306CAR
3'0" x 6'8"



Mahogany

CCM8306CAL
3'0" x 8'0"

CCM8306CAR
3'0" x 8'0"



1/2 Lites

For sidelites and transoms, see pages 108–117.

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (W)
- Removable Wood Grilles (RG)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 70.

XE = Satin Etch
XN = Granite
XC = Chord

Arcadia™



Mahogany
CCM609*
3'0" x 6'8"



Oak
CC45
2'8" x 6'8"
3'0" x 6'8"



Canvas
CCV06029* 3'0" x 6'8" | CCV806029* 3'0" x 8'0"

Augustine®



Canvas
CCV806027
3'0" x 8'0"

Bella™



Mahogany
CCM610B
3'0" x 6'8"



Oak
CC110B
3'0" x 6'8"



Canvas
CCV06024B 3'0" x 6'8" | CCV806024B 3'0" x 8'0"

Borrassa®



Canvas
CCV81518
3'0" x 8'0"

Provincial™



Oak
CC47
2'8" x 6'8"
3'0" x 6'8"

*Not available in brass caming.
Note: See page 293 for important product details that may help with your purchase decision.



Canvas

CCV06028* 3'0" x 6'8" | CCV806028* 3'0" x 8'0"

Longford™



Mahogany

CCM603 3'0" x 6'8"



Canvas

CCV06023 3'0" x 6'8" | CCV806023 3'0" x 8'0"

Cambridge™



Oak

CC44 2'8" x 6'8" 3'0" x 6'8"



Canvas

CCV06026 3'0" x 6'8" | CCV806026 3'0" x 8'0"

Lucerna®



Mahogany

CCM612 3'0" x 6'8"



Oak

CC612 3'0" x 6'8"



Canvas

CCV06022 3'0" x 6'8" | CCV806022 3'0" x 8'0"

Privacy & Textured



Oak

CC49XE
3'0" x 6'8"



Canvas

CCV0609XE
3'0" x 6'8"

CCV806012XC
CCV806012XN
3'0" x 8'0"



Oak

CC48XE 3'0" x 6'8"



Mahogany

CCM600XE 3'0" x 6'8"



Canvas

CCV06020XE 3'0" x 6'8" | CCV806020XC CCV806020XN 3'0" x 8'0"

1/2 Lites *continued*

For sidelites and transoms, see pages 108–117.

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Removable Wood Grilles (RG)

LOW-E



Oak

CC49
2'8" x 6'8"
3'0" x 6'8"



Canvas

CCV0609
3'0" x 6'8"

CCV806012
3'0" x 8'0"



Mahogany

CCM600
3'0" x 6'8"



Oak

CC48
2'8" x 6'8"
3'0" x 6'8"



Canvas

CCV06020
3'0" x 6'8"

CCV806020
3'0" x 8'0"



*Not available in brass caming.
Note: See page 293 for important product details that may help with your purchase decision.

Bottom: Classic Craft Mahogany Grain, Provincial Glass, Doors – CCR804028
Right Page: Classic Craft Mahogany Grain, Lucerna Glass, Door – CCM702, Sidelites – CCM3412SL, Finish – Mulberry

Oval Lites

Arcadia™



Mahogany

CCM709*
3'0" x 6'8"



Oak

CC79
3'0" x 6'8"

Bella™



Mahogany

CCM710B
3'0" x 6'8"



Oak

CC113B
3'0" x 6'8"

Provincial™



Oak

CC77
3'0" x 6'8"

Longford™



Mahogany

CCM703
3'0" x 6'8"

Cambridge™



Oak

CC76
3'0" x 6'8"

Lucerna®



Mahogany

CCM702
3'0" x 6'8"



Oak

CC78
3'0" x 6'8"

Low-E




Mahogany

CCM700
✷
3'0" x 6'8"



Oak

CC70
✷
3'0" x 6'8"



Center Lites

For sidelites and transoms, see pages 108–117.

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- WBDR Options
- WBDR / HVHZ Options

Arcadia™



Mahogany
CCM809
3'0" x 6'8"

Bella™



Mahogany
CCM810B
3'0" x 6'8"

Longford™



Mahogany
CCM803
3'0" x 6'8"

Lucerna®



Mahogany
CCM822
3'0" x 6'8"

Low-E



Mahogany
CCM800
3'0" x 6'8"

Solid Panels



Mahogany*
CCR100R
3'0" x 6'8"
3'6" x 6'8"
CCR8100R
3'0" x 8'0"
3'6" x 8'0"



Mahogany*
CCR040R
3'0" x 6'8"
CCR8040R
3'0" x 8'0"
3'6" x 8'0"



Mahogany*
CCR8225R
3'0" x 8'0"
3'6" x 8'0"

*Formerly Classic-Craft Rustic.
Note: See page 293 for important product details that may help with your purchase decision.



Mahogany*

CCR8220R
3'0"x 8'0"



Mahogany*

CCR8005A
3'0"x 8'0"



Mahogany*

CCR205A
3'0"x 6'8"

CCR8205A
3'0"x 8'0"
3'6"x 8'0"



Mahogany*

CCR200A
3'0"x 6'8"

CCR8200A
3'0"x 8'0"



Mahogany*

CCR8225
3'0"x 8'0"
3'6"x 8'0"



Mahogany*

CCR8220
3'0"x 8'0"



Mahogany*

CCR8005
3'0"x 8'0"



Mahogany*

CCR040
3'0"x 6'8"

CCR8040
3'0"x 8'0"
3'6"x 8'0"



Mahogany*

CCR205
3'0" x 6'8"

CCR8205
3'0"x 8'0"
3'6"x 8'0"



Canvas

CCV205
3'0"x 6'8"

CCV8205
3'0"x 8'0"



Mahogany*

CCR200
3'0"x 6'8"

CCR8200
3'0"x 8'0"



Canvas


CCV220
3'0"x 6'8"

CCV8220
3'0"x 8'0"



Oak

CC831
3'0"x 8'0"



Canvas

CCV831
3'0"x 8'0"

Solid Panels *continued*

For sidelites and transoms,
see pages 108–117.

Mahogany Grain
Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key
WBDR / HVHZ Options



Mahogany


CCM60
3'0" x 6'8"



Oak

CC60
2'8" x 6'8"
3'0" x 6'8"

CC860
3'6" x 8'0"



Canvas

CCV060
3'0" x 6'8"

CCV860
3'0" x 8'0"



Mahogany

CCM801
3'0" x 6'8"



Mahogany

CCM701
3'0" x 6'8"



Canvas

CCV050
3'0" x 6'8"



Oak

CC40
3'6" x 6'8"

Note: See page 293 for important product details that may help with your purchase decision.
Right Page: Classic Craft Canvas Door – CCV050








VISIONARY
Collection

Artfully inspired with a confident edge, the Visionary Collection pushes the envelope of design for the next generation. Focusing on a streamlined aesthetic with a modern flair, this collection of premium Classic Craft® doors reimagines the entry with sleek lines, forward-thinking designs and minimalist details for an entrance that exudes confidence with bold appeal.









MODERN

CONFIDENT

MINIMAL

Left Page: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors – CCA82320XE, Finish – Raven, Surround – TDS-CRSFLT
Right Page: Classic Craft Walnut Grain Door – CCW8906R; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Lynx

Decorative & Specialty Glass Designs

Zaha®

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features 1 oceana and 2 seedy glass, 3 clear and 4 multifaceted bevels, and caming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

Glass Shapes

Glass Privacy Rating

1 — 3 — 10



Black Nickel


Brushed Nickel



Privacy & Textured Glass

NEW



Reeded

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.

Glass Privacy Rating 1 7 10



Geometric

A sleek cubic texture with a unique multidimensional view and ever-changing perspectives.

Glass Privacy Rating 1 7 10



Satin Etch

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

Glass Privacy Rating 1 10



Chord

A vertical flowing pattern reminiscent of waves on the water.

Glass Privacy Rating 1 10

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Left Page: Classic Craft Mahogany Grain, Zaha Glass, Door – CCR1838, Finish – Shale

Privacy & Textured Glass



Chinchilla

A free-flowing configuration, presenting quiet lines and curves.

Glass Privacy Rating 1 10



Rainglass

An elegantly fashioned glass, featuring ripples of cascading water.

Glass Privacy Rating 1 8 10



Granite

A coarse-grained arrangement with surface detail over the entirety of the glass.

Glass Privacy Rating 1 10

Glass Shapes

For sidelites and transoms, see pages 108–117.

Also Available:

Low-E

Note: See page 293 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2340, Sidelites – CCA2400SL, Finish – Rustic Clay, ©TheHouseDesigners.com

Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the ( ) icon.

4-¼" and 5-½" flat profile bars are also used on solid-panel doors as door divider bars (DDBs). Look for the ( ) icon.



(107.95 mm / 4.25 in.)
Look for the (3) and (3)icons.



(139.70 mm / 5.5 in.)
Look for the (4) and (4) icons.



Note: Some door styles use a combination of 4-¼" and 5-½" divider bars. Look for the (5) and (5) icons.





Full Lites

For sidelites and transoms, see pages 108–117.

Fir Grain
Formerly Classic-Craft American Style

Walnut Grain

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- 3 Simulated Divided Lites (SDLF3)
- 4 Simulated Divided Lites (SDLF4)
- 5 Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 99–100.

XK = NEW Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Zaha®




Mahogany*
CCR1851
3'0"x 6'8"




Canvas
CCV1851
3'0"x 6'8"

Privacy & Textured




Fir**

CCA2400__	CCA82400__
3'0"x 6'8"	E 3'0"x 8'0"




Fir**

CCA2300__	CCA82300__
4 3'0"x 6'8"	4 E 3'0"x 8'0"




Fir**

CCA2310__	CCA82310__
4 3'0"x 6'8"	4 E 3'0"x 8'0"




Fir**

CCA2320__	CCA82320__
3 3'0"x 6'8"	3 E 3'0"x 8'0"




Fir**

CCA2330__	CCA82330__
3 3'0"x 6'8"	3 E 3'0"x 8'0"



Fir**

CCA2340__	CCA82340__
3 3'0"x 6'8"	3 E 3'0"x 8'0"




Fir**

CCA2380__	CCA82380__
5 3'0"x 6'8"	5 E 3'0"x 8'0"


*Formerly Classic-Craft Rustic.
**Formerly Classic-Craft American Style.
Note: See page 293 for important product details that may help with your purchase decision.

Low-E




Fir**

CCA2400 | CCA82400
3'0"x 6'8" | 3'0"x 8'0"




Fir**

CCA2300 | CCA82300
3'0"x 6'8" | 3'0"x 8'0"




Fir**

CCA2310 | CCA82310
3'0"x 6'8" | 3'0"x 8'0"




Fir**

CCA2320 | CCA82320
3'0"x 6'8" | 3'0"x 8'0"




Fir**

CCA2330 | CCA82330
3'0"x 6'8" | 3'0"x 8'0"



Fir**

CCA2340 | CCA82340
3'0"x 6'8" | 3'0"x 8'0"



Fir**

CCA2380 | CCA82380
3'0"x 6'8" | 3'0"x 8'0"


3/4 Lites

Zaha®



Mahogany

CCM1844
3'0"x 6'8"



Mahogany

CCM81843
3'0"x 8'0"



Canvas

CCV1843 | CCV81843
3'0"x 6'8" | 3'0"x 8'0"



Mahogany

CCM1842
3'0"x 6'8"

2/3 Lites

For sidelites and transoms,
see pages 108–117.

Fir Grain
Formerly Classic-Craft
American Style

Walnut Grain

Mahogany Grain
Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Zaha®



Mahogany*
CCR1841 3'0" x 6'8" | CCR81841 3'0" x 8'0"



Mahogany*
CCR1839 3'0" x 6'8" | CCR81839 3'0" x 8'0"



Canvas
CCV1839 3'0" x 6'8" | CCV81839 3'0" x 8'0"



Mahogany*
CCR1838 3'0" x 6'8" | CCR81838 3'0" x 8'0"



Mahogany*
CCR822238 3'0" x 8'0"



Canvas
CCV1838 3'0" x 6'8" | CCV81838 3'0" x 8'0"



Mahogany*
CCR81847 3'0" x 8'0"



Mahogany*
CCR81846 3'0" x 8'0"



Canvas
CCV81846 3'0" x 8'0"



Mahogany*
CCR81845 3'0" x 8'0"

*Formerly Classic-Craft Rustic.
Note: See page 293 for important product details that may help with your purchase decision.
Right Page: Classic Craft Canvas, Zaha Glass, Door – CCV1839; Clear Glass, Transom – 19200T



Mahogany*
CCR81847A
3'0" x 8'0"



Mahogany*
CCR81846A
3'0" x 8'0"



Mahogany*
CCR81845A
3'0" x 8'0"



Canvas
CCV81841
3'0" x 8'0"



Canvas
CCV81840
3'0" x 8'0"



Solid Panels

For sidelites and transoms, see pages 108–117.

Fir Grain
Formerly Classic-Craft American Style

Walnut Grain

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Canvas

Key

- 3 Door Divider Bars (DDBF3)
- 4 Door Divider Bars (DDBF4)
- ‡ 7'0" Height Available
- E Elevated 10" Bottom Rail Options



Fir*

CCA1100	CCA81100
3'0"x 6'8"	E
	3'0"x 8'0"



Fir*

CCA1133	CCA81133
4	4 E
3'0"x 6'8"	3'0"x 8'0"



Fir*

CCA1145	CCA81145
4	4 E
3'0"x 6'8"	3'0"x 8'0"



Fir*

CCA1150	CCA81150
3	3 E
3'0"x 6'8"	3'0"x 8'0"



Walnut

CCW1000	CCW81000
E	E
2'6" x 6'8"‡	2'6" x 8'0"
2'8" x 6'8"‡	2'8" x 8'0"
2'10" x 6'8"‡	2'10" x 8'0"
3'0" x 6'8"‡	3'0" x 8'0"
3'6" x 6'8"‡	3'6" x 8'0"



Walnut

CCW900L	CCW8900L
2'6" x 6'8"‡	2'6" x 8'0"
2'8" x 6'8"‡	2'8" x 8'0"
2'10" x 6'8"‡	2'10" x 8'0"
3'0" x 6'8"‡	3'0" x 8'0"
3'6" x 6'8"‡	3'6" x 8'0"



Walnut

CCW900R	CCW8900R
2'6" x 6'8"‡	2'6" x 8'0"
2'8" x 6'8"‡	2'8" x 8'0"
2'10" x 6'8"‡	2'10" x 8'0"
3'0" x 6'8"‡	3'0" x 8'0"
3'6" x 6'8"‡	3'6" x 8'0"



Walnut

CCW901L	CCW8901L
2'6" x 6'8"‡	2'6" x 8'0"
2'8" x 6'8"‡	2'8" x 8'0"
2'10" x 6'8"‡	2'10" x 8'0"
3'0" x 6'8"‡	3'0" x 8'0"
3'6" x 6'8"‡	3'6" x 8'0"



Walnut

CCW901R	CCW8901R
2'6" x 6'8"‡	2'6" x 8'0"
2'8" x 6'8"‡	2'8" x 8'0"
2'10" x 6'8"‡	2'10" x 8'0"
3'0" x 6'8"‡	3'0" x 8'0"
3'6" x 6'8"‡	3'6" x 8'0"

*Formerly Classic-Craft American Style.
Note: See page 293 for important product details that may help with your purchase decision.



Walnut

CCW902L	CCW8902L
2'6" x 6'8"‡	2'6" x 8'0"
2'8" x 6'8"‡	2'8" x 8'0"
2'10" x 6'8"‡	2'10" x 8'0"
3'0" x 6'8"‡	3'0" x 8'0"
3'6" x 6'8"‡	3'6" x 8'0"



Walnut

CCW902R	CCW8902R
2'6" x 6'8"‡	2'6" x 8'0"
2'8" x 6'8"‡	2'8" x 8'0"
2'10" x 6'8"‡	2'10" x 8'0"
3'0" x 6'8"‡	3'0" x 8'0"
3'6" x 6'8"‡	3'6" x 8'0"



Walnut

CCW903	CCW8903
2'6" x 6'8"‡	2'6" x 8'0"
2'8" x 6'8"‡	2'8" x 8'0"
2'10" x 6'8"‡	2'10" x 8'0"
3'0" x 6'8"‡	3'0" x 8'0"
3'6" x 6'8"‡	3'6" x 8'0"



Walnut

CCW904L	CCW8904L
2'6" x 6'8"‡	2'6" x 8'0"
2'8" x 6'8"‡	2'8" x 8'0"
2'10" x 6'8"‡	2'10" x 8'0"
3'0" x 6'8"‡	3'0" x 8'0"
3'6" x 6'8"‡	3'6" x 8'0"



Walnut

CCW904R	CCW8904R
2'6" x 6'8"‡	2'6" x 8'0"
2'8" x 6'8"‡	2'8" x 8'0"
2'10" x 6'8"‡	2'10" x 8'0"
3'0" x 6'8"‡	3'0" x 8'0"
3'6" x 6'8"‡	3'6" x 8'0"



Walnut

CCW905	CCW8905
E	E
2'6" x 6'8"‡	2'6" x 8'0"
2'8" x 6'8"‡	2'8" x 8'0"
2'10" x 6'8"‡	2'10" x 8'0"
3'0" x 6'8"‡	3'0" x 8'0"
3'6" x 6'8"‡	3'6" x 8'0"



Walnut

CCW906L	CCW8906L
2'6" x 6'8"‡	2'6" x 8'0"
2'8" x 6'8"‡	2'8" x 8'0"
2'10" x 6'8"‡	2'10" x 8'0"
3'0" x 6'8"‡	3'0" x 8'0"
3'6" x 6'8"‡	3'6" x 8'0"



Walnut

CCW906R	CCW8906R
2'6" x 6'8"‡	2'6" x 8'0"
2'8" x 6'8"‡	2'8" x 8'0"
2'10" x 6'8"‡	2'10" x 8'0"
3'0" x 6'8"‡	3'0" x 8'0"
3'6" x 6'8"‡	3'6" x 8'0"



Walnut

CCW907L	CCW8907L
2'6" x 6'8"‡	2'6" x 8'0"
2'8" x 6'8"‡	2'8" x 8'0"
2'10" x 6'8"‡	2'10" x 8'0"
3'0" x 6'8"‡	3'0" x 8'0"
3'6" x 6'8"‡	3'6" x 8'0"



Walnut

CCW907R	CCW8907R
2'6" x 6'8"‡	2'6" x 8'0"
2'8" x 6'8"‡	2'8" x 8'0"
2'10" x 6'8"‡	2'10" x 8'0"
3'0" x 6'8"‡	3'0" x 8'0"
3'6" x 6'8"‡	3'6" x 8'0"

Sidelites

Fir Grain
Formerly Classic-Craft American Style

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)


Low-E



Direct Set


DRS2131SL	DRS82131SL
12"x 6'8"‡ 14"x 6'8"‡	12"x 8'0" 14"x 8'0"

Villager™




Fir*

CCA3402SL	CCA3502SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Fir*


CCA2430SL	CCA82430SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Canvas


CCV912SL	CCV8112SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"

Homeward™



Fir*

CCA3401SL	CCA3501SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Fir*

CCA2420SL	CCA82420SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"




Mahogany**

CCR9925SL	CCR89925SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Oak

CC9925SL	CC89925SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Canvas

CCV911SL	CCV8111SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"

*Formerly Classic-Craft American Style.
**Formerly Classic-Craft Rustic.
***Not available in brass caming.
Note: See page 293 for important product details that may help with your purchase decision.

Arborwatch®



Fir*

CCA1423SL	CCA81423SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Fir*

CCA2410SL	CCA82410SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"




Mahogany**

CCR1423SL	CCR81423SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Oak

CC1423SL	CC81423SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Canvas

CCV1423SL	CCV81423SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"

Arcadia™




Mahogany**

CCR3409SL***	CCR8009SL***
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Oak

CC2060SL	CC8009SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Canvas

CCV109SL***	CCV8109SL***
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"

Augustine®



Mahogany**

CCR3400XNSL	CCR8000XNSL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Canvas

CCV100XNSL	CCV8100XNSL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"

Bella™



Mahogany**

CCR3410BSL	CCR8010BSL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Oak

CC2080BSL	CC8010BSL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Canvas

CCV104BSL	CCV8104BSL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"

Sidelites *continued*

Fir Grain
Formerly Classic-Craft American Style

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 99–100.

XK = NEW Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Borrassa®



Mahogany

CCR3400XHSL	CCR8000XHSL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Canvas

CCV100XHSL	CCV8100XHSL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"

Provincial™




Mahogany

CCR3408SL*	CCR8008SL*
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Oak

CC2040SL	CC8007SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Canvas

CCV108SL*	CCV8108SL*
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"

Longford™



Mahogany

CCR3407SL	CCR8007SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Canvas

CCV103SL	CCV8103SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"

Cambridge™



Mahogany

CCR3406SL	CCR8006SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Oak

CC2044SL	CC8006SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"

*Not available in brass caming.
**Not available with Reeded (XK) or Satin Etch (XE) glass.
Note: See page 293 for important product details that may help with your purchase decision.

Lucerna®



Canvas

CCV106SL	CCV8106SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Mahogany

CCR3412SL	CCR8102SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Oak

CC3412SL	CC8102SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Canvas


CCV3412SL	CCV8102SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"

Zaha®



Mahogany

CCR1851SL	CCR81851SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Canvas

CCV1851SL	CCV81851SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"

Privacy & Textured



Fir

CCA2300__SL	CCA82300__SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Fir

CCA2310__SL	CCA82310__SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Fir

CCA2320__SL	CCA82320__SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Fir

CCA2330__SL	CCA82330__SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Fir

CCA2340__SL	CCA82340__SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Fir

CCA3450__SL**	CCA3560__SL**
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"

Sidelites *continued*

Fir Grain
Formerly Classic-Craft American Style

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas



Oak
CC2025__SL*
12"x 6'8"
14"x 6'8"



Canvas
CCV8950__SL**
12"x 8'0"
14"x 8'0"



Canvas
CCV950__SL*
12"x 6'8"
14"x 6'8"



Fir

CCA2400__SL	CCA82400__SL
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"



Fir

CCA3400__SL**	CCA3500__SL**
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"



Mahogany

CCR3400__SL*	CCR8000__SL**
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"



Oak

CC2020__SL*	CC8000__SL**
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"



Canvas

CCV100__SL*	CCV8100__SL**
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"

LOW-E



Fir

CCA2300SL	CCA82300SL
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"



Fir

CCA2310SL	CCA82310SL
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Removable Wood Grilles (RG)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 99–100.

XK = NEW Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Not available with Reeded (XK) glass.
**Not available with Reeded (XK) or Satin Etch (XE) glass.
Note: See page 293 for important product details that may help with your purchase decision.



Fir

CCA2320SL
12"x 6'8"
14"x 6'8"

CCA82320SL
12"x 8'0"
14"x 8'0"



Fir

CCA3450SL
12"x 6'8"
14"x 6'8"

CCA3560SL
12"x 8'0"
14"x 8'0"



Fir

CCA2330SL
12"x 6'8"
14"x 6'8"

CCA82330SL
12"x 8'0"
14"x 8'0"



Fir

CCA2340SL
12"x 6'8"
14"x 6'8"

CCA82340SL
12"x 8'0"
14"x 8'0"



Oak

CC2025SL
12"x 6'8"
14"x 6'8"



Canvas

CCV950SL
12"x 6'8"
14"x 6'8"



Canvas


CCV8950SL
12"x 8'0"
14"x 8'0"



Fir

CCA3400SL
12"x 6'8"
14"x 6'8"

CCA3500SL
12"x 8'0"
14"x 8'0"



Fir

CCA2400SL
12"x 6'8"
14"x 6'8"

CCA82400SL
12"x 8'0"
14"x 8'0"



Mahogany

CCR3400SL
12"x 6'8"
14"x 6'8"

CCR8000SL
12"x 8'0"
14"x 8'0"



Oak

CC2020SL
12"x 6'8"
14"x 6'8"

CC8000SL
12"x 8'0"
14"x 8'0"



Canvas

CCV100SL
12"x 6'8"
14"x 6'8"

CCV8100SL
12"x 8'0"
14"x 8'0"

Arcadia™



Mahogany

CCM3309SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

Bella™



Mahogany

CCM3310BSL
10"x 6'8"
12"x 6'8"
14"x 6'8"

Longford™



Mahogany

CCM3303SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

Lucerna®



Mahogany

CCM3302SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

Sidelites *continued*

Fir Grain
Formerly Classic-Craft American Style

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Oak Grain

Canvas

Key


- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 99–100.

XC = Chord
XR = Rainglass
XJ = Chinchilla
XN = Granite

Zaha®



Mahogany
CCM1843SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

Low-E



Mahogany
CCM3300SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

Arcadia™



Oak
CC2279SL
12"x 6'8"
14"x 6'8"

Provincial™



Oak
CC2277SL
12"x 6'8"
14"x 6'8"

Cambridge™



Oak
CC2276SL
12"x 6'8"
14"x 6'8"

Lucerna®



Oak
CC2272SL
12"x 6'8"
14"x 6'8"

Low-E



Oak
CC2270SL
12"x 6'8"
14"x 6'8"

Arcadia™



Mahogany
CCM3509SL
12"x 6'8"
14"x 6'8"

Bella™



Mahogany
CCM3510BSL
12"x 6'8"
14"x 6'8"

Longford™



Mahogany
CCM3503SL
12"x 6'8"
14"x 6'8"

Lucerna®



Mahogany
CCM3502SL
12"x 6'8"
14"x 6'8"

Low-E



Mahogany
CCM3500SL
12"x 6'8"
14"x 6'8"

*Formerly Classic-Craft American Style.
Note: See page 293 for important product details that may help with your purchase decision.

Arcadia™



Oak
CC2160SL
12"x 6'8"
14"x 6'8"

Provincial™



Oak
CC2140SL
12"x 6'8"
14"x 6'8"

Cambridge™



Oak
CC2144SL
12"x 6'8"
14"x 6'8"

Lucerna®



Oak
CC2122SL
12"x 6'8"
14"x 6'8"

Low-E



Oak
CC2120SL
12"x 6'8"
14"x 6'8"

Villager™



Fir*
CCA212SL
12"x 6'8"
14"x 6'8"

Homeward™



Fir*
CCA211SL
12"x 6'8"
14"x 6'8"

Arborwatch®



Fir*
CCA9100SL
12"x 6'8"
14"x 6'8"

Privacy & Textured



Fir*
CCA220__SL
12"x 6'8"
14"x 6'8"



Fir*
CCA210__SL
12"x 6'8"
14"x 6'8"

Low-E




Fir*
CCA220SL
12"x 6'8"
14"x 6'8"




Fir*
CCA210SL
12"x 6'8"
14"x 6'8"

Villager™




Canvas
CCV9012SL
12"x 6'8"
14"x 6'8"

Homeward™




Canvas
CCV9011SL
12"x 6'8"
14"x 6'8"

Arborwatch®




Canvas
CCV4100SL
12"x 6'8"
14"x 6'8"

Privacy & Textured




Canvas
CCV920__SL
12"x 6'8"
14"x 6'8"




Canvas
CCV910__SL
12"x 6'8"
14"x 6'8"

Low-E



Canvas
CCV9020SL
12"x 6'8"
14"x 6'8"



Canvas
CCV9010SL
12"x 6'8"
14"x 6'8"

Transoms

Homeward™



HWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



HW30T
3'0" Door Only

Arborwatch®



ABRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



AB30T
3'0" Door Only

Arcadia™



CC060T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC620T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC600T
3'0" Door Only

Bella™



BEET-B
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



BERT-B
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Provincial™



CC040T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC420T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC400T
3'0" Door Only

Longford™



LFET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LFRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LF30T
3'0" Door Only

Cambridge™



CC090T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC920T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC900T
3'0" Door Only

Lucerna®



LCET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LCRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LC30T
3'0" Door Only

Note: See page 293 for important product details that may help with your purchase decision.
Right Page: Classic Craft Canvas, Provincial Glass, Door – CCV10028, Sidelites – CCV108SL, Transom – CC420T, Finish – Chestnut

Zaha®



ZHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Low-E



Grille Sticks Applied



19020T
✹
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T
✹
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
✹
3'0" Door Only



19210T
✹
12" & 14"
Sidelite Only

Key

- ✹ **Low-E Glass (LE)**
- ◆ **Black Nickel Caming (1D)**
- ⁘ **Brushed Nickel Caming (1C)**
- ❖ **Brass Caming (1A)**

Fiber-Classic® & Smooth-Star®
Fiberglass Doors





Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offers flexible options to fit virtually every entrance from front entry to patio to utility doors at an excellent value.

Top: Smooth-Star, Clear Glass with GBGs, Doors – S82103, Finish – Onyx
Bottom: Fiber-Classic Oak Collection, Internal Blinds, Door – FC678, Finish – Barley
Right Page: Fiber-Classic Oak Collection, Wellesley Glass, Door – FC796, Sidelites – FC104SL, Finish – Barley
















Fiber-Classic® Mahogany Collection™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



Fiber-Classic® Oak Collection™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



Smooth-Star®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

Fiber-Classic entry doors are rated a *Consumers Digest* Best Buy for their exceptional warranty, breadth of style options and wood-grained texture.



See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard® premium finish and Same-Day® Stain color options on pages 266–270.

Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 124.
- Invite light into the home for a more brilliant interior with 22" wide glass in a Lip-lite frame, as well as flush-glazed options with 25–27" wide glass – starting on page 138.
- Lite frames are heat and fade resistant, and suitable for use with a storm door.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



Door Construction

Fiber-Classic® and Smooth-Star® doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security

An enhanced lock block combined with a 1-¼" engineered lumber lock stile increases rigidity and stability.

3 Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-Values

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood*, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.

ENERGY STAR® Qualified Options Available



*Comparison of fiberglass to wood doors (both without glass).



Vented Sidelites

More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.



Available Configurations:



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

Note: No Impact options available for vented sidelites.
Top: Smooth-Star Door – S8200; Granite Glass, Sidelites – S81086XNSL

■ = Available
• = Not Applicable
S = Stain
P = Paint

	Fiber-Classic® Mahogany Collection™	Fiber-Classic® Oak Collection™	Smooth-Star®
Door Widths			
2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	•	•	■
Door Heights			
6'6"	•	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■
Glass Options			
Decorative	15	15	15
Privacy & Textured	7	7	7
Internal Blinds	■	■	■
Flush-Glazed	■	■	■
Screen Vented	•	•	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Removable Wood Grilles	■	■	■
Fixed Grilles	■	■	■
Low-E	■	■	■
Clear	■	■	■
Additional Options			
Finish	S / P	S / P	P
Vented Sidelites	■	■	■

Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 258–265.
5'0" Patio Opening = (2) 2'4" Doors
6'0" Patio Opening = (2) 2'10" Doors

Additional Options

WBDR Options: Look for this icon to find door styles that can be configured for WBDR.*

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

Fire-Rated Options: Available on solid-panel doors. See pages 238–243.

Flush-Glazed Options: Look for this icon to find door styles with flush-glazed glass.

Warranties

LIFETIME LIMITED WARRANTY

Fiber-Classic® and Smooth-Star® products are backed by a lifetime limited warranty. See page 293 for more information.

Fiber-Classic® and Smooth-Star® products with flush-glazed glass are also backed by the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners. See page 27 for more information.

Fiber-Classic® and Smooth-Star® door systems are eligible for the Tru-Defense® Warranty Rider when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider. See page 22–23 for details.



*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.


Right: Smooth-Star, Clear Glass, Door – S8140

Decorative & Specialty Glass Designs

Blackstone®

Traditional English design meets ❶ clear curved bevels, ❷ rainglass and caming to create the distinctive styling of Blackstone. Entries get the best of both privacy and simple refinement.

1 — 7 — 10
Glass Privacy Rating



Black Nickel


Brushed Nickel

Crystalline™

This time-honored design features geometric styling brought to life with ❶ glue chip glass, ❷ glue chip bevels, ❸ clear bevels and caming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.

1 — 7 — 10
Glass Privacy Rating



Black Nickel


Brushed Nickel

Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with ❶ slump glass, ❷ clear bevels, ❸ clear artique glass and caming.

1 — 7 — 10
Glass Privacy Rating



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Salinas®

❶ Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.

1 — 10
Glass Privacy Rating



Wrought Iron

Maple Park®

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with ❶ waterglass, ❷ clear bevels, ❸ granite glass and caming. The curved design adds unique appeal.

1 — 6 — 10
Glass Privacy Rating



Black Nickel



Brushed Nickel

Avonlea®

The dainty leaf design seemingly grows upward in this elegant glass design. Light pours through Avonlea's ❶ clear baroque glass and ❷ bronze waterglass surrounded by black nickel caming.

1 — 4 — 10
Glass Privacy Rating



Black Nickel

Saratoga™


Saratoga evokes a certain urban sophistication while offering modest privacy with its ❶ clear bevels, ❷ diamond glass, ❸ reeded glass and caming. The geometric pattern bridges both modern and traditional designs.

1 — 7 — 10

Glass Privacy Rating



Black Nickel




Brushed Nickel

Texas Star

Beautifully crafted with ❶ clear bevels, ❷ curved bevels, ❸ clear waterglass, ❹ granite glass, ❺ glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.

1 — 5 — 10

Glass Privacy Rating



Black Nickel




Brushed Nickel

Wellesley™

Simple yet charming, Wellesley's Victorian-inspired design uses ❶ clear baroque glass, ❷ clear curved bevels, ❸ waterglass, ❹ granite glass and caming to add beauty to any entry.

1 — 6 — 10

Glass Privacy Rating



Black Nickel



Brushed Nickel




Brass

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Riserva®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features 1 oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.

1 — 10
Glass Privacy Rating



Wrought Iron

Concorde™

There's just something friendly about Concorde's cheery four-leaf design. 1 Glue chip glass, 2 clear curved bevels, 3 clear glass and caming make up its Old World charm.

1 — 8 — 10
Glass Privacy Rating



Black Nickel



Brushed Nickel



Brass

Kensington™

Kensington speaks European elegance while offering modest privacy with its 1 clear bevels, 2 glue chip glass, 3 granite glass and caming.

1 — 8 — 10
Glass Privacy Rating



Black Nickel




Brushed Nickel

Pembridge™

Simplistic in its design, Pembridge features a field of ❶ hammered glass framed by ❷ gray baroque glass and ❸ multifaceted bevels. A central diamond shape adds a decorative touch.

1 7 10
Glass Privacy Rating

Note: The use of gray baroque glass varies based on glass size.



Black Nickel



Brushed Nickel


Brass

Axis®

Simple and smart, Axis combines ❶ narrow reeded glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of ❷ clear glass bevels completes this linear design, ideal for Modern home styles.

1 7 10
Glass Privacy Rating



Black Nickel

Frosted Images®

Delicate and ornate, Frosted Images offers a high privacy rating with an elegant aesthetic achieved with the simplicity of ❶ white-frosted glass.

1 8 10
Glass Privacy Rating



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

1. Single-Hand Operator
2. Privacy Bar



Screen Vented

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Privacy & Textured Glass


NEW



Reeded

1 — 7 — 10


Glass Privacy Rating



Geometric

1 — 7 — 10


Glass Privacy Rating



Satin Etch

1 — 10

Glass Privacy Rating



Chord

1 — 10

Glass Privacy Rating



Chinchilla

1 — 10

Glass Privacy Rating



Rainglass

1 — 8 — 10

Glass Privacy Rating



Granite

1 — 10

Glass Privacy Rating

Also Available:
Low-E & Clear Glass

Divided Lites

Simulated Divided Lites (SDLs) with Grilles Between Glass (GBGs)



Shown with flat bronze GBGs, recommended.

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the ( ) icons.

Simulated Divided Lites (SDLs)



Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted any color to complement the door and home.

Look for the (1 2) icons.

Grilles Between Glass (GBGs)



Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the ( ) icon.

Removable Wood Grilles



Interior view.

Removable wood grilles snap on and off the interior pane of tempered glass for easy cleaning. Can be stained or painted to complement the home décor.

Look for the ( ) icon.

*Available in Special Quote Program.
Note: See page 293 for important product details that may help with your purchase decision.
Right Page: Smooth-Star, Clear Glass with SDLs, Door – S82103, Sidelites – S8000SL

Fixed Grilles




Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home décor.

Look for the (◆) icon.



SDL Bar Options

Grained



Smooth



(28.6 mm / 1.125 in.)
Look for the ( ) icon.

NEW Grained



Smooth



(28.6 mm / 1.125 in.)
Look for the (1) icon.

Grained




Smooth



(88.9 mm / 3.5 in.)
Look for the (2) icon.

GBG Bar Options

Flat



(20 mm / 0.787 in.)

Contour



(18 mm / 0.708 in.)

GBG Color Options




Key

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



1-½" 1-¼" 1"



1-¾" 1-¼" 1"



18"







Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic® 4-Block Dentil Shelf*



Smooth-Star® 4-Block Dentil Shelf*



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Dentil Shelf, Finish – Acorn
Right Page: Fiber-Classic Oak Collection, Riserva Glass, Door – FC574, Sidelites – FC573SL, Finish – Barley

Full Lites



Sidelite Configurations

For sidelites and transoms, see pages 191–211.

Blackstone®



Mahogany

FCM108	FCM871
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"



Mahogany

FCM310	FCM816
2'6"x 6'8"‡	2'6"x 8'0"
2'8"x 6'8"‡	2'8"x 8'0"
2'10"x 6'8"‡	2'10"x 8'0"
3'0"x 6'8"‡	3'0"x 8'0"



Oak

FC108	81918P
2'6"x 6'8"	2'8"x 8'0"
2'8"x 6'8" ‡	2'10"x 8'0"
2'10"x 6'8" ‡	3'0"x 8'0"
3'0"x 6'8" ‡	



Oak

FC310	FC816
2'6"x 6'8" ‡	2'6"x 8'0"
2'8"x 6'8" ‡	2'8"x 8'0"
2'10"x 6'8" ‡	2'10"x 8'0"
3'0"x 6'8" ‡	3'0"x 8'0"



Smooth

S6002	S85892
2'6"x 6'8"	2'6"x 8'0"
2'8"x 6'8" ‡	2'8"x 8'0"
2'10"x 6'8" ‡	2'10"x 8'0"
3'0"x 6'8" ‡	3'0"x 8'0"



Smooth

S310	S816
2'6"x 6'8" ‡	2'6"x 8'0"
2'8"x 6'8" ‡	2'8"x 8'0"
2'10"x 6'8" ‡	2'10" x 8'0"
3'0"x 6'8" ‡	3'0"x 8'0"
3'6"x 6'8"	3'6"x 8'0"

Crystalline™



Mahogany

FCM16	FCM8114
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"



Mahogany

FCM668	FCM814
2'8"x 6'8"‡	2'8"x 8'0"
2'10"x 6'8"‡	2'10"x 8'0"
3'0"x 6'8"‡	3'0"x 8'0"



Oak

FC16	81800P
2'8"x 6'8" ‡	2'8"x 8'0"
2'10"x 6'8" ‡	2'10"x 8'0"
3'0"x 6'8" ‡	3'0"x 8'0"



Oak

FC668	FC814
2'8"x 6'8" ‡	2'8"x 8'0"
2'10"x 6'8" ‡	2'10"x 8'0"
3'0"x 6'8" ‡	3'0"x 8'0"

Crystalline *Continues on next page.*

Key

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ‡ 6'6" Height Available
- ‡ 7'0" Height Available

Crystalline™ ◆ ⁘ *Continued*



Smooth

S916 E
2'8"x 6'8" ‡
2'10"x 6'8"‡
3'0"x 6'8" ‡

S814
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S668 E
2'8"x 6'8" ♿‡
2'10"x 6'8" ♿‡
3'0"x 6'8" ♿‡
3'6"x 6'8"

S815
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"

Sedona ◆ ⁘



Mahogany

FCM100
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM872
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM241 E
2'6"x 6'8"‡
2'8"x 6'8"‡
2'10"x 6'8"‡
3'0"x 6'8"‡

FCM822
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC100 E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

81968P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC241 E
2'6"x 6'8" ♿‡
2'8"x 6'8" ♿‡
2'10"x 6'8" ♿‡
3'0"x 6'8" ♿‡

FC822
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S139 E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S241 E
2'6"x 6'8" ♿
2'8"x 6'8" ♿‡
2'10"x 6'8" ♿‡
3'0"x 6'8" ♿‡
3'6"x 6'8"

Salinas® x



Mahogany

FCM113
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM873
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM369 E
2'6"x 6'8"‡
2'8"x 6'8"‡
2'10"x 6'8"‡
3'0"x 6'8"‡

FCM817
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC113 E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

81919P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC369 E
2'6"x 6'8" ♿‡
2'8"x 6'8" ♿‡
2'10"x 6'8" ♿‡
3'0"x 6'8" ♿‡

FC817
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6008 E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S85893
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"




Smooth

S369 E
2'6"x 6'8" ♿
2'8"x 6'8" ♿‡
2'10"x 6'8" ♿‡
3'0"x 6'8" ♿‡
3'6"x 6'8"


S817
2'6"x 8'0"
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"
3'6"x 8'0"

Maple Park® ◆ ⁘



Mahogany

FCM900
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM1006 E
2'8"x 6'8"‡
2'10"x 6'8"‡
3'0"x 6'8"‡



Oak

FC900 E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Note: See page 293 for important product details that may help with your purchase decision.

Avonlea®



Oak

FC1006
■ E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡




Smooth

S6100
E
2'8"x 6'8" ‡
2'10" x 6'8"‡
3'0"x 6'8" ‡




Smooth

S1006
■ E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8"




Mahogany

FCM758
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"




Mahogany

FCM1027
■ E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC758
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC1027
■ E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Saratoga™



Smooth

S962
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S1027
■ E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8"



Mahogany

FCM905
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6093
■ E
2'6"x 6'8"‡
2'8"x 6'8"‡
2'10"x 6'8"‡
3'0"x 6'8"‡



Oak

FC905
E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC6093
■ E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S154
E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Texas Star



Smooth

S6093
■ E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8"



NEW

Mahogany

FCM142
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



NEW

Mahogany

FCM1029
■ E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



NEW

Oak

FC142
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



NEW

Oak

FC1029
■ E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



NEW

Smooth

S6070
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



NEW

Smooth

S1029
■ E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Key

- ■ No Stile Lines
- ◆ Black Nickel Caming (1D)
- ⁘ Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ‡ 6'6" Height Available
- ‡ 7'0" Height Available

Wellesley™



Mahogany

FCM104 — 2'8"x 6'8", 2'10"x 6'8", 3'0"x 6'8"

FCM874 — 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Mahogany

FCM6094 — 2'6"x 6'8"‡, 2'8"x 6'8"‡, 2'10"x 6'8"‡, 3'0"x 6'8"‡

FCM821 — 2'6"x 8'0", 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Oak

FC104 — 2'6"x 6'8", 2'8"x 6'8" ‡, 2'10"x 6'8" ‡, 3'0"x 6'8" ‡

81921P — 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Oak

FC6094 — 2'6"x 6'8" ‡, 2'8"x 6'8" ‡, 2'10"x 6'8" ‡, 3'0"x 6'8" ‡

FC821 — 2'6"x 8'0", 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Smooth

S155 — 2'6"x 6'8", 2'8"x 6'8" ‡, 2'10"x 6'8" ‡, 3'0"x 6'8" ‡

S85896 — 2'6"x 8'0", 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Smooth

S6094 — 2'6"x 6'8" ‡, 2'8"x 6'8" ‡, 2'10"x 6'8" ‡, 3'0"x 6'8" ‡, 3'6"x 6'8"

S821 — 2'6"x 8'0", 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0", 3'6"x 8'0"

Riserva® X



Mahogany

FCM574 — 2'8"x 6'8", 2'10"x 6'8", 3'0"x 6'8"

FCM8574 — 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Mahogany

FCM571 — 2'6"x 6'8"‡, 2'8"x 6'8"‡, 2'10"x 6'8"‡, 3'0"x 6'8"‡

FCM8571 — 2'6"x 8'0", 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Oak

FC574 — 2'6"x 6'8", 2'8"x 6'8" ‡, 2'10"x 6'8" ‡, 3'0"x 6'8" ‡

FC8574 — 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Oak

FC571 — 2'6"x 6'8" ‡, 2'8"x 6'8" ‡, 2'10"x 6'8" ‡, 3'0"x 6'8" ‡

FC8571 — 2'6"x 8'0", 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Smooth

S574 — 2'6"x 6'8", 2'8"x 6'8" ‡, 2'10"x 6'8" ‡, 3'0"x 6'8" ‡

S8574 — 2'6"x 8'0", 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Smooth

S571 — 2'6"x 6'8" ‡, 2'8"x 6'8" ‡, 2'10"x 6'8" ‡, 3'0"x 6'8" ‡, 3'6"x 6'8"

S8571 — 2'6"x 8'0", 2'8"x 8'0", 2'10" x 8'0", 3'0"x 8'0", 3'6"x 8'0"

Concorde™



Mahogany

FCM910 — 2'8"x 6'8", 2'10"x 6'8", 3'0"x 6'8"

FCM890 — 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Mahogany

FCM6095 — 2'6"x 6'8"‡, 2'8"x 6'8"‡, 2'10"x 6'8"‡, 3'0"x 6'8"‡

FCM820 — 2'6"x 8'0", 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Oak

FC910 — 2'6" x 6'8", 2'8"x 6'8" ‡, 2'10"x 6'8" ‡, 3'0"x 6'8" ‡

81928P — 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"

Note: See page 293 for important product details that may help with your purchase decision.



Oak

FC6095
E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

FC820
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6090
E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S85895
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6095
E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8"

S820
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"

Kensington™



Mahogany

FCM148
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM626
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC148
E
2'8"x 6'8" ‡
2'10" x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC626
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S160
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S626
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8"

Pembridge™



Mahogany

FCM6550
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM86550
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6500
E
2'4"x 6'8"
2'6"x 6'8"‡
2'8"x 6'8"‡
2'10"x 6'8"‡
3'0"x 6'8"‡

FCM86500
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC6550
E
2'6"x 6'8"
2'8"x 6'8"‡
2'10"x 6'8"‡
3'0"x 6'8"‡

FC86550
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC6500
E
2'4"x 6'8" ‡
2'6"x 6'8" ‡‡
2'8"x 6'8" ‡‡
2'10"x 6'8" ‡‡
3'0"x 6'8" ‡‡

FC86500
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6550
E
2'6"x 6'8"
2'8"x 6'8"‡
2'10"x 6'8"‡
3'0"x 6'8"‡

S86550
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6500
E
2'4"x 6'8" ‡
2'6"x 6'8" ‡
2'8"x 6'8" ‡‡
2'10"x 6'8" ‡‡
3'0"x 6'8" ‡‡
3'6"x 6'8"

S86500
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"

Axis®



Mahogany

FCM1652
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM81652
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Axis *Continues on next page.*

Key

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ‡ 6'6" Height Available
- ‡ 7'0" Height Available

Axis® ◆ *Continued*



Mahogany

FCM1651
2'4"x 6'8"
2'6"x 6'8"‡
2'8"x 6'8"‡
2'10"x 6'8"‡
3'0"x 6'8"‡

FCM81651
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC1652
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

FC81652
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC1651
2'4"x 6'8" ⅄
2'6"x 6'8" ⅄‡
2'8"x 6'8" ⅄‡
2'10"x 6'8" ⅄‡
3'0"x 6'8" ⅄‡

FC81651
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1652
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8"‡
3'0"x 6'8"‡

S81652
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1651
2'4"x 6'8" ⅄
2'6"x 6'8" ⅄
2'8"x 6'8" ⅄‡
2'10"x 6'8" ⅄‡
3'0"x 6'8" ⅄‡
3'6"x 6'8"

S81651
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites



Oak

FC1205_
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Smooth

S1205_
2'6"x 6'8" ⅄
2'8"x 6'8" ⅄
2'10"x 6'8" ⅄
3'0"x 6'8" ⅄



Oak

FC1207_
2'6" x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Smooth

S1207_
2'6"x 6'8" ⅄
2'8"x 6'8" ⅄
2'10"x 6'8" ⅄
3'0"x 6'8" ⅄



Oak

2010_
2'6" x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Smooth

S2010_
2'6"x 6'8" ⅄
2'8"x 6'8" ⅄
2'10"x 6'8" ⅄
3'0"x 6'8" ⅄



Oak

2050_
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Smooth

S2050_
2'6"x 6'8" ⅄
2'8"x 6'8" ⅄
2'10"x 6'8" ⅄
3'0"x 6'8" ⅄



Smooth

S5705_
2'6"x 6'8" ⅄
2'8"x 6'8" ⅄
2'10"x 6'8" ⅄
3'0"x 6'8" ⅄

S85705_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5715_
2'6"x 6'8" ⅄
2'8"x 6'8" ⅄
2'10"x 6'8" ⅄
3'0"x 6'8" ⅄

S85715_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5725_
2'6"x 6'8" ⅄
2'8"x 6'8" ⅄
2'10"x 6'8" ⅄
3'0"x 6'8" ⅄

S85725_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC5700_
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

FC85700_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = NEW Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

Note: See page 293 for important product details that may help with your purchase decision.



Smooth

S5700_ 2 E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S85700_ 2
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC5710_ 2
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

FC85710_ 2
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5710_ 2 E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S85710_ 2
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC5720_ 2
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

FC85720_ 2
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5720_ 2 E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S85720_ 2
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC691_ 2
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

FC8691_ 2
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S691_ 2 E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S8691_ 2
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC685L_ 2
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

FC8685L_ 2
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S685L_ 2 E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S8685L_ 2
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC685R_ 2
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

FC8685R_ 2
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S685R_ 2 E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S8685R_ 2
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Privacy & Textured Glass with Divided Lites



Mahogany

FCM138_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM1285_ E
2'8"x 6'8"‡
2'10"x 6'8"‡
3'0"x 6'8"‡



Oak

FC138_ E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

1285_ E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S128_ E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Privacy & Textured Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Black Nickel Caming (1D)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- E Elevated 10" Bottom Rail Options
- WBDR / HVHZ Options
- 6'6" Height Available
- ‡ 7'0" Height Available

Privacy & Textured Glass with Divided Lites *Continued*



Smooth

S141_
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8"



Mahogany

FCM18_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM1284_
E
2'8"x 6'8"‡
2'10"x 6'8"‡
3'0"x 6'8"‡



Oak

FC18_
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

1284_
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth


S108_
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S6063_
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8"

EnLiten™ **Flush-Glazed Privacy & Textured** Glass



Oak

2000_
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

8000_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S2000_
E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S8000_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"


Privacy & Textured Glass



Mahogany

FCM10_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM870_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM1283_
E
2'8"x 6'8"‡
2'10"x 6'8"‡
3'0"x 6'8"‡

FCM81200_
2'6"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC10_
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡


81200P_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

1283_
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

81200_
2'6"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S118_
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8"‡

S818_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S140_
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8"

S8140_
2'6"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"

EnLiten™ **Flush-Glazed Internal Blinds**



Smooth

S2600
E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S82600
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = NEW Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

Note: See page 293 for important product details that may help with your purchase decision.

Internal Blinds



Mahogany

FCM141
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM8115
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM1286
2'4"x 6'8"
2'6"x 6'8"‡
2'8"x 6'8"‡
2'10"x 6'8"‡
3'0"x 6'8"‡

FCM81225
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC141
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

81225P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

1286
2'4"x 6'8"
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

81225
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S130
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S829
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6061
2'4"x 6'8" ‡
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8"

S81225
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"

EnLiten™ Flush-Glazed Clear
Glass with Divided Lites




Oak

FC1205
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Smooth

S1205
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC1206
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Smooth

S1206
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC1207
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Smooth

S1207
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡




Oak

2010
2'6" x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Smooth

S2010
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC1204
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Smooth

S1204
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

2050
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Smooth


S2050
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

EnLiten Flush-Glazed Clear Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available
- ‡ 7'0" Height Available

EnLiten™ Flush-Glazed Clear Glass with Divided Lites *Continued*



Oak

8000-12


2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S8000-12

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

8000-18

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S8000-18

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

2009

2'0"x 6'8"
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

8000-9

2'0"x 8'0"
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S2009

E

2'0"x 6'8"
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8000-9

2'0"x 8'0"
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5705

E

2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85705

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5715

E

2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85715

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5725

E

2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85725

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC5700

2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

FC85700

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5700

E

2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85700

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC5710

2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

FC85710

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S5710

E

2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85710

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC5720

2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

FC85720

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth


S5720

E

2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85720

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC691

2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

FC8691

2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Note: See page 293 for important product details that may help with your purchase decision.



Smooth

S691
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8"‡
3'0"x 6'8" ‡

S8691
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC685L
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

FC8685L
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S685L
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8"‡
3'0"x 6'8" ‡

S8685L
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC685R
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

FC8685R
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S685R
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8"‡
3'0"x 6'8" ‡


S8685R
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Clear Glass with Divided Lites



Mahogany

FCM1209
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1201
2'6"x 6'8" ‡
2'8"x 6'8"‡
2'10"x 6'8"‡
3'0"x 6'8" ‡



Oak

FC1209
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC1201
2'6"x 6'8" ‡‡
2'8"x 6'8" ‡‡
2'10"x 6'8" ‡‡
3'0"x 6'8" ‡‡



Smooth

S1209
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8"‡
3'0"x 6'8" ‡




Smooth

S1201
2'6"x 6'8" ‡
2'8"x 6'8" ‡‡
2'10"x 6'8" ‡‡
3'0"x 6'8" ‡‡
3'6"x 6'8"



Mahogany

FCM1211
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1202
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC1211
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC1202
2'6"x 6'8" ‡‡
2'8"x 6'8" ‡‡
2'10"x 6'8" ‡‡
3'0"x 6'8" ‡‡



Smooth

S1211
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8"‡
3'0"x 6'8"‡




Smooth

S1202
2'6"x 6'8" ‡
2'8"x 6'8" ‡‡
2'10"x 6'8" ‡‡
3'0"x 6'8" ‡‡
3'6"x 6'8"



Mahogany

FCM1212
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1203
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Clear Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- E Elevated 10" Bottom Rail Options
- ‡ 6'6" Height Available
- ‡ 7'0" Height Available

Clear Glass with Divided Lites *Continued*



Oak

FC1212

2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC1203

2'6"x 6'8" ♙‡
2'8"x 6'8" ♙‡
2'10"x 6'8" ♙‡
3'0"x 6'8" ♙‡



Smooth

S1212

2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S1203

2'6"x 6'8" ♙
2'8"x 6'8" ♙‡
2'10"x 6'8" ♙‡
3'0"x 6'8" ♙‡
3'6"x 6'8"



Mahogany

FCM138

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1285

2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC138

2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

1285

2'6"x 6'8" ♙ ‡
2'8"x 6'8" ♙ ‡
2'10"x 6'8" ♙ ‡
3'0"x 6'8" ♙ ‡



Smooth

S128


2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S141

2'6"x 6'8" ♙
2'8"x 6'8" ♙‡
2'10"x 6'8" ♙‡
3'0"x 6'8" ♙‡
3'6"x 6'8"



Mahogany

FCM1208

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1200

2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC1208

2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC1200

2'6"x 6'8" ♙‡
2'8"x 6'8" ♙‡
2'10"x 6'8" ♙‡
3'0"x 6'8" ♙‡



Smooth

S1208

2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8"‡
3'0"x 6'8" ‡



Smooth

S1200

2'6"x 6'8" ♙
2'8"x 6'8" ♙‡
2'10"x 6'8" ♙‡
3'0"x 6'8" ♙‡
3'6"x 6'8"



Mahogany

FCM18

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1284

2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC18

2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

1284

2'6"x 6'8" ♙‡
2'8"x 6'8" ♙‡
2'10"x 6'8" ♙‡
3'0"x 6'8" ♙‡



Smooth

S108


2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8"‡
3'0"x 6'8"‡

Note: See page 293 for important product details that may help with your purchase decision.




Smooth

S6063
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8"



Mahogany

FCM828
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM81828
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC828
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

81828
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"




Smooth

S828
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"




Smooth

S81828
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"



Mahogany

FCM81208P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM81829
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

81208P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"




Oak

81208
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S808
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"




Smooth

S81208
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"



Mahogany

FCM198
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1289
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC198
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

1289
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S198
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S6062
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8"

Key

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- ‡ 6'6" Height Available
- ‡ 7'0" Height Available
- E Elevated 10" Bottom Rail Options

EnLiten™ Flush-Glazed Clear Glass



Oak

2000	8000
2'0"x 6'8"	2'0"x 8'0"
2'6"x 6'8"	2'6"x 8'0"
2'8"x 6'8"	2'8"x 8'0"
3'0"x 6'8"	2'10"x 8'0"
	3'0"x 8'0"



Smooth

S2000 E	S8000
2'0"x 6'8" ♙	2'0"x 8'0"
2'6"x 6'8" ♙	2'6"x 8'0"
2'8"x 6'8" ♙	2'8"x 8'0"
2'10"x 6'8" ♙	2'10"x 8'0"
3'0"x 6'8" ♙	3'0"x 8'0"

Clear Glass



Mahogany

FCM10	FCM870
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"



Mahogany

FCM1283 E	FCM81200
2'0"x 6'8" ◤	2'0"x 8'0" ◤
2'4"x 6'8"	2'4"x 8'0" ◤
2'6"x 6'8"‡	2'6"x 8'0"
2'8"x 6'8"‡	2'8"x 8'0"
2'10"x 6'8"‡	2'10"x 8'0"
3'0"x 6'8"‡	3'0"x 8'0"



Oak

FC10 E	81200P
2'6"x 6'8"	2'8"x 8'0"
2'8"x 6'8" ‡	2'10" x 8'0"
2'10"x 6'8" ‡	3'0"x 8'0"
3'0"x 6'8" ‡	



Oak

1283 E	81200
2'0"x 6'8" ◤	2'0"x 8'0" ◤
2'4"x 6'8" ♙	2'4"x 8'0" ◤
2'6"x 6'8" ♙‡	2'6"x 8'0"
2'8"x 6'8" ♙‡	2'8"x 8'0"
2'10"x 6'8" ♙‡	2'10" x 8'0"
3'0"x 6'8" ♙‡	3'0"x 8'0"



Smooth

S118 E	S818
2'6"x 6'8"	2'6"x 8'0"
2'8"x 6'8" ‡	2'8"x 8'0"
2'10"x 6'8"‡	2'10"x 8'0"
3'0"x 6'8"‡	3'0"x 8'0"



Smooth

S140 E	S8140
2'0"x 6'8" ◤	2'0"x 8'0" ◤
2'4"x 6'8" ♙	2'4"x 8'0" ◤
2'6"x 6'8" ♙	2'6"x 8'0"
2'8"x 6'8" ♙‡	2'8"x 8'0"
2'10"x 6'8" ♙‡	2'10"x 8'0"
3'0"x 6'8" ♙‡	3'0"x 8'0"
3'6"x 6'8"	3'6"x 8'0"



*Not recommended for use behind storm doors to be painted dark colors, if exposed to direct sunlight.
Note: See page 293 for important product details that may help with your purchase decision.

Bottom: Fiber-Classic Oak Collection, Reeded Glass with SDLs, Door – FC685LXK, Sidelite – FC5720XKSL, Finish – Lynx
Right Page: Fiber-Classic Mahogany Collection, Blackstone Glass, Door – FCM765; Rainglass, Sidelites – FCM12101XRSL

3/4 Lites



Sidelite Configurations

For sidelites and transoms, see pages 191–211.

Blackstone®



Mahogany

FCM765
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC765
2'8"x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Smooth

S975
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC770
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

81952P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S979
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S894
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Crystalline



Mahogany

FCM38
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC38
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Smooth

S977
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC772
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

81953P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth


S981
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

S888
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Key


- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Turtle Glass
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available
- 7'0" Height Available
- PVC Doorlite Frame*

Sedona ◆ ⁘



Mahogany

FCM131
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC131
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S95
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC773
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

81954P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S91
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S887
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Salinas® x



Mahogany

FCM115
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC115
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6009
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC775
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

81955P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6010
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S895
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Maple Park® ◆ ⁘



Mahogany

FCM902
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC902
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6102
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC777
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

81957P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6103
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85898
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Note: See page 293 for important product details that may help with your purchase decision.

Avonlea®



Mahogany

FCM764
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC764
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S976
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Oak

FC769
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

81967P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S980
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

S85900
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Saratoga™



Mahogany

FCM907
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC907
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6092
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC776
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

81956P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S982
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S891
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Texas Star



Mahogany

FCM143
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC143
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6071
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Oak

FC778
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

81958P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6072
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85901
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)
- WBDR Options
- WBDR / HVHZ Options

Wellesley™



Mahogany

FCM147
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC147
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6091
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC779
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

81959P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S983
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S892
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Riserva® X



Mahogany

FCM543
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC543
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S543
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC529
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FC8529
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S529
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8529
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Concorde™



Mahogany

FCM912
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Oak

FC912
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S912
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC780
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

81960P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S97
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85902
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Kensington™



Mahogany

FCM156
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Oak

FC156
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S156
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = NEW Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

Note: See page 293 for important product details that may help with your purchase decision.

Pembridge™



Oak

FC20042 — 2'8"x 6'8", 2'10"x 6'8", 3'0"x 6'8"

81961P — 2'8"x 8'0", 2'10" x 8'0", 3'0"x 8'0"



Smooth

S20042 — 2'8"x 6'8", 2'10"x 6'8", 3'0"x 6'8"

S902 — 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Mahogany

FCM6582 — 2'8"x 6'8", 2'10"x 6'8", 3'0"x 6'8"



Oak

FC6582 — 2'8"x 6'8", 2'10"x 6'8", 3'0"x 6'8"



Smooth

S6582 — 2'8"x 6'8", 2'10"x 6'8", 3'0"x 6'8"



Oak

FC6580 — 2'8"x 6'8", 2'10"x 6'8", 3'0"x 6'8"

FC86580 — 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"

Axis®



Smooth

S6580 — 2'8"x 6'8", 2'10"x 6'8", 3'0"x 6'8"

S86580 — 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Mahogany

FCM1647 — 2'8"x 6'8", 2'10"x 6'8", 3'0"x 6'8"



Oak

FC1647 — 2'8"x 6'8", 2'10"x 6'8", 3'0"x 6'8"



Smooth

S1647 — 2'8"x 6'8", 2'10"x 6'8", 3'0"x 6'8"



Oak

FC1646 — 2'8"x 6'8", 2'10"x 6'8", 3'0"x 6'8"

FC81646 — 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Smooth

S1646 — 2'8"x 6'8", 2'10"x 6'8", 3'0"x 6'8"

S81646 — 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites



Smooth

S2103_ — 2'6"x 6'8", 2'8"x 6'8", 2'10"x 6'8", 3'0"x 6'8"

S82103_ — 2'6"x 8'0", 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Smooth

S2104_ — 2'6"x 6'8", 2'8"x 6'8", 2'10"x 6'8", 3'0"x 6'8"



Smooth

S82105_ — 2'6"x 8'0", 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Smooth

S82106_ — 2'6"x 8'0", 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"



Smooth

S2250_ — 2'6"x 6'8", 2'8"x 6'8", 2'10"x 6'8", 3'0"x 6'8"



Smooth

S82107_ — 2'6"x 8'0", 2'8"x 8'0", 2'10"x 8'0", 3'0"x 8'0"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- WBDR Options
- WBDR / HVHZ Options

Privacy & Textured Glass with Divided Lites



Mahogany

FCM82_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC82_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S82_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC92_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S92_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

81945P_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S881_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

81946P_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S822_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

EnLiten™ **Flush-Glazed Privacy & Textured** Glass



Smooth

S2200_
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S82200_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Privacy & Textured Glass



Mahogany

FCM32_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC32_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S80_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Internal Blinds



Oak

FC766_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

81943P_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S90_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S880_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM5425
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC5425
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S5425
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

1964P
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

81964P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = NEW Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

Note: See page 293 for important product details that may help with your purchase decision.

EnLiten™ Flush-Glazed Clear Glass with Divided Lites



Smooth

S682
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8682
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2103
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82103
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2104
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82104
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2105
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82105
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2250
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82250
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Clear Glass with Divided Lites



Smooth

S82106
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S82107
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1401
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81401
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM2106
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC2106
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2106
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM2107
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC2107
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2107
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM2108
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC2108
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2108
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM82
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass with Divided Lites *Continues on next page.*

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- WBDR Options
- WBDR / HVHZ Options

Clear Glass with Divided Lites *Continued*



Oak

FC82
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Smooth

S82
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM1402
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC1402
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Smooth

S1402
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC1089
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

FC8311
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1089
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8311
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC2101
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

FC8313
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S2101
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8313
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC2102
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

FC8316
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S2102
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8316
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

81945P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S881
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC92
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

FC8310
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S92
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S8310
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

81946P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S882
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Note: See page 293 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Chord Glass, Door – S2200XC, Sidelite – S2200XCSL, Finish – Cypress

EnLiten™ Flush-Glazed Clear Glass



Oak

FC1400	81944P
2'8"x 6'8"	2'8"x 8'0"
2'10" x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"



Smooth

S1400	S898
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"



Smooth

S2200	S82200
2'6"x 6'8"	2'6"x 8'0"
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"

Clear Glass



Mahogany

FCM32
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC32
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Smooth

S80
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC766	81943P
2'8"x 6'8"	2'8"x 8'0"
2'10" x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"



Smooth

S90	S880
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"



Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Turtle Glass
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR Options
- WBDR / HVHZ Options

Oval Lites



Sidelite Configurations

For sidelites and transoms, see pages 191–211.

Blackstone®



Mahogany

FCM110
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC714
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S771
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM164
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC164
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6085
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC794
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Avonlea®



Smooth

S997
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM785
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC785
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S988
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM788
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC788
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S991
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Note: See page 293 for important product details that may help with your purchase decision.


Top: Fiber-Classic Mahogany Collection, Concorde Glass, Door – FCM916, Sidelites – FCM809SL, Finish – Rustic Clay

Wellesley™



Oak

FC792
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S995
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM106
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC713
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S774
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM163
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC163
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Concorde™



Smooth

S6082
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC796
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S999
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM916
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Oak

FC916
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Smooth

S773
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM915
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

Kensington™



Oak

FC915
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Smooth

S6084
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC797
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S1000
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Mahogany

FCM151
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC709
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Smooth

S709
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Kensington *Continues on next page.*

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)

Kensington™ Continued



Mahogany

FCM789
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC151
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Smooth

S163
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC798
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Smooth

S1001
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

Pembridge™



Mahogany

FCM6577
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC6577
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6577
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM6575
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FCO6575
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6575
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC6576
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6576
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Frosted Images®



Mahogany

FCM784
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC784
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S989
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Mahogany

FCM787
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC787
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6081
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Oak

FC791
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S994
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

Clear Glass



Mahogany

FCM80 ✹
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC710 ✹
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S770 ✹
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM160 ✹
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC160 ✹
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6080 ✹
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC789 ✹
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Smooth

S992 ✹
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

Note: See page 293 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Mahogany Collection, Axis Glass, Door – FCM1656, Finish – Autumn Harvest

1/2 Lites



Sidelite Configurations

For sidelites and transoms, see pages 191–211.

Blackstone®



Mahogany

FCM109 | FCM863
2'8"x 6'8" | 2'8"x 8'0"
2'10"x 6'8" | 2'10"x 8'0"
3'0"x 6'8" | 3'0"x 8'0"



Oak

FC109 E | 81933P
2'6"x 6'8" | 2'8"x 8'0"
2'8"x 6'8" ‡ | 2'10"x 8'0"
2'10"x 6'8" ‡ | 3'0"x 8'0"
3'0"x 6'8" ‡



Smooth

S6000 E | S81933P
2'6"x 6'8" | 2'8"x 8'0"
2'8"x 6'8" ‡ | 2'10"x 8'0"
2'10"x 6'8" ‡ | 3'0"x 8'0"
3'0"x 6'8" ‡



Mahogany

FCM6032
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



NEW

Smooth

S6032 E | S86032 E
2'8"x 6'8" ‡ | 2'8"x 8'0"
2'10"x 6'8" ‡ | 2'10"x 8'0"
3'0"x 6'8" ‡ | 3'0"x 8'0"



Mahogany

FCM6052
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Crystalline™



Smooth

S6052
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

81975P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S972 | S85905
2'8"x 6'8" | 2'8"x 8'0"
2'10"x 6'8" | 2'10"x 8'0"
3'0"x 6'8" | 3'0"x 8'0"



Mahogany

FCM45 | FCM898
2'8"x 6'8" | 2'8"x 8'0"
2'10"x 6'8" | 2'10"x 8'0"
3'0"x 6'8" | 3'0"x 8'0"



Oak

FC45 E | 81935P
2'8"x 6'8" ‡ | 2'8"x 8'0"
2'10" x 6'8" ‡ | 2'10"x 8'0"
3'0"x 6'8" ‡ | 3'0"x 8'0"



Smooth

S926 E | S81935P
2'8" x 6'8" ‡ | 2'8"x 8'0"
2'10" x 6'8" ‡ | 2'10"x 8'0"
3'0" x 6'8" ‡ | 3'0"x 8'0"

Crystalline *Continues on next page.*

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- WBDR / HVHZ Options
- ‡ 7'0" Height Available
- E Elevated 10" Bottom Rail Options

Crystalline™ ◆ ⠿ *Continued*



Mahogany

FCM6027
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6027 E
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S86027 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6047
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6047
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

81977P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S38
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85907
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Sedona ◆ ⠿



Mahogany

FCM101
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM864
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC101 E
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

81936P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S211 E
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S81936P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6025
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6025 E
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S86025 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6045
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6045
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

81978P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S35
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S833
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Salinas® x



Mahogany

FCM114
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM865
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC114 E
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

81937P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Note: See page 293 for important product details that may help with your purchase decision.



Smooth

S6006
E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S81937P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6031
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



NEW

Smooth

S6031
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S86031
E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6051
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6051
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

81980P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S973
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S893
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Maple Park® ◆ ⁘



Mahogany

FCM901
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM886
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC901
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

81939P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6101
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S81939P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6107
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



NEW

Smooth

S6107
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S86107
E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6108
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6108
2'8'x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

81982P
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"



Smooth

S6106
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85897
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Avonlea® ◆



Mahogany

FCM761
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM896
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC761
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

81932P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S964
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S81932P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Avonlea *Continues on next page.*

Key

- ◆ Black Nickel Caming (1D)
- ⁘ Brushed Nickel Caming (1C)
- ✖ Wrought Iron (1W)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ‡ 7'0" Height Available

Avonlea® ◆ *Continued*



Mahogany

FCM968
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



NEW

Smooth

S968 E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S8968 E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM966
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S966
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

81974P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S970
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85906
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Saratoga™ ◆ ⁘



Mahogany

FCM906
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM888
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC906 E
2'6" x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

81938P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S213 E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S81938P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6029
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



NEW

Smooth

S6029 E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S86029 E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6049
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6049
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

81981P
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"



Smooth

S41
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85908
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Texas Star ◆ ⁘



Mahogany

FCM144
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM899
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC144 E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

81940P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Note: See page 293 for important product details that may help with your purchase decision.



Smooth

S6073 E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S81940P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6074
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

NEW



Smooth

S6074 E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S86074 E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6075
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6075
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

81983P
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"



Smooth

S6076
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S81983
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Wellesley™ ◆ ⁘ ❖



Mahogany

FCM105
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM866
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC105 E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

81941P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S214 E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S81941P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6030
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

NEW



Smooth

S6030 E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S86030 E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6050
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6050
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

81984P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S42
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S85909
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Riserva® X



Mahogany

FCM581
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM8581
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC581 E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

FC8581
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S581 E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S8581
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Riserva *Continues on next page.*

Key

- ◆ Black Nickel Caming (1D)
- ⁘ Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- X Wrought Iron (1W)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ‡ 7'0" Height Available

Riserva® X *Continued*



Mahogany

FCM575
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S575 E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S8575 E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM577
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S577
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC8579
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S579
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8579
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Concorde™ ◆ ⁘ ❖



Mahogany

FCM911
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM891
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC911 E
2'6" x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

81942P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S426 E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S81942P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6026
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6026 E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S86026 E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6046
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6046
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

81985P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S37
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S837
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Kensington™ ◆ ⁘



Mahogany

FCM149
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM8149
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC149 E
2'8"x 6'8" ‡
2'10" x 6'8" ‡
3'0"x 6'8" ‡

FC8149
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S161 E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S8149
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Note: See page 293 for important product details that may help with your purchase decision.



Mahogany

FCM6036
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6036 E
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S86036 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6056
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6056
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC89701
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S43
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S89701
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Pembridge™



Mahogany

FCM6560
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM86560
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC6560 E
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

FC86560
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6560 E
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S86560
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6565
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6565 E
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S86565 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6568
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6568
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86536
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6536
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S86536
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Axis®



Mahogany

FCM1654
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM81654
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1654 E
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

FC81654
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Axis *Continues on next page.*

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ‡ 7'0" Height Available

Axis® ◆ *Continued*



Smooth

S1654
E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S81654
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM1656
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



NEW

Smooth

S1656
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S81656
E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM1658
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S1658
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC81653
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1653
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S81653
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Frosted Images®



Mahogany

FCM66
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC66
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S206E
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Mahogany

FCM6023
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6023
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Mahogany

FCM6043
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6043
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S34
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass with Divided Lites



Mahogany

FCM65_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC65_
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S262_
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Mahogany

FCM6022_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6022_
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Mahogany

FCM6042_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6042_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S32_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = NEW Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

Note: See page 293 for important product details that may help with your purchase decision.



Mahogany

FCM8321_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC8321_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S8321_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S86022_
E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC832_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S832_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Privacy & Textured Glass



Mahogany

FCM62_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM862_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC62_
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

81929P_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S206_
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S81929P_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6021_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6021_
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S86021_
E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6041_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6041_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM104_
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC104_
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S104_
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

81971P_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S30_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S830_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Key

- No Stile Lines
- Black Nickel Caming (1D)
- Simulated Divided Lites (SDL)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ‡ 7'0" Height Available

Internal Blinds



Mahogany

FCM678
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM8678
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC678 E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

FC8678
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S132 E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S8132
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6035
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6035 E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S86035 E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6055
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6055
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM116 E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC116 E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S131 E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC8971
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S971
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8971
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Screen Vented Lites*



Smooth

S243 E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S6034 E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S6054
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S137 E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

EnLiten™ Flush-Glazed Clear Glass with Divided Lites



Oak

FC1350
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Smooth

S1350
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Oak

2150
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

*Features a gliding operation and sash locking system.

Note: See page 293 for important product details that may help with your purchase decision.

Clear Glass with Divided Lites



Smooth

S2150
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Oak

FC1409
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Smooth

S1409
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Smooth

S115
E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Mahogany

FCM63
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC63
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S63
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Mahogany

FCM6097
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6097
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Mahogany

FCM811
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S811
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM8322
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC8322
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S8322
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



NEW

Smooth

S8326
E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM8323
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC8323
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S8323
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



NEW

Smooth

S8327
E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM8324
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC8324
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S8324
2'8"x8'0"
2'10"x 8'0"
3'0"x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ‡ 7'0" Height Available

Clear Glass with Divided Lites *Continued*

NEW



Smooth

S8328
2'8"x8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM65
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC65
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S262
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Mahogany

FCM6022
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6022
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Mahogany

FCM6042
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6042
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM8321
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC8321
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S8321
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

NEW



Smooth

S8325
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM1408
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM8145
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC1408
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

FC8145
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1408
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S8145
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM1405
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

NEW



Smooth

S1405
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S81405
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM1406
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S1406
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Note: See page 293 for important product details that may help with your purchase decision.



Oak

FC8318
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S8318
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"




Oak

FC8319
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S8319
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC8320
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S8320
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC832
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S32
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S832
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC8144
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1407
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8144
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

EnLiten™ Flush-Glazed Clear Glass



Oak

2100
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"



Smooth

S2100
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

Clear Glass



Mahogany

FCM62
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM862
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC62
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

81929P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S206
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S81929P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6021
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6021
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S86021
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6041
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass *Continues on next page.*

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ‡ 7'0" Height Available

Clear Glass *Continued*



Smooth

S6041
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM670
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

FC670
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S104
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Smooth

S105
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



Oak

81971P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S30
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S830
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Twin 1/2 Lites



Sidelite Configurations

For sidelites and transoms, see pages 191–211.

Blackstone®



Oak

FC129
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6013
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Crystaline®



Oak

FC43
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S930
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Sedona



Oak

FC128
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S294
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Note: See page 293 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass, Door – FC48, Finish – Autumn Harvest

Salinas®


Oak

FC130
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S6014
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Maple Park®


Oak

FC903
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S6104
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Avonlea®


Oak

FC782
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S985
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Saratoga™


Oak

FC908
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S291
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Wellesley™


Oak

FC127
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S292
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Riserva®


Oak

FC585
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S585
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Concorde™


Oak

FC913
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S430
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Kensington™


Oak

FC152
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"


Smooth

S162
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Pembridge™


Oak

FC6572
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"


Smooth

S6572
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

Key

- No Stile Lines
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- ‡ 7'0" Height Available

Axis®


Oak

FC1661
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S1661
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Frosted Images®


Oak

FC44
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S289E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass with Divided Lites


Oak

FC807_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S807_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass


Oak

FC48_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S289_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass with Divided Lites


Oak

FC807
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S807
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Oak

FC1411
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S1411
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass


Oak

FC48
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Smooth

S289
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = NEW Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

Note: See page 293 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Crystalline Glass, Door – S930, Sidelites – S930SL
Right Page: Smooth-Star, Riserva Glass, Door – S506, Sidelites – S573SL, Finish – Cabernet

Center Lites



Sidelite Configurations

For sidelites and transoms, see pages 191–211.

Blackstone®



Mahogany

FCM760
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6111
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Crystalline™



Mahogany

FCM124
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6113
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

Sedona



Mahogany

FCM126
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S12
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Salinas®



Mahogany

FCM118
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6012
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Maple Park®



Mahogany

FCM904
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6105
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Avonlea®



Mahogany

FCM800
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6121
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)

Saratoga™



Mahogany

FCM909
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S20
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Wellesley™



Mahogany

FCM125
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6117
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Riserva®



Mahogany

FCM506
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S506
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde™



Mahogany

FCM914
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S17
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Kensington™



Mahogany

FCM150
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6119
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Pembridge™



Mahogany

FCM6532
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6532
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass



Mahogany

FCM132
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S10
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Blackstone®



Oak

FC80943
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86243
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9343
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83143
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Note: See page 293 for important product details that may help with your purchase decision.

Crystalline™



Oak

FC80941
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC86241
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S9341
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S83141
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"

Sedona



Oak

FC80952
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC86252
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S9352
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S83152
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"

Salinas®



Oak

FC80953
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC86253
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S9353
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S83153
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"

Maple Park®



Oak

FC80955
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC86255
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S9355
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S83155
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"

Avonlea®




Oak

FC80956
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC86256
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S9356
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S83156
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR / HVHZ Options

Saratoga™



Oak

FC80954
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86254
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9354
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83154
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Wellesley™



Oak

FC80949
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86249
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9349
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Riserva®



Smooth

S83149
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC507
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC549
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S507
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S549
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Concorde™



Oak

FC80947
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86247
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Kensington™



Smooth

S9347
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83147
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC80942
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86242
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9342
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83142
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = NEW Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

Note: See page 293 for important product details that may help with your purchase decision.

Pembridge™



Oak

FC6534
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC86533
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6534
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S86533
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Axis®



Oak

FC1655
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC81649
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1655
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S81649
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"

Frosted Images®



Oak

FC80945
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC86245
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S9345
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S83145
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"

Privacy & Textured Glass with Divided Lites



Oak

FC809203__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC862203__
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S93203__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S831203__
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Privacy & Textured Glass



Oak

FC80920__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC86220__
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S9320__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S83120__
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- WBDR / HVHZ Options

Internal Blinds



Oak

FC925

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC8972

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S925

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S8972

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Clear Glass with Divided Lites



Oak

FC809203

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC862203

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S93203

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S831203

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1404

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC8141

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1404

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S8141

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Clear Glass



Oak

FC80920

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86220

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9320

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83120

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

*Available with flat lite frame only.
**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 293 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Mahogany Collection, Maple Park Glass, Door – FCM609

Craftsman Lites



Sidelite Configurations

For sidelites and transoms,
see pages 191–211.

Optional Dentil Shelves**




4-Block Dentil Shelf
Available for all Craftsman-style
Fiber-Classic Mahogany Collection doors.



4-Block Dentil Shelf
Available for all Craftsman-style
Smooth-Star doors.

Sedona ◆ ⁘



Smooth

S2650* E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S82650*
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM604
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S604
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8604
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Maple Park® ◆ ⁘



Smooth

S2630* E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S82630*
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM609
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S609
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8609
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Saratoga™ ◆ ⁘



Smooth

S2660* E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S82660*
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM602
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S602
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8602
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Riserva® ✕



Smooth

S2670* E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S82670*
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM508
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S508
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8508
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- Flat Lite Frame
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Pembridge™



Smooth

S2640* E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S82640*
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM6520
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6520
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S86520
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Axis®



Smooth

S2620* E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S82620*
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM1650
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S1650
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S81650
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites



NEW

Mahogany

FCM4812_ E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S4812_ E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S84812_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



NEW

Mahogany

FCM4813_ E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S4813_ E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S84813_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



NEW

Mahogany

FCM4814_ E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S4814_ E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S84814_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Privacy & Textured Glass with Divided Lites



NEW

Mahogany

FCM4816_ E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S4816_ E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S84816_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM605_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S605_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8605_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM606_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S606_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8606_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Available with flat lite frame only.

Note: See page 293 for important product details that may help with your purchase decision.

EnLiten™ Flush-Glazed Privacy & Textured Glass



Mahogany

FCM607_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S607_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8607_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM608_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S608_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8608_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM4810_
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S4810_
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S84810_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Privacy & Textured Glass



Smooth

S2610_*
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S82610_*
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM601_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S601_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8600_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

EnLiten™ Flush-Glazed Clear Glass with Divided Lites



Mahogany

FCM4812
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S4812
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S84812
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM4813
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S4813
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S84813
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM4814
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S4814
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S84814
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM4816
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S4816
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S84816
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat Lite Frame
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites



Mahogany

FCM605
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S605
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8605
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM606
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S606
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8606
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM607
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S607
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8607
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM608
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S608
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8608
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

EnLiten™ **Flush-Glazed Clear** Glass



Mahogany

FCM4810
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S4810
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S84810
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Clear Glass



Smooth

S2610*
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S82610*
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM601
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S601
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8601
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



*Available with flat lite frame only.
Note: See page 293 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Low-E Glass with SDLs, Door – S84816, Sidelites – S8000SL
Top Right: Smooth-Star, Wellesley Glass, Door – S721

Minimal Lites



Sidelite Configurations

For sidelites and transoms, see pages 191–211.

Maple Park®



Mahogany

FCM736	FCM8736
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"



Oak

FC736	FC8736
2'8"x 6'8" ‡	2'8"x 8'0"
2'10"x 6'8" ‡	2'10"x 8'0"
3'0"x 6'8" ‡	3'0"x 8'0"



Smooth

S736	S8736
E	
2'8"x 6'8" ‡	2'8"x 8'0"
2'10"x 6'8" ‡	2'10"x 8'0"
3'0"x 6'8" ‡	3'0"x 8'0"

Saratoga™



Mahogany

FCM707	FCM8707
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"



Oak

FC707	FC8707
2'8"x 6'8"‡	2'8"x 8'0"
2'10"x 6'8"‡	2'10"x 8'0"
3'0"x 6'8"‡	3'0"x 8'0"



Smooth

S707	S8707
E	
2'8"x 6'8" ‡	2'8"x 8'0"
2'10"x 6'8" ‡	2'10"x 8'0"
3'0"x 6'8" ‡	3'0"x 8'0"

Wellesley™



Mahogany

FCM721	FCM8721
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"



Oak

FC721	FC8721
2'8"x 6'8" ‡	2'8"x 8'0"
2'10"x 6'8" ‡	2'10"x 8'0"
3'0"x 6'8" ‡	3'0"x 8'0"



Smooth

S721	S8721
E	
2'8"x 6'8" ‡	2'8"x 8'0"
2'10"x 6'8" ‡	2'10"x 8'0"
3'0"x 6'8" ‡	3'0"x 8'0"

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat Lite Frame
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ‡ 7'0" Height Available

Concorde™



Mahogany

FCM735	FCM8735
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"



Oak

FC735	FC8735
2'8"x 6'8" ‡	2'8"x 8'0"
2'10"x 6'8" ‡	2'10"x 8'0"
3'0"x 6'8" ‡	3'0"x 8'0"



Smooth

S735	S8735
E	2'8"x 8'0"
2'8"x 6'8" ‡	2'10"x 8'0"
2'10"x 6'8" ‡	3'0"x 8'0"
3'0"x 6'8" ‡	

Pembridge™



Mahogany

FCM745	FCM8745
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"



Oak

FC745	FC8745
2'8"x 6'8" ‡	2'8"x 8'0"
2'10"x 6'8" ‡	2'10"x 8'0"
3'0"x 6'8" ‡	3'0"x 8'0"

Clear Glass with Divided Lites



Smooth

S745	S8745
E	2'8"x 8'0"
2'8"x 6'8" ‡	2'10"x 8'0"
2'10"x 6'8" ‡	3'0"x 8'0"
3'0"x 6'8" ‡	



Mahogany

FCM752	FCM8752
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"



Oak

FC752	FC8752
2'8"x 6'8" ‡	2'8"x 8'0"
2'10"x 6'8" ‡	2'10"x 8'0"
3'0"x 6'8" ‡	3'0"x 8'0"



Smooth

S752	S8752
E	2'8"x 8'0"
2'8"x 6'8" ‡	2'10"x 8'0"
2'10"x 6'8" ‡	3'0"x 8'0"
3'0"x 6'8" ‡	



Mahogany

FCM704	FCM8704
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"

Clear Glass



Oak

FC704	FC8704
2'8"x 6'8" ‡	2'8"x 8'0"
2'10"x 6'8" ‡	2'10"x 8'0"
3'0"x 6'8" ‡	3'0"x 8'0"



Smooth

S704	S8704
E	2'8"x 8'0"
2'8"x 6'8" ‡	2'10"x 8'0"
2'10"x 6'8" ‡	3'0"x 8'0"
3'0"x 6'8" ‡	



Mahogany

FCM708	FCM8708
2'8"x 6'8"	2'8"x 8'0"
2'10"x 6'8"	2'10"x 8'0"
3'0"x 6'8"	3'0"x 8'0"



Oak

FC708	FC8708
2'8"x 6'8" ‡	2'8"x 8'0"
2'10"x 6'8" ‡	2'10"x 8'0"
3'0"x 6'8" ‡	3'0"x 8'0"



Smooth

S708	S8708
E	2'8"x 8'0"
2'8"x 6'8" ‡	2'10"x 8'0"
2'10"x 6'8" ‡	3'0"x 8'0"
3'0"x 6'8" ‡	

Note: See page 293 for important product details that may help with your purchase decision.

Crystalline™



Oak

FC21
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S6123
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Concorde™



Oak

FC917
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S454
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass with Divided Lites



Oak

FC23
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S255
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass



Oak

FC803
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Smooth

S256
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass with Divided Lites



Smooth

S236
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8317
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S237
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"
(Scalloped Lite Frame)

Pembridge™



Mahogany

FCM6570
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM86570
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Axis®



Oak

FC6570
E
2'6"x 6'8"‡
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FC86570
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6570
E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S86570
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM1645
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM81645
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC1645
E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

FC81645
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1645
E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S81645
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (A)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- E Elevated 10" Bottom Rail Options
- ‡ 7'0" Height Available

Privacy & Textured Glass



Mahogany

FCM61_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM861_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC61_
E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

FC861_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S296_
E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S896_
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Clear Glass



Mahogany

FCM61
✹
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

FCM861
✹
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC61
✹ E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡


FC861
✹
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S296
✹ E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S896
✹
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.



Smooth

S140STC
■ ✹ E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8" ‡

S8140STC
■ ✹
2'6"x 8'0"
2'8"x 8'0"
3'0"x 8'0"



Smooth

S141STC
■ ✹ ✦ E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8" ‡



Smooth

S6063STC
■ ✹ ✦ E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8" ‡

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = NEW Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

Note: See page 293 for important product details that may help with your purchase decision.


Top: Smooth-Star, Clear Glass, Door – S296, Finish – Cypress
Right Page: Smooth-Star Door – S1100, Sidelites – S2000SL, Finish – Granite

Solid Panel



Sidelite Configurations

For sidelites and transoms, see pages 191–211.





Mahogany

FCM31
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC31
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC809
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S93
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM220
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S220
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

S8200
E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1100
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S81100
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S120
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8120
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S200
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S897
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM205
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S205
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8201
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM755
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FC755
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Key

- No Stile Lines
- Low-E Glass (LE)
- Flat White Grilles Between Glass Only (GBGFW)
- WBDR Options
- WBDR / HVHZ Options
- ‡ 7'0" Height Available
- E Elevated 10" Bottom Rail Options



Smooth

S755
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC862
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S31	S831
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"




Oak

FC808
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S960
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S4800	S84800
E	
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Mahogany

FCM600
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S600	S8600
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Mahogany

FCM134
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S11
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM60	FCM860
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC60	FC860
E	
2'6" x 6'8" ‡	2'8" x 8'0"
2'8" x 6'8" ‡	2'10" x 8'0"
2'10" x 6'8" ‡	3'0" x 8'0"
3'0" x 6'8" ‡	



Smooth

S210	S810
E	
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8" ‡	2'8" x 8'0"
2'10" x 6'8" ‡	2'10" x 8'0"
3'0" x 6'8" ‡	3'0" x 8'0"




Mahogany

FCM1000	FCM81000
■ E	■
2'0" x 6'8"	2'0" x 8'0"
2'4" x 6'8"	2'4" x 8'0"
2'6" x 6'8"‡	2'6" x 8'0"
2'8" x 6'8"‡	2'8" x 8'0"
2'10" x 6'8"‡	2'10" x 8'0"
3'0" x 6'8"‡	3'0" x 8'0"



Oak

1000	81000
■ E	■
2'0" x 6'8"	2'0" x 8'0"
2'4" x 6'8" ♿	2'4" x 8'0"
2'6" x 6'8" ♿‡	2'6" x 8'0"
2'8" x 6'8" ♿‡	2'8" x 8'0"
2'10" x 6'8" ♿‡	2'10" x 8'0"
3'0" x 6'8" ♿‡	3'0" x 8'0"



Smooth

S100	S81000
■ E	■
2'0" x 6'8" ♿	2'0" x 8'0"
2'4" x 6'8" ♿	2'4" x 8'0"
2'6" x 6'8" ♿	2'6" x 8'0"
2'8" x 6'8" ♿‡	2'8" x 8'0"
2'10" x 6'8" ♿‡	2'10" x 8'0"
3'0" x 6'8" ♿‡	3'0" x 8'0"
3'6" x 6'8"	3'6" x 8'0"

Note: See page 293 for important product details that may help with your purchase decision.

Sidelites

Clear Glass



Direct Set

DRS2131SL	DRS82131SL
12"x 6'8"‡ 14"x 6'8"‡	12"x 8'0" 14"x 8'0"

Blackstone®



Mahogany

FCM871SL
12"x 8'0" 14"x 8'0"



Mahogany

FCM808SL	FCM81918SL
10"x 6'8" 12"x 6'8"‡ 14"x 6'8"‡	12"x 8'0" 14"x 8'0"



Oak

FC108SL	81918PSL
10"x 6'8" 12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Oak

FC808SL	81918SL
12"x 6'8" ‡ 14"x 6'8" ‡	12"x 8'0" 14"x 8'0"



Smooth

S6002SL	S85892SL
12" x 6'8" 14" x 6'8"	12"x 8'0" 14"x 8'0"

Crystalline™



Smooth

S4570SL	S85927SL
10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡	12"x 8'0" 14"x 8'0"



Mahogany

FCM8114SL
12"x 8'0" 14"x 8'0"



Mahogany

FCM18101SL	FCM81800SL
10"x 6'8" 12"x 6'8"‡ 14"x 6'8"‡	12"x 8'0" 14"x 8'0"



Oak

FC46SL	81800PSL
10"x 6'8" 12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Oak

18101SL	81800SL
12"x 6'8" ‡ 14"x 6'8" ‡	12"x 8'0" 14"x 8'0"



Smooth

S916SL	S814SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"

Sedona



Smooth

S6130SL	S84586SL
10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡	12"x 8'0" 14"x 8'0"



Mahogany

FCM872SL
12"x 8'0" 14"x 8'0"



Mahogany

FCM816SL	FCM81968SL
10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡	12"x 8'0" 14"x 8'0"



Oak

FC100SL	81968PSL
10" x 6'8" 12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"



Oak

FC816SL	81968SL
12"x 6'8" ‡ 14"x 6'8" ‡	12"x 8'0" 14"x 8'0"

Key

- No Stile Lines
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Flat Lite Frame
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- ‡ 7'0" Height Available
- E Elevated 10" Bottom Rail Options

Sedona ◆ ⁘ *Continued*



Smooth

S139SL
12"x 6'8"
14"x 6'8"



Smooth

S604SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Salinas® x



Mahogany

FCM814SL
10"x 6'8"
12"x 6'8"‡
14"x 6'8"‡

FCM81919SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM873SL
12"x 8'0"
14"x 8'0"



Oak

FC113SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

81919PSL
12"x 8'0"
14"x 8'0"



Oak

FC814SL
12"x 6'8" ‡
14"x 6'8" ‡

81919SL
12"x 8'0"
14"x 8'0"



Smooth

S6008SL
12"x 6'8"
14"x 6'8"

S85893SL
12"x 8'0"
14"x 8'0"



Smooth

S6134SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

S85931SL
12"x 8'0"
14"x 8'0"

Maple Park® ◆ ⁘



Mahogany

FCM812SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡



Oak

FC900SL
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC812SL
12"x 6'8" ‡
14"x 6'8" ‡



Smooth

S6100SL
12"x 6'8"
14"x 6'8"



Smooth

S6131SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Avonlea® ◆



Mahogany

FCM807SL
10"x 6'8"
12"x 6'8"‡
14"x 6'8"‡



Oak

FC758SL
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC807SL
12"x 6'8"‡
14"x 6'8"‡



Smooth

S962SL
12"x 6'8"
14"x 6'8"



Smooth

S6127SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Saratoga™ ◆ ⁘



Mahogany

FCM815SL
10"x 6'8"
12"x 6'8"‡
14"x 6'8"‡

FCM81986SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM893SL
12"x 8'0"
14"x 8'0"

Note: See page 293 for important product details that may help with your purchase decision.



Oak

FC905SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

81986PSL
12"x 8'0"
14"x 8'0"



Oak

FC815SL
12"x 6'8" ‡
14"x 6'8" ‡

81986SL
12"x 8'0"
14"x 8'0"



Smooth

S154SL
12"x 6'8"
14"x 6'8"

S8602SL
12"x 8'0"
14"x 8'0"




Smooth

S602SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

S85932SL
12"x 8'0"
14"x 8'0"

Texas Star



NEW

Mahogany

FCM817SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡



NEW

Oak

FC142SL
10"x 6'8"
12"x 6'8"
14"x 6'8"



NEW

Oak


FC817SL
12"x 6'8" ‡
14"x 6'8" ‡



NEW

Smooth

S6070SL
12"x 6'8"
14"x 6'8"



NEW

Smooth

S6135SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Wellesley™



Mahogany

FCM818SL
10"x6'8"
12"x 6'8" ‡
14"x 6'8" ‡

FCM81921SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM874SL
12"x 8'0"
14"x 8'0"



Oak

FC104SL
10"x6'8"
12"x 6'8"
14"x 6'8"

81921PSL
12"x 8'0"
14"x 8'0"



Oak

FC818SL
12"x 6'8" ‡
14"x 6'8" ‡

81921SL
12"x 8'0"
14"x 8'0"



Smooth

S155SL
12"x 6'8"
14"x 6'8"

S85896SL
12"x 8'0"
14"x 8'0"



Smooth

S5870SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

S85934SL
12"x 8'0"
14"x 8'0"


Riserva® X



Mahogany


FCM572SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

FCM8572SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM8573SL
12"x 8'0"
14"x 8'0"



Oak

FC573SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

FC8573SL
12"x 8'0"
14"x 8'0"



Oak

FC572SL
12"x 6'8" ‡
14"x 6'8" ‡

FC8572SL
12"x 8'0"
14"x 8'0"

Key

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Flat Lite Frame
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- ‡ 7'0" Height Available

Riserva® X *Continued*



Smooth

S573SL
12"x 6'8"
14"x 6'8"

S8573SL
12"x 8'0"
14"x 8'0"



Smooth

S572SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

S8572SL
12"x 8'0"
14"x 8'0"

Concorde™



Mahogany

FCM809SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

FCM81928SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM890SL
12"x 8'0"
14"x 8'0"



Oak

FC910SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

81928PSL
12"x 8'0"
14"x 8'0"



Oak

FC809SL
12"x 6'8" ‡
14"x 6'8" ‡

81928SL
12"x 8'0"
14"x 8'0"



Smooth

S416SL
12"x 6'8"
14"x 6'8"

S85895SL
12"x 8'0"
14"x 8'0"



Smooth

S4070SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

S85930SL
12"x 8'0"
14"x 8'0"

Kensington™



Mahogany

FCM813SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡



Oak

FC148SL
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC813SL
12"x 6'8" ‡
14"x 6'8" ‡



Smooth

S160SL
12"x 6'8"
14"x 6'8"



Smooth

S6132SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Pembridge™



Mahogany

FCM86550SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM6500SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

FCM86500SL
12"x 8'0"
14"x 8'0"



Oak

FC6550SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

FC86550SL
12"x 8'0"
14"x 8'0"



Oak

FC6500SL
12"x 6'8" ‡
14"x 6'8" ‡

FC86500SL
12"x 8'0"
14"x 8'0"



Smooth

S6550SL
12"x 6'8"
14"x 6'8"

S86550SL
12"x 8'0"
14"x 8'0"



Smooth

S6500SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

S86500SL
12"x 8'0"
14"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = NEW Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

*Not available with Reeded (XK) or Geometric (XG) glass.

Note: See page 293 for important product details that may help with your purchase decision.

Axis®



Mahogany

FCM1651SL
10"x6'8"
12"x6'8" ‡
14"x6'8" ‡

FCM81651SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM81652SL
12"x 8'0"
14"x 8'0"



Oak

FC1652SL
10"x6'8"
12"x 6'8"
14"x 6'8"

FC81652SL
12"x 8'0"
14"x 8'0"



Oak

FC1651SL
12"x 6'8" ‡
14"x 6'8" ‡

FC81651SL
12"x 8'0"
14"x 8'0"



Smooth

S1652SL
12"x 6'8"
14"x 6'8"

S81652SL
12"x 8'0"
14"x 8'0"



Smooth

S1651SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

S81651SL
12"x 8'0"
14"x 8'0"

Frosted Images®



Mahogany

FCM13101SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡



Oak

FC11SL
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

13101SL
12"x 6'8" ‡
14"x 6'8" ‡



Smooth

S138SL
12"x 6'8"
14"x 6'8"



Smooth

S2070SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites



Mahogany

FCM2050_SL
12"x 6'8"
14"x 6'8"



Oak

2050_SL
12"x 6'8"
14"x 6'8"



Smooth

S2010_SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

S84886_SL
12"x 8'0"
14"x 8'0"



Smooth

S2000_SL-2C*
10"x 6'8"
12"x 6'8"
14"x 6'8"



Smooth

S2000_SL-4C*
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC5700_SL
12"x 6'8"
14"x 6'8"



Smooth

S5700_SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

S85700_SL
12"x 8'0"
14"x 8'0"



Oak

FC5710_SL
12"x 6'8"
14"x 6'8"



Smooth

S5710_SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

S85710_SL
12"x 8'0"
14"x 8'0"



Oak

FC5720_SL
12"x 6'8"
14"x 6'8"



Smooth

S5720_SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

S85720_SL
12"x 8'0"
14"x 8'0"

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat Lite Frame
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- ‡ 7'0" Height Available


Privacy & Textured Glass with Divided Lites



Mahogany

FCM12102__SL

12"x 6'8" ‡
14"x 6'8" ‡



Oak

FC18__SL

12"x 6'8"
14"x 6'8"



Oak

12102__SL

12"x 6'8" ‡
14"x 6'8" ‡



Smooth

S308__SL

12"x 6'8"
14"x 6'8"



Smooth

S1170__SL


10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡



Mahogany

FCM6124__SL*


10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡



Oak

FC06188__SL*

10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC06184__SL*

12"x 6'8" ‡
14"x 6'8" ‡



Smooth

S605__SL*


12"x 6'8"
14"x 6'8"



Smooth

S6124__SL*


10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡



Mahogany

FCM6125__SL*


10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡



Oak

FC06189__SL*

10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC06185__SL*

12"x 6'8" ‡
14"x 6'8" ‡



Smooth

S606__SL*


12"x 6'8"
14"x 6'8"



Smooth

S6125__SL*

10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡



Mahogany

FCM6126__SL*


10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡



Oak

FC06190__SL*

10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC06186__SL*

12"x 6'8" ‡
14"x 6'8" ‡



Smooth

S607__SL*

12"x 6'8"
14"x 6'8"




Smooth

S6126__SL*

10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

EnLiten™ **Flush-Glazed Privacy & Textured** Glass



Mahogany

FCM2000__SL

12"x 6'8"
14"x 6'8"



Oak

2000__SL

12"x 6'8"
14"x 6'8"



Smooth

S2000__SL

10"x 6'8" ‡
12"x 6'8" ‡
14"x 6'8" ‡

S8000__SL

12"x 8'0"
14"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = NEW Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Not available with Reeded (XK) or Geometric (XG) glass.

Note: See page 293 for important product details that may help with your purchase decision.

Privacy & Textured Glass



Mahogany


FCM870_SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM12101_SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡


FCM81200_SL
12"x 8'0"
14"x 8'0"



Oak

FC47_SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

81200P_SL
12"x 8'0"
14"x 8'0"



Oak

12101_SL
12"x 6'8" ‡
14"x 6'8" ‡

81200_SL
12"x 8'0"
14"x 8'0"



Smooth

S100_SL
12"x 6'8"
14"x 6'8"

S8601_SL
12"x 8'0"
14"x 8'0"




Smooth

S601_SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

S81086_SL
12"x 8'0"
14"x 8'0"

Internal Blinds



Mahogany


FCM8115SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM1286SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

FCM81225SL
12"x 8'0"
14"x 8'0"



Oak

FC141SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

81225PSL
12"x 8'0"
14"x 8'0"



Oak

1286SL
12"x 6'8" ‡
14"x 6'8" ‡

81225SL
12"x 8'0"
14"x 8'0"



Smooth

S130SL
12"x 6'8"
14"x 6'8"

S829SL
12"x 8'0"
14"x 8'0"



Smooth

S6128SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

S85928SL
12"x 8'0"
14"x 8'0"

EnLiten™ **Flush-Glazed Clear** Glass with Divided Lites



Mahogany

FCM1205SL
12"x 6'8"
14"x 6'8"




Oak

FC1205SL
12"x 6'8"
14"x 6'8"



Smooth

S1205SL
10"x 6'8" ‡
12"x 6'8" ‡
14"x 6'8" ‡



Mahogany

FCM1206SL
12"x 6'8"
14"x 6'8"



Oak

FC1206SL
12"x 6'8"
14"x 6'8"



Smooth

S1206SL
10"x 6'8" ‡
12"x 6'8" ‡
14"x 6'8" ‡



Mahogany

FCM1204SL
12"x 6'8"
14"x 6'8"



Oak


FC1204SL
12"x 6'8"
14"x 6'8"

EnLiten Flush-Glazed Clear Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Flat Lite Frame
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- ‡ 7'0" Height Available

EnLiten™ Flush-Glazed Clear Glass with Divided Lites *Continued*



Smooth
S1204SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

NEW
Mahogany
FCM2050SL
12"x 6'8"
14"x 6'8"

Oak
2050SL
12"x 6'8"
14"x 6'8"

Smooth
S2010SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

Smooth
S84886SL
12"x 8'0"
14"x 8'0"

Smooth
S2000SL-2C
10"x 6'8"
12"x 6'8"
14"x 6'8"

Smooth
S2000SL-4C
10"x 6'8"
12"x 6'8"
14"x 6'8"

NEW
Mahogany
FCM2009SL
12"x 6'8"
14"x 6'8"

Oak
2009SL
12"x 6'8"
14"x 6'8"



Smooth
S2009SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

Oak
FC5700SL
12"x 6'8"
14"x 6'8"

Smooth
S5700SL
10"x 6'8"
12"x 6'8"
14"x 6'8"
S85700SL
12"x 8'0"
14"x 8'0"

Oak
FC5710SL
12"x 6'8"
14"x 6'8"

Smooth
S5710SL
10"x 6'8"
12"x 6'8"
14"x 6'8"
S85710SL
12"x 8'0"
14"x 8'0"

Oak
FC5720SL
12"x 6'8"
14"x 6'8"

Smooth
S5720SL
10"x 6'8"
12"x 6'8"
14"x 6'8"
S85720SL
12"x 8'0"
14"x 8'0"

Clear Glass with Divided Lites



Mahogany
FCM1201SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Oak
FC1209SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

Oak
FC1201SL
12"x 6'8" ‡
14"x 6'8" ‡

Smooth
S1209SL
12"x 6'8"
14"x 6'8"

Smooth
S1201SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Mahogany
FCM1202SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Oak
FC1211SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

Oak
FC1202SL
12"x 6'8" ‡
14"x 6'8" ‡

Smooth
S1211SL
12"x 6'8"
14"x 6'8"

Note: See page 293 for important product details that may help with your purchase decision.



Smooth
S1202SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Mahogany
FCM1200SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Oak
FC1208SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

Oak
FC1200SL
12"x 6'8" ‡
14"x 6'8" ‡


Smooth
S1208SL
12"x 6'8"
14"x 6'8"

Smooth
S1200SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Mahogany
FCM12102SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Oak
FC18SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

Oak
12102SL
12"x 6'8" ‡
14"x 6'8" ‡



Smooth
S308SL
12"x 6'8"
14"x 6'8"

Smooth
S1170SL
10" x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Mahogany
FCM81208PSL
12"x 8'0"
14"x 8'0"

Mahogany
FCM81208SL
12"x 8'0"
14"x 8'0"


Oak
81208PSL
12"x 8'0"
14"x 8'0"

Oak
81208SL
12"x 8'0"
14"x 8'0"

Smooth
S808SL
12"x 8'0"
14"x 8'0"

Smooth
S81186SL
12"x 8'0"
14"x 8'0"

Mahogany
FCM6124SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡



Oak
FC06188SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

Oak
FC06184SL
12"x 6'8" ‡
14"x 6'8" ‡

Smooth
S605SL
12"x 6'8"
14"x 6'8"

S8605SL
12"x 8'0"
14"x 8'0"

Smooth
S6124SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

S85924SL
12"x 8'0"
14"x 8'0"

Mahogany
FCM6125SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Oak
FC06189SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

Oak
FC06185SL
12"x 6'8" ‡
14"x 6'8" ‡

Smooth
S606SL
12"x 6'8"
14"x 6'8"

S8606SL
12"x 8'0"
14"x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available

Clear Glass with Divided Lites *Continued*



Smooth


S6125SL
10"x 6'8"
12"x 6'8" ♙‡
14"x 6'8" ♙‡

S85925SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM6126SL
10"x 6'8"
12"x 6'8" ♙‡
14"x 6'8" ♙‡



Oak

FC06190SL
10"x 6'8"
12"x 6'8"
14"x 6'8"



Oak

FC06186SL
12"x 6'8" ♙‡
14"x 6'8" ♙‡



Smooth

S607SL
12"x 6'8"
14"x 6'8"


S8607SL
12"x 8'0"
14"x 8'0"



Smooth

S6126SL
10"x 6'8"
12"x 6'8" ♙‡
14"x 6'8" ♙‡


S85926SL
12"x 8'0"
14"x 8'0"



Mahogany


FCM1289SL
10"x 6'8"
12"x 6'8" ♙‡
14"x 6'8" ♙‡

EnLiten™ **Flush-Glazed Clear** Glass



Oak

FC198SL
10"x 6'8"
12"x 6'8"
14"x 6'6"



Oak

FC1289SL
12"x 6'8" ♙‡
14"x 6'8" ♙‡



Smooth

S198SL
12"x 6'8"
14"x 6'8"



Smooth

S6062SL
10"x 6'8"
12"x 6'8" ♙‡
14"x 6'8" ♙‡



Mahogany

FCM2000SL
12"x 6'8"
14"x 6'8"



Oak

2000SL
12"x 6'8"
14"x 6'8"



Smooth

S2000SL
10"x 6'8" ♙
12"x 6'8" ♙
14"x 6'8" ♙

S8000SL
12"x 8'0"
14"x 8'0"

Clear Glass



Mahogany


FCM12101SL
10"x 6'8"
12"x 6'8" ♙‡
14"x 6'8" ♙‡

FCM81200SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM870SL
12"x 8'0"
14"x 8'0"



Oak

FC47SL
10"x 6'8"
12"x 6'8"
14"x 6'6"

81200PSL
12"x 8'0"
14"x 8'0"



Oak

12101SL
12"x 6'8" ♙‡
14"x 6'8" ♙‡

81200SL
12"x 8'0"
14"x 8'0"



Smooth

S100SL
12"x 6'8"
14"x 6'8"

S8601SL
12"x 8'0"
14"x 8'0"



Smooth

S601SL
10"x 6'8"
12"x 6'8" ♙‡
14"x 6'8" ♙‡

S81086SL
12"x 8'0"
14"x 8'0"

Note: See page 293 for important product details that may help with your purchase decision.

Blackstone®



Mahogany

FCM765SL | FCM882SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC765SL | 81952PSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S975SL | S894SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Crystalline™



Mahogany

FCM38SL | FCM8105SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC38SL | 81953PSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S758SL | S888SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Sedona



Mahogany

FCM131SL | FCM883SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC131SL | 81954PSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S91SL | S887SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Salinas® x



Mahogany

FCM115SL | FCM884SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC115SL | 81955PSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S6009SL | S895SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Maple Park®



Mahogany

FCM902SL | FCM887SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC902SL | 81957PSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S6102SL | S85898SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Avonlea®



Mahogany

FCM764SL | FCM8104SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC764SL | 81967PSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S976SL | S85900SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Flat Lite Frame
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available

Saratoga™



Mahogany

FCM907SL | FCM889SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC907SL | 81956PSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S6092SL | S891SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Texas Star




Mahogany

FCM143SL | FCM8103SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC143SL | 81958PSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S6071SL | 85901SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Wellesley™



Mahogany

FCM147SL | FCM885SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC147SL | 81959PSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S6091SL | S892SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Riserva®



Mahogany

FCM545SL | FCM8545SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC545SL | FC8545SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S545SL | S8545SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Concorde™



Mahogany

FCM912SL | FCM892SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC912SL | 81960PSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S757SL | S85902SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Kensington™



Mahogany

FCM1442SL | FCM8107SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC1442SL | 81961PSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S1442SL | S902SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = NEW Reeded | XE = Satin Etch | XJ = Chinchilla | XN = Granite
XG = Geometric | XC = Chord | XR = Rainglass

Note: See page 293 for important product details that may help with your purchase decision.

Pembridge™




Mahogany

FCM6580SL | FCM86580SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC6580SL | FC86580SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S6580SL | S86580SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Axis®



Mahogany

FCM1646SL | FCM81646SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC1646SL | FC81646SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S1646SL | S81646SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Frosted Images®



Mahogany

FCM8109SL
12" x 8'0"
14" x 8'0"



Oak

81963PSL
12"x 8'0"
14"x 8'0"



Smooth

S884SL
12"x 8'0"
14"x 8'0"

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites



Smooth

S2103_SL
12"x 6'8"
14"x 6'8"



Smooth

S2104_SL
12"x 6'8"
14"x 6'8"



Smooth

S2250_SL
12"x 6'8"
14"x 6'8"

Privacy & Textured Glass with Divided Lites



Mahogany

FCM92_SL
12"x 6'8"
14"x 6'8"



Oak

FC92_SL
12"x 6'8"
14"x 6'8"



Smooth

S82_SL
12"x 6'8"
14"x 6'8"



Mahogany

FCM8101_SL
12"x 8'0"
14"x 8'0"



Oak

81946P_SL
12"x 8'0"
14"x 8'0"



Smooth

S881_SL
12"x 8'0"
14"x 8'0"

EnLiten™ Flush-Glazed Privacy & Textured Glass



Smooth

S2200_SL
12"x 6'8"
14"x 6'8"

Key


- Flush-Glazed Glass with Detailed Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- WBDR Options

Privacy & Textured Glass



Mahogany

FCM32_SL | FCM881_SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC32_SL | 81943P_SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S751_SL | S880_SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Internal Blinds



Mahogany

FCM5425SL | FCM8110SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC5425SL | 81964PSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S5425SL | S8682SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

EnLiten™ **Flush-Glazed Clear** Glass with Divided Lites



Smooth

S2103SL
12"x 6'8"
14"x 6'8"



Smooth

S2104SL
12"x 6'8"
14"x 6'8"



Smooth


S92SL
12"x 6'8"
14"x 6'8"



Smooth


S1401SL
12"x 6'8"
14"x 6'8"

Clear Glass with Divided Lites



Mahogany

FCM1089SL | FCM8311SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"




Oak

FC1089SL | FC8311SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"




Smooth

S1089SL | S8311SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Mahogany

FCM2101SL | FCM8313SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC2101SL | FC8313SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S2101SL | S8313SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Mahogany

FCM92SL | FCM8310SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC92SL | FC8310SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S82SL | S8310SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = NEW Reeded | XE = Satin Etch | XJ = Chinchilla | XN = Granite
XG = Geometric | XC = Chord | XR = Rainglass

Note: See page 293 for important product details that may help with your purchase decision.



Mahogany

FCM8101SL

12"x 8'0"
14"x 8'0"



Oak

81946PSL

12"x 8'0"
14"x 8'0"



Smooth

S881SL

12"x 8'0"
14"x 8'0"



Mahogany

FCM81900SL

12"x 8'0"
14"x 8'0"



Oak

81900PSL

12"x 8'0"
14"x 8'0"



Smooth

S8207SL


12"x 8'0"
14"x 8'0"



Mahogany

FCM81947SL

12"x 8'0"
14"x 8'0"



Oak

81947PSL

12"x 8'0"
14"x 8'0"



Smooth

S8202SL


12"x 8'0"
14"x 8'0"



Mahogany

FCM81949SL

12"x 8'0"
14"x 8'0"



Oak

81949PSL


12"x 8'0"
14"x 8'0"



Smooth

S8204SL


12"x 8'0"
14"x 8'0"



Mahogany

FCM1400SL | FCM81944SL

12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC1400SL | 81944PSL

12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S1400SL | S898SL

12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

EnLiten™ Flush-Glazed Clear Glass



Smooth

S90SL

12"x 6'8"
14"x 6'8"

Clear Glass



Mahogany

FCM32SL | FCM881SL

12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC32SL | 81943PSL

12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S751SL | S880SL

12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR Options

Blackstone®



Mahogany

FCM109SL 12"x 6'8" 14"x 6'8" | FCM863SL 12"x 8'0" 14"x 8'0"



Oak

FC109SL 12"x 6'8" 14"x 6'8" | 81933PSL 12"x 8'0" 14"x 8'0"



Smooth

S6000SL 12"x 6'8" 14"x 6'8" | S85912SL 12"x 8'0" 14"x 8'0"

Crystalline™



Mahogany

FCM45SL 12"x 6'8" 14"x 6'8" | FCM898SL 12"x 8'0" 14"x 8'0"



Oak

FC43SL 12"x 6'8" 14"x 6'8" | 81935PSL 12"x 8'0" 14"x 8'0"



Smooth

S930SL 12"x 6'8" 14"x 6'8" | S85914SL 12"x 8'0" 14"x 8'0"

Sedona



Mahogany

FCM101SL 12"x 6'8" 14"x 6'8" | FCM864SL 12"x 8'0" 14"x 8'0"



Oak

FC101SL 12"x 6'8" 14"x 6'8" | 81936PSL 12"x 8'0" 14"x 8'0"



Smooth

S294SL 12"x 6'8" 14"x 6'8" | S85915SL 12"x 8'0" 14"x 8'0"

Salinas® x



Mahogany

FCM114SL 12"x 6'8" 14"x 6'8" | FCM865SL 12"x 8'0" 14"x 8'0"



Oak

FC114SL 12"x 6'8" 14"x 6'8" | 81937PSL 12"x 8'0" 14"x 8'0"



Smooth

S6006SL 12"x 6'8" 14"x 6'8" | S85916SL 12"x 8'0" 14"x 8'0"

Maple Park®



Mahogany

FCM901SL 12"x 6'8" 14"x 6'8" | FCM886SL 12"x 8'0" 14"x 8'0"



Oak

FC901SL 12"x 6'8" 14"x 6'8" | 81939PSL 12"x 8'0" 14"x 8'0"



Smooth

S6101SL 12"x 6'8" 14"x 6'8" | S85918SL 12"x 8'0" 14"x 8'0"

Avonlea®



Mahogany

FCM761SL 12"x 6'8" 14"x 6'8" | FCM896SL 12"x 8'0" 14"x 8'0"



Oak

FC761SL 12"x 6'8" 14"x 6'8" | 81932PSL 12"x 8'0" 14"x 8'0"



Smooth

S964SL 12"x 6'8" 14"x 6'8" | S85911SL 12"x 8'0" 14"x 8'0"

Note: See page 293 for important product details that may help with your purchase decision.

Saratoga™



Mahogany

FCM906SL | FCM888SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC906SL | 81938PSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S291SL | S85917SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Texas Star



Mahogany

FCM899SL
12"x 8'0"
14"x 8'0"



Oak

81940PSL
12"x 8'0"
14"x 8'0"



Smooth

85919SL
12"x 8'0"
14"x 8'0"

Wellesley™



Mahogany

FCM105SL | FCM866SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC105SL | 81941PSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S292SL | S85922SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Riserva®



Mahogany

FCM583SL | FCM8583SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC583SL | FC8583SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S583SL | S8583SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Concorde™



Mahogany

FCM911SL | FCM891SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC911SL | 81942PSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S430SL | S85920SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Kensington™



Mahogany

FCM149SL | FCM867SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC149SL | FC8867SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S161SL | S867SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (A)
- Wrought Iron (1W)
- WBDR Options

Pembridge™



Mahogany

FCM6565SL 12"x 6'8" 14"x 6'8" | FCM86560SL 12"x 8'0" 14"x 8'0"



Oak

FC6565SL 12"x 6'8" 14"x 6'8" | FC86560SL 12"x 8'0" 14"x 8'0"



Smooth

S6565SL 12"x 6'8" 14"x 6'8" | S86560SL 12"x 8'0" 14"x 8'0"

Axis®



Mahogany

FCM1656SL 12"x 6'8" 14"x 6'8" | FCM81654SL 12"x 8'0" 14"x 8'0"



Oak

FC1656SL 12"x 6'8" 14"x 6'8" | FC81654SL 12"x 8'0" 14"x 8'0"



Smooth

S1656SL 12"x 6'8" 14"x 6'8" | S81654SL 12"x 8'0" 14"x 8'0"

Frosted Images®



Mahogany

FCM66SL 12" x 6'8" 14" x 6'8"



Oak

FC44SL 12"x 6'8" 14"x 6'8"



Smooth

S289ESL 12"x 6'8" 14"x 6'8"

Privacy & Textured Glass with Divided Lites



Mahogany

FCM65_SL 12"x 6'8" 14"x 6'8"



Oak

FC63_SL 12"x 6'8" 14"x 6'8"



Smooth

S263_SL 12"x 6'8" 14"x 6'8"



Mahogany

FCM3487_SL 12"x 8'0" 14"x 8'0"



Oak

FC3487_SL 12"x 8'0" 14"x 8'0"



Smooth

S3487_SL 12"x 8'0" 14"x 8'0"

Privacy & Textured Glass



Mahogany

FCM62_SL 12"x 6'8" 14"x 6'8" | FCM862_SL 12"x 8'0" 14"x 8'0"



Oak

FC48_SL 12"x 6'8" 14"x 6'8" | 81929P_SL 12"x 8'0" 14"x 8'0"



Smooth

S210_SL 12"x 6'8" 14"x 6'8" | S85910_SL 12"x 8'0" 14"x 8'0"

Internal Blinds



Mahogany

FCM678SL 12"x 6'8" 14"x 6'8" | FCM8678SL 12"x 8'0" 14"x 8'0"



Oak

FC678SL 12"x 6'8" 14"x 6'8" | FC8678SL 12"x 8'0" 14"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = NEW Reeded | XE = Satin Etch | XJ = Chinchilla | XN = Granite
XG = Geometric | XC = Chord | XR = Rainglass

*Not available with Reeded (XK) or Geometric (XG) glass.

Note: See page 293 for important product details that may help with your purchase decision.

Clear Glass with Divided Lites



Smooth

S132SL | S8132SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Mahogany

FCM8675SL
12"x 8'0"
14"x 8'0"



Oak

FC8675SL
12"x 8'0"
14"x 8'0"



Smooth

S8675SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM65SL | FCM7125SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC63SL | FC7125SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S263SL | S7125SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Mahogany

FCM3487SL
12"x 8'0"
14"x 8'0"



Oak

FC3487SL
12"x 8'0"
14"x 8'0"



Smooth

S3487SL
12"x 8'0"
14"x 8'0"



Mahogany

FCM1405SL | FCM8145SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC1408SL | FC8145SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S1405SL | S8145SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Clear Glass



Mahogany

FCM62SL | FCM862SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC48SL | 81929PSL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S210SL | S85910SL
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

EnLiten™ **Flush-Glazed Privacy & Textured** Glass with Divided Lites



Smooth

S4812__SL* | S84812__SL*
12"x 6'8" | 12"x 8'0"
14"x 6'8" | 14"x 8'0"

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR Options

EnLiten™ Flush-Glazed **Privacy & Textured** Glass



Smooth

S4810_SL	S84810_SL
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"

EnLiten™ Flush-Glazed **Clear** Glass with Divided Lites



Smooth

S4812SL	S84812SL
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"

EnLiten™ Flush-Glazed **Clear** Glass



Smooth

S4810SL	S84810SL
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Note: See page 293 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Sedona Glass with Flat Lite Frame, Door – S2650, Sidelites – S139SL; Clear Glass, Transom – 19220T, Surround – TDS-CRSFLT



Transoms

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Blackstone®



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Crystalline™



19080T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19820T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19800T
3'0" Door Only



19810T
12" & 14" Sidelite Only

Sedona



19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Salinas® x



SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Maple Park®



FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Avonlea®



AVRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Saratoga™



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19740T
3'0" Door Only

Wellesley™



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19720T
3'0" Door Only

Riserva® x



RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Concorde™



CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Kensington™



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Pembridge™



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Axis®



AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Clear Glass



Grille Sticks Applied



19020T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
3'0" Door Only



19210T
12" & 14" Sidelite Only

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDLF1)

Profiles™ Steel Doors





Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Sedona Glass, Door – 996HD, Sidelite – 139SL
Bottom: Profiles, Screen Vented Glass, Door – 1004HD

Traditions Steel Doors





Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Top: Traditions Door – TS210
Bottom: Traditions, Satin Etch Glass, Doors – TS289XE

Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 238–243.





■ = Available • = Not Applicable P = Paint	Profiles™	Traditions
Door Widths		
2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•
Door Heights		
6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■
Glass Options		
Decorative	15	15
Privacy & Textured	7	7
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Removable Wood Grilles	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■
Additional Options		
Finish	P	P

Profiles™ Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.

10 YEAR LIMITED WARRANTY
Door & Glass

Traditions Steel

Features 25-gauge steel, standard embossed smooth surface.
All 8'0" doors are 24-gauge steel with standard embossments.

5 YEAR LIMITED WARRANTY
Door

10 YEAR LIMITED WARRANTY
Glass

Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 258–265.

5'0" Patio Opening = (2) 2'4" Doors
6'0" Patio Opening = (2) 2'10" Doors

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.
**Decorative glass designs are shown in Profiles only.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Decorative & Specialty Glass Designs**


Black Nickel


Brushed Nickel

Blackstone®
Glass Privacy Rating: **7**


Black Nickel


Brushed Nickel

Crystalline™
Glass Privacy Rating: **7**


Black Nickel



Brushed Nickel

Sedona
Glass Privacy Rating: **7**


Wrought Iron

Salinas®
Glass Privacy Rating: **10**


Black Nickel


Brushed Nickel

Maple Park®
Glass Privacy Rating: **6**


Black Nickel

Avonlea®
Glass Privacy Rating: **4**


Black Nickel


Brushed Nickel

Saratoga™
Glass Privacy Rating: **7**

NEW


Black Nickel


Brushed Nickel

Texas Star
Glass Privacy Rating: **5**


Black Nickel


Brushed Nickel


Brass


Wellesley™
Glass Privacy Rating: **6**


Wrought Iron

Riserva®
Glass Privacy Rating: **10**


Black Nickel


Brushed Nickel


Brass

Concorde™
Glass Privacy Rating: **8**



Black Nickel


Brushed Nickel


Kensington™
Glass Privacy Rating: **8**


Black Nickel


Brushed Nickel


Brass

Pembridge™
Glass Privacy Rating: **7**


Black Nickel

Axis®
Glass Privacy Rating: **7**



Frosted Images®
Glass Privacy Rating: **8**

Also Available:

Internal Blinds
Screen Vented

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear — Opaque

Privacy & Textured Glass

NEW



Reeded (XK)
Glass Privacy Rating: **7**



Geometric (XG)
Glass Privacy Rating: **7**



Satin Etch (XE)
Glass Privacy Rating: **10**



Chord (XC)
Glass Privacy Rating: **10**



Chinchilla (XJ)
Glass Privacy Rating: **10**



Rainglass (XR)
Glass Privacy Rating: **8**



Granite (XN)
Glass Privacy Rating: **10**

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear — Opaque

Also Available:

Divided Lites
Clear Glass



Note: See page 293 for important product details that may help with your purchase decision.
Bottom: Profiles, Salinas Glass, Door – 968HD, Sidelites – 971SLHD

Full Lites

Blackstone®



310
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

Crystalline™



916
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

Sedona




139
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

Salinas®



369
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

Maple Park®



1006
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

Avonlea®



1027
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡


Saratoga™



610
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

Texas Star

NEW



1029
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

Wellesley™



620
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

Riserva®



571
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

Concorde™



1028
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

Kensington™



626
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

Pembridge™



6500HD
2'4"x 6'8"
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

Axis®



1651HD
2'4"x 6'8"
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available

Privacy & Textured Glass



128__
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡



108__
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡



118__
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

Internal Blinds



130
2'4"x 6'8"
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

Clear Glass with Divided Lites



1201
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡



1202
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡



1203
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡



128
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡



1200
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡



108
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡



198
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

Clear Glass



118
2'0"x 6'8"
2'4"x 6'8"
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8" ‡

3/4 Lites

Blackstone®



1037HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Crystalline™



1042HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Sedona



965HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Salinas®



968HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Maple Park®



1009HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = NEW Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 293 for important product details that may help with your purchase decision.

Avonlea®



1038HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Saratoga™



1039HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Texas Star



1040HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Wellesley™



1041HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Riserva®



544HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Concorde™



967HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Kensington™



03142HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Pembridge™



6582HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Axis®



1644HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass



961HD__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



959HD__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Internal Blinds



5425
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass with Divided Lites



2109HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



2110HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



2111HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



961HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1403HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass



959HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Key

- Low-E Glass (LE)
- Turtle Glass
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available
- PVC Doorlite Frame*

Oval Lites

Blackstone®



1025HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Avonlea®



1047HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Wellesley™



1022HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde™



1024HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Kensington™



630HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Pembridge™



6578HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Frosted Images®



1021HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass



1020HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1/2 Lites

Blackstone®



309HD
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1001HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1117HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Crystalline™



926HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



991HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




1119HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Sedona




211HD
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Note: See page 293 for important product details that may help with your purchase decision.



996HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1114HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Salinas®



374HD
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



1002HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1115HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Maple Park®



1007HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



1011HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1116HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Avonlea®



1031HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



1034HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1107HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Saratoga™



613HD
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



988HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1112HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Texas Star



1032HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



1035HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1111HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


Wellesley™



623HD
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



989HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1120HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR / HVHZ Options
- ‡ 7'0" Height Available

Riserva®



582HD
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



576HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



578HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Concorde™



426HD
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



999HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1118HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Kensington™



627HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



631HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1113HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Pembridge™



6560HD
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



6565HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



6568HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Axis®



1660HD
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



1657HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1659HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Frosted Images®



206EHD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



985HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1110HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass with Divided Lites



262HD__
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



982HD__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = NEW Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Features a gliding operation and sash locking system.

Note: See page 293 for important product details that may help with your purchase decision.

Privacy & Textured Glass



1123HD__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



206HD__
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



980HD__
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1101__HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



104__
E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Internal Blinds



132HD
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



984HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Screen Vented Lites*



1121HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



131
E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



243HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



1004HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1102HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



137 E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Clear Glass with Divided Lites



6023HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1122HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



262HD
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



982HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1123HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



115HD
E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



1408HD
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Clear Glass with Divided Lites *Continues on next page.*

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ‡ 7'0" Height Available

Clear Glass with Divided Lites *Continued*



1405HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1406HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass



206HD
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



980HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1101HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



104
E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



105
E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Twin 1/2 Lites

Blackstone®



311HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Crystalline™



930HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Sedona



294HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Salinas®



371HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Maple Park®



1008HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Avonlea®



1044HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Saratoga™



615HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Wellesley™



625HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Riserva®



588HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Concorde™



430HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = NEW Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

Note: See page 293 for important product details that may help with your purchase decision.

Kensington™



628HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Pembridge™



6572HD
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Axis®



1662HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Frosted Images®



289EHD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Privacy & Textured Glass



263HD__
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



289HD__
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Clear Glass with Divided Lites



263HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



1411HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Clear Glass



289HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Craftsman Lites

Sedona



604HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Maple Park®



609HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Saratoga™



602HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Riserva®



508HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Pembridge™



6520HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ‡ 7'0" Height Available

Axis®



1650HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass with Divided Lites



605HD__*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



606HD__*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



607HD__*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



608HD__*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass



601__HD*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass with Divided Lites



605HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



606HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



607HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



608HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass



601HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Minimal Lites

Maple Park®



736HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Saratoga™



707HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Wellesley™



721HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Concorde™



735HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Pembridge™



745HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = NEW Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

*Not available with Reeded (XK) or Geometric (XG) glass.

Note: See page 293 for important product details that may help with your purchase decision.

Clear Glass with Divided Lites



752HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



704HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Clear Glass



708HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Crystalline™



1055HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Concorde™



454HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Clear Glass with Divided Lites



255HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Clear Glass



256HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Clear Glass with Divided Lites



236HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



237HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
(Scalloped Lite Frame)

Pembridge™



6570HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Axis®



1643HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Privacy & Textured Glass



296HD__
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Clear Glass



296HD
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- WBDR / HVHZ Options
- Simulated Divided Lites (SDL)
- Fixed Grilles (FXG)
- ‡ 7'0" Height Available

Solid Panels



969HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



978HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1005HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



205HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



203HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



210HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



100
E
2'0"x 6'8"
2'4"x 6'8" ⅄
2'6"x 6'8" ⅄‡
2'8"x 6'8" ⅄‡
2'10"x 6'8" ⅄‡
3'0"x 6'8" ⅄‡
3'6"x 6'8" ‡

Sidelites

Blackstone®



310SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Crystalline™



916SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Sedona



139SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Salinas®



369SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Maple Park®



1006SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Avonlea®



1027SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Saratoga™



610SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Texas Star

NEW



1029SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Wellesley™



620SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Riserva®



TS572SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Concorde™



416SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Kensington™



626SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Pembridge™



6500SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = NEW Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

Note: See page 293 for important product details that may help with your purchase decision.

Axis®



1651SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Frosted Images®



138SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Privacy & Textured Glass



100__SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Internal Blinds



130SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Clear Glass with Divided Lites



1201SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡



1202SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡



1200SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡



632SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡



6184SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡



6185SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡



6186SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡



198SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Clear Glass



100SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Blackstone®



1037SLHD
12"x 6'8"
14"x 6'8"

Crystalline™



956SLHD
12"x 6'8"
14"x 6'8"

Sedona



965SLHD
12"x 6'8"
14"x 6'8"

Salinas®



971SLHD
12"x 6'8"
14"x 6'8"

Maple Park®



1009SLHD
12"x 6'8"
14"x 6'8"

Avonlea®



1038SLHD
12"x 6'8"
14"x 6'8"

Saratoga™



1039SLHD
12"x 6'8"
14"x 6'8"

Texas Star



1040SLHD
12"x 6'8"
14"x 6'8"

Wellesley™



1041SLHD
12"x 6'8"
14"x 6'8"

Riserva®



546SLHD
12"x 6'8"
14"x 6'8"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available
- ‡ 7'0" Height Available

Concorde™



967SLHD
12"x 6'8"
14"x 6'8"

Kensington™



966SLHD
12"x 6'8"
14"x 6'8"

Pembridge™



6580SLHD
12"x 6'8"
14"x 6'8"

Axis®



1644SLHD
12"x 6'8"
14"x 6'8"

Privacy & Textured Glass



6720HD__SL
12"x 6'8"
14"x 6'8"



959HD__SL
12"x 6'8"
14"x 6'8"

Internal Blinds



5425SL
12"x 6'8"
14"x 6'8"

Clear Glass with Divided Lites



1089SLHD
12"x 6'8"
14"x 6'8"



4572SLHD
12"x 6'8"
14"x 6'8"



6720SLHD
12"x 6'8"
14"x 6'8"



1400SLHD
12"x 6'8"
14"x 6'8"

Clear Glass



959SLHD
12"x 6'8"
14"x 6'8"

Blackstone®



311SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Crystalline™



930SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Sedona



294SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Salinas®



371SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Maple Park®



1007SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Avonlea®



1031SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Saratoga™



615SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Wellesley™



625SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = NEW Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

Note: See page 293 for important product details that may help with your purchase decision.

Riserva®



584SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Concorde™



430SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Kensington™



628SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Pembridge™



6565SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Frosted Images®



289ESLHD
12"x 6'8" ‡
14"x 6'8" ‡

Axis®



1657SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Privacy & Textured Glass



263SLHD__
12"x 6'8" ‡
14"x 6'8" ‡



210SLHD__
12"x 6'8" ‡
14"x 6'8" ‡

Internal Blinds



132SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Clear Glass with Divided Lites



263SLHD
12"x 6'8" ‡
14"x 6'8" ‡



1405SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Clear Glass



210SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Pembridge™



6570SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Axis®



1643SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Privacy & Textured Glass



296SLHD__
12"x 6'8" ‡
14"x 6'8" ‡

Clear Glass



296SLHD
12"x 6'8" ‡
14"x 6'8" ‡

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- 7'0" Height Available

Full Lites

Privacy & Textured Glass with Divided Lites



TS128_
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"



TS108_
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"

Privacy & Textured Glass



TS118_
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"

818_
2'6"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Internal Blinds



TS130
2'4"x 6'8" ♿
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"

829
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Clear Glass with Divided Lites



TS1201
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"



TS1202
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"



TS1203
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"



TS128
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"



TS1200
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"



TS108
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"



828
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



808
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS198
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"

Clear Glass



TS118
2'0"x 6'8"
2'4"x 6'8" ♿
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ♿
3'0"x 6'8"

818
2'0"x 8'0"
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = NEW Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

*Features a gliding operation and sash locking system.
**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 293 for important product details that may help with your purchase decision.
Bottom: Traditions, Clear Glass, Door – TS118, Sidelites – 100SL

1/2 Lites

Privacy & Textured Glass with Divided Lites



TS262_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



8321_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Privacy & Textured Glass



TS206_
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8206_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS104_
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Internal Blinds



TS132
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8132
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS131
E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Screen Vented Lites*



TS243
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS137
E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass with Divided Lites



8322
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



8323
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



8324
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS262
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



8321
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Clear Glass



TS1408
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8145
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS115
E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS206
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8206
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS104
E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS105
E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Key

- Low-E Glass (LE)
- Turtle Glass
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available
- PVC Doorlite Frame**

Twin 1/2 Lites

Privacy & Textured Glass with Divided Lites



TS263_
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass



TS289_
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass with Divided Lites



TS263
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS1411
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass



TS289
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Minimal Lites

Clear Glass with Divided Lites



TS752
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8752
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS704
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8704
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Clear Glass



TS708
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8708
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Clear Glass with Divided Lites



TS255
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass



TS256
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass Options
Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = NEW Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

Note: See page 293 for important product details that may help with your purchase decision.

Clear Glass
with Divided Lites



TS236
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

8317
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS237
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"
(Scalloped Lite Frame)

Privacy &
Textured Glass



TS296_
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

896_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Clear Glass



TS296
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

896
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Solid Panels



TS214
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS210
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

810
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



TS100 E
2'0"x 6'8"
2'4"x 6'8"
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

800 E
2'0"x 8'0"
2'4"x 8'0"
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Key

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

Sidelites

Privacy & Textured Glass with Divided Lites



6184_SL*
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

6185_SL*
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

6186_SL*
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

632_SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Privacy & Textured Glass



100_SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

818_SL
12"x 8'0"
14"x 8'0"

Internal Blinds



130SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

829SL
12"x 8'0"
14"x 8'0"

Clear Glass with Divided Lites



1201SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

1202SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Clear Glass



1200SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

632SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

828SL
12"x 8'0"
14"x 8'0"

6184SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

86184SL
12"x 8'0"
14"x 8'0"

6185SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

86185SL
12"x 8'0"
14"x 8'0"

6186SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

86186SL
12"x 8'0"
14"x 8'0"

198SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

Clear Glass

100SL
10"x 6'8"
12"x 6'8" ‡
14"x 6'8" ‡

818SL
12"x 8'0"
14"x 8'0"

Privacy & Textured Glass



TS263_SL
12"x 6'8"
14"x 6'8"

TS210_SL
12"x 6'8"
14"x 6'8"

Internal Blinds



TS132SL
12"x 6'8"
14"x 6'8"

Clear Glass with Divided Lites



TS263SL
12"x 6'8"
14"x 6'8"

TS1405SL
12"x 6'8"
14"x 6'8"

Clear Glass



TS210SL
12"x 6'8"
14"x 6'8"

Privacy & Textured Glass



TS296_SL
12"x 6'8"
14"x 6'8"

Clear Glass



TS296SL
12"x 6'8"
14"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = NEW Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Not available with Reeded (XK) or Geometric (XG) glass.
**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 293 for important product details that may help with your purchase decision.

Transoms

Blackstone®



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Crystalline™



19080T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19820T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19800T
3'0" Door Only



19810T
12" & 14" Sidelite Only

Sedona



19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Salinas®



SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Maple Park®



FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Avonlea®



AVRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Saratoga™



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19740T
3'0" Door Only

Wellesley™



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19720T
3'0" Door Only

Riserva®



RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Concorde™



CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Kensington™



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Pembridge™



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Axis®



AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Clear Glass



Grille Sticks Applied



19020T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
3'0" Door Only



19210T
12" & 14" Sidelite Only

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- 7'0" Height Available
- PVC Doorlite Frame**

Fire Doors


Fiber-Classic®, Smooth-Star® & Steel



Therma-Tru® Fire-Rated Doors

From smooth to wood-grained, Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.* Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles. A selection of 90-minute Fire-rated steel doors is also available, starting on page 242.

- Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors are now constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.**



*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.
**Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.
Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit www.thermatru.com/performancedata.

Top: Fiber-Classic Mahogany Collection Door – FMF205, Finish – Driftwood

20-Minute Fire-Rated Fiberglass Doors


- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

Additional Options

- Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 242.

For California Projects

Therma-Tru Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:



- ✓ California Wildland Urban Interface (WUI) requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.

For Florida Projects

Therma-Tru Fiber-Classic and Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR).

Adjusta-Fit® 2 Frame



Using the right frame is critical in any top-quality door installation, and never more so than with Fire-rated products. Therma-Tru Adjusta-Fit 2 frame technology helps ensure an optimum fit and long-lasting performance. The frames are constructed with a commercial-grade, 18-gauge base frame; galvanized steel and factory-coated paint finish; and an all-aluminum, thermally broken threshold. These features make them ideal for interior and exterior applications, including corridor openings and outside unit entries.

Therma-Tru® Adjusta-Fit® 2 frames also feature these key benefits:

- 90-Minute positive-pressure Fire-rating, third-party certified by Intertek, Warnock-Hersey.
- Standard 4-⅞" ANSI 115.1, or 2-¾" T-lip strike prep option.
- Choice of standard, public access or no-sill options.
- Minimum 22-gauge closure with 1" of adjustability, suitable for walls from 4"–9-½" deep.

Additional Options

- Therma-Tru® composite door frame also 20-minute Fire-rated, starting on page 272.

20-Minute Fire-Rated Wood Edge – Fiberglass



Mahogany

FMF31
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Oak

FCF31
2'8"x 6'8"
3'0"x 6'8"



Oak

FCF809
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

SSF93
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FMF220
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

SSF220 E
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

SSF8220 E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

SSF1100 E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

SSF81100
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

SSF120 E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

SSF8120
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

SSF200
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

SSF8200
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FMF205
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

SSF205
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

SSF8205
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FMF755
2'10"x 6'8"
3'0"x 6'8"



Oak

FCF755
2'10"x 6'8"
3'0"x 6'8"



Smooth

SSF755
2'10"x 6'8"
3'0"x 6'8"



Oak

FCF862
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

SSF31
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

SSF831
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"




Oak

FCF808
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

SSF960
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

SSF4800 E
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

SSF84800
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Note: See page 293 for important product details that may help with your purchase decision.
Right Page: Smooth-Star Door – SSF120, Door Surround – TDS-FLTFLT



Mahogany

FMF600
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

SSF600
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

SSF8600
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FMF134
2'10"x 6'8"
3'0"x 6'8"



Smooth

SSF11
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FMF60
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"


FMF860
2'8"x 8'0"
3'0"x 8'0"



Oak

FCF160
E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

FCF8160
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"





Smooth

SSF160
E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

SSF8160
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FMF100
■ E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8"
3'0"x 6'8" ‡


FMF8100
■ E
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FCF100
■ E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8"
3'0"x 6'8" ‡

FCF8100
■ E
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

SSF100
■ E
2'0"x 6'8"
2'4"x 6'8"
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡

SSF8100
■ E
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Key

■ No Stile Lines

WBDR Options

‡ 7'0" Height Available

E Elevated 10" Bottom Rail Options

20-Minute Fire-Rated Wood Edge – Steel

Profiles™



969HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



978HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



1005HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



205HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



203HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



210HD
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



100 E
2'0"x 6'8"
2'4"x 6'8"
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡
3'6"x 6'8"

Traditions



TS214
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS210
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS100 E
2'0"x 6'8"
2'4"x 6'8" ⅄
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8" ⅄
3'0"x 6'8"

90-Minute Fire-Rated Steel Edge

- Tested to withstand at least 90 minutes of fire exposure at temperatures that reach more than 1,700 degrees Fahrenheit.
- Constructed with 24-gauge steel edges.
- Suitable for a minimum 4" wall depth or greater.
- Therma-Tru also offers all the necessary components – frame, weatherstrip, bottom sweep and sill – to complete a 90-Minute Fire-rated door system.



SE969HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



SE978HD
2'8"x 6'8" ‡
2'10"x 6'8"
3'0"x 6'8" ‡



SE1005HD
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



SE514
2'8"x 6'8" ‡
2'10"x 6'8"
3'0"x 6'8" ‡



SE210HD
2'8"x 6'8" ‡
2'10"x 6'8"
3'0"x 6'8" ‡



SE100 E
2'0"x 6'8"
2'4"x 6'8"
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8"
3'0"x 6'8" ‡
3'6"x 6'8" ‡

Key

- No Stile Lines
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ⅄ 6'6" Height Available
- ‡ 7'0" Height Available

Note: See page 293 for important product details that may help with your purchase decision.
Right Page: Profiles Door – 203HD



PULSE

Modern design. Upbeat living.










Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.



*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.


Top: Pulse Ari, Reeded Glass with Flat Frame, Door – FC83XK, Finish – Acorn


It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.







The creativity is unlimited. Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.

LIFETIME LIMITED WARRANTY
Fiberglass


10 YEAR LIMITED WARRANTY
Steel

ENERGY STAR PARTNER

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

1 Start with a STYLE.

Combine doors and sidelites to create an entrance that fits your vision.



Ari | Línea | Echo | Sidelites

2 Choose a MATERIAL.

Each style is available in any of these material choices.



Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.) | Smooth Fiberglass | Steel

3 Select a GLASS.

Find an available glass design to complete the statement you want to make.

Privacy & Textured Glass

Available for all Pulse door styles.



NEW

Reeded | Geometric | Satin Etch | Chord | Chinchilla | Rainglass | Granite

Low-E Also Available.


Decorative Glass

Available for Línea.



1 2 3 4 5 6 7 8 9

Available for Ari.



3 6 7 8 9

1 Blackstone®
2 Crystalline™
3 Sedona
4 Salinas®
5 Avonlea®
6 Saratoga™
7 Riserva®
8 Pembridge™
9 Axis®

Available for Echo.



8 9

4 Then select a FRAME.

Choose the flat profile for modern appeal or scrolled profile for vintage style.



Flat Profile Lite Frame | Scrolled Profile Lite Frame

Right Page: Pulse Línea, Satin Etch Glass with Flat Lite Frame, Door – S1RXE, Sidelite – S601XESL, Finish – Ruby Red, Surround – TDS-FLTFLT

Pulse® Size Options


	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8" ○ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" ○ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" ○ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ○ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	2'6" x 6'8" ○ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ○ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
Sidelites	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"

• Available in full-lite sidelites only.
○ Available in Línea and Echo only.




Ari


Note: Product images show exterior side of door.




S2SN | S83SN



S2SG | S83SG




S2RS | S83RS



S2PB | S83PB



S2AX | S83AX




S2_
S2CL
S83_
S83CL




Línea


Note: Product images show exterior side of door.




S1LBS | S81LBS




S1BS | S81BS




S1RBS | S81RBS



S1LBL | S81LBL



S1BL | S81BL



Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.) | Smooth Fiberglass | Steel


It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.


Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.


Note: See page 293 for important product details that may help with your purchase decision.


Top: Pulse Ari, Axis Glass with Scrolled Lite Frame, Door – S83AX, ©TheHouseDesigners.com



S1RBL

S81RBL



S1LSN


S1SN


S1RSN


S1LSA

S81LSA


S1SA

S81SA



S1RSA

S81RSA



S1LAV


S1AV



S1RAV


S1LSG


S81LSG


S1SG


S81SG


S1RSG

S81RSG


S1LRS

S81LRS


S1RS

S81RS

Línea *Continues on next page.*

Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = NEW Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass


Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR / HVHZ Options


Línea *Continued*




S1RRS | S81RRS




S1LPB | S81LPB




S1PB | S81PB




S1RPB | S81RPB




S1LAX | S81LAX




S1AX | S81AX




S1RAX | S81RAX



S1L_ S1LCL | S81L_ S81LCL




S1_ S1CL | S81_ S81CL




S1R_ S1RCL | S81R_ S81RCL

Echo


Note: Product images show exterior side of door.




S4LPB | S84LPB




S4PB | S84PB



S4RPB | S84RPB



S5LPB | S85LPB




Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.) | Smooth Fiberglass | Steel

It's your decision, by design.


Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 293 for important product details that may help with your purchase decision.



S5PB | S85PB



S5RPB | S85RPB



S86LPB




S86PB



S86RPB




S9LPB E




S9PB E




S9RPB E




S8LPB E




S8PB E




S8RPB E




S811LPB E




S811PB E




S811RPB E



S810LPB E



S810PB E



S810RPB E

Echo *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.


XK = NEW Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass

Key


- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Echo *Continued*


Note: Product images show exterior side of door.




S4LAX ◆ | S84LAX ◆




S4AX ◆ | S84AX ◆




S4RAX ◆ | S84RAX ◆



S5LAX ◆ | S85LAX ◆




S5AX ◆ | S85AX ◆



S5RAX ◆ | S85RAX ◆




S86LAX ◆



S86AX ◆



S86RAX ◆




S9LAX ◆ E




S9AX ◆ E




S9RAX ◆ E




S8LAX ◆ E




S8AX ◆ E




S8RAX ◆ E



Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)



Smooth Fiberglass




Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.


Note: See page 293 for important product details that may help with your purchase decision.



S811LAX
◆ E



S811AX
◆ E



S811RAX
◆ E




S810LAX
◆ E



S810AX
◆ E




S810RAX
◆ E




S4L_
S4LCL ✹

S84L_
S84LCL ✹




S4_
S4CL ✹

S84_
S84CL ✹



S4R_
S4RCL ✹

S84R_
S84RCL ✹




S5L_
S5LCL ✹

S85L_
S85LCL ✹



S5_
S5CL ✹

S85_
S85CL ✹



S5R_
S5RCL ✹

S85R_
S85RCL ✹



S86L_
S86LCL ✹



S86_
S86CL ✹



S86R_
S86RCL ✹

Echo *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.


XK = NEW Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Key


✹ Low-E Glass (LE)
◆ Black Nickel Caming (1D)
6 WBDR / HVHZ Options
E Elevated 10" Bottom Rail Options

Echo *Continued*

Note: Product images show exterior side of door.




S9L_
S9LCL☀
E




S9_
S9CL☀
E




S9R_
S9RCL☀
E




S8L_
S8LCL☀
E



S8_
S8CL☀
E




S8R_
S8RCL☀
E




S811L_
S811LCL☀
E



S811_
S811CL☀
E



S811R_
S811RCL☀
E



S810L_
S810LCL☀
E



S810_
S810CL☀
E



S810R_
S810RCL☀
E





Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)

Smooth Fiberglass

Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 293 for important product details that may help with your purchase decision.

Top: Pulse Echo, Low-E Glass with Flat Lite Frame, Door – S85CL

Sidelites

Note: Product images show exterior side of door.



DRS2131SL | DRS82131SL
12"x 6'8"‡ | 12"x 8'0"
14"x 6'8"‡ | 14"x 8'0"



S4570SL | S85927SL



S6130SL | S84586SL



S604SL



S6134SL | S85931SL




S6127SL



S602SL | S85932SL



S572SL | S8572SL



S6500SL | S86500SL



S1651SL | S81651SL



S601_SL
S601SL | S81086_SL
S81086SL



S86PBSL



S5PBSL | S85PBSL



S4PBSL | S84PBSL



S811PBSL



S810PBSL



S9PBSL



S10PBSL



S86AXSL

Sidelites *Continue on next page.*

Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = NEW Reeded
XE = Satin Etch
XJ = Chinchilla
XN = Granite
XG = Geometric
XC = Chord
XR = Rainglass


Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Vented Sidelite (No Impact) (6'8" only in 12" & 14") (8'0" only in 14")
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Sidelites *Continued*



S5AXSL | S85AXSL
S4AXSL | S84AXSL
S811AXSL
S810AXSL
S9AXSL
S10AXSL
S86__SL
S86CLSL



S5__SL
S5CLSL | S85__SL
S85CLSL
S4__SL
S4CLSL | S84__SL
S84CLSL
S811__SL
S811CLSL
S810__SL
S810CLSL
S9__SL
S9CLSL
S10__SL
S10CLSL


Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = NEW Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Vented Sidelite (No Impact)
  (6'8" only in 12" & 14")
  (8'0" only in 14")



Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)
Smooth Fiberglass
Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 293 for important product details that may help with your purchase decision.

Right Page, Top: Pulse Línea, Rainglass with Flat Lite frame, Door – S1RXR
Right Page, Bottom: Pulse Echo, Geometric Glass with Flat Lite Frame, Door – S9XG, Sidelite – S9XGSL





Hinged Patio Doors






Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with smart options to control the level of privacy and light, complement window patterns, and let fresh air into the home.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Internal Blinds, Doors – S2600
Bottom: Smooth-Star, Clear Glass, Doors – S118

Door Selections


Classic Craft® Fir Grain


Classic Craft® Mahogany Grain


Classic Craft® Oak Grain


Classic Craft® Canvas


Fiber-Classic® Mahogany Collection™


Fiber-Classic® Oak Collection™

Smooth-Star®

Profiles™ & Traditions

(Wood-grained images shown in Driftwood stain.)

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 27 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

Glass Selections


Internal Blinds

Low-E / Clear

Divided Lites

For details on divided lite options, see pages 130–131.


Simulated Divided Lites


Grilles Between Glass


Removable Wood Grilles


Fixed Grilles

■ = Available	Classic Craft®	Fiber-Classic®	Smooth-Star®	Profiles™	Traditions
Door Selections					
Material	Fiberglass	Fiberglass	Fiberglass	Steel	Steel
Warranty	1x Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years
Finish Options	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Flush-Glazed Glass Selections					
Internal Blinds 🔥		■	■		
Low-E Glass with and without Divided Lites 🔥	■	■	■		
Clear Glass with and without Divided Lites 🔥		■	■		
Privacy & Textured Glass with and without Divided Lites 🔥	■	■	■		
Lip-Lite Glass Selections					
Internal Blinds		■	■	■	■
Low-E Glass with and without Divided Lites	■	■	■	■	■
Clear Glass with and without Divided Lites		■	■	■	■
Privacy & Textured Glass with and without Divided Lites	■	■	■	■	■
Available Sizes					
Heights	6'8", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	3'0"	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"
Double Widths	6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"
Triple Widths	9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"
Retrofit Openings		5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
Additional Options					
Vented Sidelites (Single / Double Widths)		6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options		■	■	■	■
Tru-Defense Eligible	■	■	■		

Hinged Patio Door Systems

Note: Product images show interior side of door.




1. Multi-Point Locking System (Recommended)
2. Bottom Sweep
3. Sill
4. Hinges
5. Corner Seal Pads (Inswing Only)
6. Sill Pan (Recommended)
7. Frame Components
8. Multi-Point Locking System (Included)
9. Removable Screens

A Therma-Tru® patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.


Patio Transoms

Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system. Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for a unit with a mullion.



19250T



19050T

Vented Sidelites

Enjoy the view – and a fresh breeze, too.

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Available Configurations



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

Note: See page 293 for important product details that may help with your purchase decision.

EnLiten™ Flush-Glazed Internal Blinds




Available Collections

- Smooth-Star®

Available Door Styles

Available Configurations



Internal Blinds




Available Collections

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles

Available Configurations



EnLiten™ Flush-Glazed Low-E / Clear Glass with Divided Lites


Colonial Style




Available Collections

- Fiber-Classic® Oak
- Smooth-Star®

Available Door Styles



Available Configurations



Prairie Style




Available Collections

- Fiber-Classic® Oak
- Smooth-Star®

Available Door Styles

Available Configurations



Note: See page 293 for important product details that may help with your purchase decision.

EnLiten™ Flush-Glazed Low-E / Clear Glass




Available Collections

- Classic Craft® Fir Grain
- Fiber-Classic® Oak
- Smooth-Star®

Available Door Styles

Available Configurations



Low-E / Clear Glass with Divided Lites


Colonial Style




Available Collections

- Classic Craft® Oak Grain
- Classic Craft® Canvas
- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles



Available Configurations



Continues on next page.

Low-E / Clear Glass with Divided Lites *Continued*

Prairie Style




Available Collections

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles

Available Configurations



Low-E / Clear Glass




Available Collections

- Classic Craft® Mahogany Grain
- Classic Craft® Oak Grain
- Classic Craft® Canvas
- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles

Available Configurations




Note: See page 293 for important product details that may help with your purchase decision.

Right Page Top: Smooth-Star, Internal Blinds, Doors – S130
Right Page Bottom: Smooth-Star, Low-E Glass, Doors – S2000





Finishing Options













Add Curb Appeal with Color

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 293 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Right Page: Smooth-Star, Clear Glass with SDLs, Doors – S2104, Finish – Cypress

PRISMAGUARD®

Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuard® premium finish is built to last, giving your customers confidence and peace of mind.

- Designed for optimal performance with Therma-Tru® fiberglass doors, composite door frames and door surrounds.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.

10 YEAR LIMITED WARRANTY TRANSFERABLE
Classic Craft

10 YEAR LIMITED WARRANTY

Durable Topcoat

Professional Application



Tested to meet tough expectations.

PrismaGuard premium finish undergoes rigorous testing with specialized equipment to help ensure it delivers a consistent high-end appearance with a low-maintenance coating that preserves the door's color for years to come.



PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors, composite door frames and door surrounds.

1. It starts with the realistic wood grains and deep embossments of a Therma-Tru® door, composite door frame or door surround.
2. A base coat provides an even, consistent color across the surface.
3. A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
4. A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
5. A second application of the topcoat provides added durability and optimal sheen for a high-end look.



Shown on Classic Craft Fir Grain.


Wildflower Honey


Rustic Clay


Barley


New Earth


Autumn Harvest


Redwood


Mulberry



Acorn


Driftwood


Raven

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 293 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2300, Sidelites – CCA2300SL, Finish – Alpine

PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors, composite door frames and door surrounds, and tailor the look of the entry to make a beautiful lasting impression.

1. It starts with the smooth or wood-grained surface of a Therma-Tru® door, composite door frame or door surround.
2. A base coat provides an even, consistent color across the surface.
3. A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
4. A second application of the topcoat provides added durability and optimal sheen for a high-end look.



Alpine

Cypress

Granite

Ruby Red

Cabernet

Indigo

Chestnut

Onyx



Order 4" x 4" samples of select PrismaGuard finish colors at **store.thermatru.com**.


SAME-DAY® STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors, composite door frames and door surrounds.



Shown on Classic Craft® Fir Grain.



All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.*

Watch easy-to-follow instructions at samedaystain.com.



5 YEAR LIMITED WARRANTY

For complete details on the Same-Day Stain and topcoat limited warranty, go to samedaystain.com or ask your seller for more details.

*Actual coverage may vary based on product selected, application method and desired appearance.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 293 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the Same-Day Stain limited warranty and exclusions.

Door System Components





Engineered to work together.

A Therma-Tru® door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system engineered with craftsman precision for durability and reliability through the years. And, a Therma-Tru fiberglass door system with genuine Therma-Tru components is backed by the industry's most comprehensive lifetime limited warranty.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at thermatru.com/parts.

Composite Door Frame*

featuring Tru-Guard™ Composite Technology

TRU GUARD™
COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



1 Brickmould 2 Jamb 3 Mullions 4 Cove Mould 5 Transom Sill

*See your Therma-Tru seller for details on product availability.
Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.

Available Textures



Ready to finish.

Buff Grained


- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry – no sanding or priming required.



Ready to install.
Ready to finish.


White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is – no painting required. Or finish with stain or paint to complement the entry – no sanding or priming required.



Reinforced Mullions

Provide additional structural support and stability. All mullions are reinforced with a co-extruded Ⓐ LVL core to provide additional structural support and stability and feature a Ⓑ composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.



NEW Storm Door-Ready Mullion & Adaptor

Innovative design helps reduce time, labor and inventory complexity while simplifying the storm door installation process.

- Storm door-ready mullion is available for common depths of 4-9/16" and 6-9/16".
- A storm door-ready mullion adaptor is also available for unique depths up to 7-9/16".

Therma-Tru Products & Applications	Warranty For First Homeowner	Warranty Riders Transferable 1x to Second Homeowner
Composite Door Frame + Classic Craft® Door + Components	LIFETIME LIMITED WARRANTY TRANSFERABLE Frame + Door + Components	Lifetime 1x Transferable Full-System Rider Frame + Door + Components
Composite Door Frame + Fiber-Classic®, Smooth-Star®, Pulse® Fiberglass Door + Components	LIFETIME LIMITED WARRANTY Frame + Door + Components	10-Year Transferable Full-System Rider Frame + Door + Components
Composite Door Frame Only	LIFETIME LIMITED WARRANTY Frame Only	

Composite Door Frame Parts

See your Therma-Tru seller for a full list of available product sizes and options.

Jambs




4-1/8"
4-9/16"
5-1/4"
6-9/16"
7-1/4"

Mullions



2" Entry Narrow
2-1/2" Entry Wide



2" Patio Narrow
2-1/2" Patio Wide

Pre-inserted weatherstrip option available for select white smooth jambs and mullions.

Trim



2" Brickmould WM180



1-5/8" Florida Brickmould WM176



NEW SIZE
3-1/2" x 1" Flat Casing

Mull Casing



1-15/32" x 1-1/16"



1-7/32" x 7/32"



2-15/16" x 1-1/16" *Buff grained only.*
2-15/16" x 3/8" *Buff grained only.*

NEW Storm Door-Ready Mullion Adaptor



2" to 1-11/16"

Storm Door Adaptor



4-9/16" Base Adaptor
Face Adaptor
(Use 1-15/32" x 1-1/16" Mull Casing)



6-9/16" Base Adaptor

Screen Track Cap




1-13/32" x 9/16"

Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

NEW Storm Door-Ready Mullions



4-9/16"
6-9/16"



7/16" x 5/16" Cove Mould

Transom Sills



4-9/16"
6-9/16"

Pre-Inserted Weatherstrip Option



Select white smooth composite jambs and mullions, pre-machined for hinges and locks, are available with a convenient pre-inserted weatherstrip option for a quicker install. Look for the ( ) icon.

Code-Compliant Options

Therma-Tru composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.*

Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.*

20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.*

Protection From the Elements

Resists Moisture & Humidity

Composite door frames feature completely composite exteriors that resist humidity and moisture to help eliminate the risk of swelling and cracking.

Resists Mold & Rot

A composite door frame does not absorb or retain moisture helping to eliminate the risk of mold and rot.

Resists Insects

With no exposed wood, Therma-Tru® composite door frames help protect from wood-ingesting insects.

*To confirm code requirements in your jurisdiction, always check with your local building code authority.
Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof. To see full results of third-party Intertek, Warnock-Hersey testing, visit www.thermatru.com/performancedata.

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

Inswing Options



Composite Adjustable Sill (Premium)

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.

Continuous length with spread mullion capability to fill 49"–75" rough openings.*



Hardwood Adjustable Sill

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush screws.



Basic Composite Adjustable Sill (Economy)

- Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.



Basic Fixed Sill (Economy)

- Slanted cap and nosing mates with the single-bulb bottom sweep.

Outswing Options



Composite Outswing Sill (Premium)

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.



Aluminum Sill with Thermal Break

- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.



Coastal Sill (For Coastal Regions)

- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.


Outswing Sill Extender




Finishes:	Sizes:
Lightwood (Premium)	3/4"
Darkwood (Premium)	2"

Shown in 2".

Inswing Sill Extenders



Public Access Sill



Public Access Sill with Thermal Break** (For ADA Applications)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

Key

Tru-Defense Eligible

*See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.
**Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.
***For full details on the Tru-Defense Warranty Rider, visit www.thermatru.com/trudefense.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 293 for important product details that may help with your purchase decision.

Sill Finishes



Mill



Bronze

Cap Colors



Lightwood (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)



Hardwood

■ = Available
• = Not Applicable

	Inswing Options	Composite Adjustable	Hardwood Adjustable	Basic Composite Adjustable	Basic Fixed	**Outswing Options**	Composite Outswing	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	**Public Access** (Inswing / Outswing)	Public Access (ADA)**
Sill Finishes												
Mill		■	■	■	■		■	■	■	■		■
Bronze		■	■	■	■		■	■	■	•		■
Cap Colors												
Lightwood		■	•	■	•		■	•	•	•		•
Darkwood		■	•	■	■		■	•	•	•		•
Hardwood		•	■	•	•		•	•	•	•		•
Sill Configurations												
Single		■	■	■	■		■	■	■	■		■
French		■	■	•	■		■	■	■	■		■
Double Patio		■	■	•	•		■	•	•	•		•
Triple Patio		■	•	•	•		■	•	•	•		•
Lineal		■	■	•	•		•	•	•	•		•
Sidelite Configurations												
Boxed Sidelites		■	•	•	•		•	•	•	•		•
Single with Sidelites		■	■	•	•		■	•	•	•		•
French with Sidelites		■	•	•	•		•	•	•	•		•
Single Vented Sidelites		■	•	•	•		•	•	•	•		•
French Vented Sidelites		■	•	•	•		•	•	•	•		•
Depths												
4-9/16"		■	•	■	■		■	•	■	■		■
5-3/4"		■	■	■	■		■	■	•	•		•
6-9/16"		•	•	•	•		•	•	•	•		■
7-3/4"		■	■	■	■		•	■	•	•		•
Substrates												
Composite Extruded		■	•	•	•		■	•	•	•		•
Composite Injection Molded		■	•	■	•		•	•	•	•		•
Treated Pine		•	■	•	■		•	■	■	■		•
Other Options												
Integrated Thermal Break		■	■	■	■		■	■	•	•		■
Screen Rail Available		■	■	•	•		■	•	•	•		•
Sill Extenders Available		■	■	■	•		■	•	•	•		•
Sill Covers Available		■	■	■	■		■	•	•	•		•
Tru-Defense Eligible***		■	•	•	•		■	•	•	•		•
With Anchor Holes		•	•	•	•		•	■	■	•		■
Without Anchor Holes		■	■	■	■		■	■	•	■		•

Note: See your Therma-Tru seller for details on available component and finish color combinations.

Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.


Inswing Options




Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable

Colors:
Bronze
White



Non-kerf-applied option available for replacement applications. Available in bronze only.



Kerf-Applied Single-Bulb Bottom Sweep

Sills:
Basic Fixed

Colors:
Bronze




Inactive Door Bottom

Sills:
Composite Adjustable
Hardwood Adjustable

Colors:
Bronze

Outswing Options



Outswing Bottom Sweep

Sills:
Aluminum
Coastal

Color:
Bronze



Inactive Door Bottom

Sills:
Composite Outswing

Colors:
Bronze

ADA / Replacement



Bottom Sweep

Sills:
Public Access

Color:
Bronze

Sill Protection



Shown over composite adjustable sill.

Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 277 for availability.



Sill Pan (Recommended)

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Note: See page 293 for important product details that may help with your purchase decision.

Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

Classic Craft® 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access

Fiber-Classic® / Smooth-Star® 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access

Basic Fixed Pads



Colors:
Bronze

Sills:
Basic Fixed

Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible material protected by a durable jacket to resist moisture and wear.

Medium-Reach Weatherstrip



Colors:
Bronze
White

Long-Reach Weatherstrip



Colors:
Bronze
White

Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.

Rain Deflector (Inswing)




Colors:
Bronze
White

Rain Guard (Outswing)



Colors:
Bronze
White



Bottom of door;
exterior view.



Top of door;
exterior view.

Key

Tru-Defense Eligible

Hardware

Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

Grip-Style MPLS ✣

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors. Strike plate package available.)






Tongue

Heights:	Configurations:
6'8"	Inswing
7'0"	Outswing
8'0"	

❶ Self-lubricating locks.
❷ 1" premium stainless steel deadbolt.
❸ Integrated mishandling device.



Exterior view of door.

Key

✣ Tru-Defense Eligible



Exterior view of door.

Lever-Style MPLS

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



Tongue

Heights:	Configurations:
6'6"	Inswing
6'8"	Outswing
7'0"	
8'0"	



Shootbolt
(For door systems with an astragal.)

Heights:	Configurations:
6'6"	Inswing
6'8"	Outswing
7'0"	
8'0"	



Vented Sidelite MPLS





Tongue
(Included in vented sidelite units.)
Heights:
6'6"
6'8"
8'0"

Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru® door styles from traditional to contemporary.



Forte **Prospect**



Heirloom **Venture** **Millennium**

Backplates:
Wide
Narrow

Locking:
Active
Inactive

Finish Options



Brushed Nickel | Black Nickel | Oil-Rubbed Bronze

Finish Options



Bright Brass | Brushed Nickel | Black Nickel | Polished Chrome | Oil-Rubbed Bronze

Latch & Deadbolt Strike Plate



Standard vs. Adjustable Security Strike Plate

Adjustable Security Strike Plate

(Recommended for standard lock and deadbolt handlesets only.)

Finish Options:

Brushed Nickel
Black Nickel
Polished Chrome
Oil Rubbed Bronze
Stainless Steel
Zinc Dichomate

A genuine Therma-Tru adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry. Our adjustable security strike plates are tested to withstand up to three times the force of standard strike plates.*

❶ Wraps around the door jamb for added support and an exact fit.

❷ 2-½" screws fully engage with the frame of the house for added strength.

*ASTM-F476. As tested by an independent laboratory. Not available on certain configurations.
**To confirm code requirements in your jurisdiction, always check with your local building authority.
Note: See your Therma-Tru seller for available component options.

Key

Tru-Defense Eligible

Hinges

Adjustable Hinge

(Recommended for Classic-Craft premium entryways.)

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



Classic-Craft® Ball-Bearing

(Recommended for Classic-Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.



Classic-Craft® Ball-Bearing – Staggered Hole Pattern

(Recommended for Classic-Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Self-Aligning Ball-Bearing

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to assist in accurate alignment with specific door systems.



Self-Aligning

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Security Tab

Security tabs prevent door from being taken off hinges, providing security on outswing applications.



Spring-Loaded

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.**



Hinge Finsh Options



Bright Brass | Brushed Nickel | Black Nickel | Polished Chrome | Oil-Rubbed Bronze | Stainless Steel | Zinc Dichromate

■ = Available
• = Not Applicable

Hinge Finish Options	Adjustable	Classic Craft® Ball-Bearing	Classic Craft® Ball-Bearing – Staggered Hole Pattern	Classic Craft® Ball-Bearing – Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded
Bright Brass	■	■	■	■	■	•	•	•	•
Brushed Nickel	■	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	■	■	•	■	•	■
Polished Chrome	■	■	■	■	■	•	■	•	■
Oil-Rubbed Bronze	■	■	■	■	■	■	■	•	■
Stainless Steel	•	■	■	■	■	•	■	■	■
Zinc Dichromate	•	■	■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.





Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-½" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

Stainable Astragal



Shown in Oak grain with Redwood stain.

Heights:
6'6"
6'8"
7'0"
8'0"

Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Grain Options:
Oak
Mahogany
Fir

Weatherstrip:
Bronze

Aluminum Astragal



Coastal option also available.

Heights:
6'6"
6'8"
7'0"
8'0"

Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Finish Colors:
Bronze
White

Weatherstrip:
Bronze

Textures Available

Stainable (Shown in Rustic Clay stain.)



Oak Grain



Mahogany Grain



Fir Grain

Aluminum



Bronze

White



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 293 for important product details that may help with your purchase decision.

Bottom: Classic Craft Mahogany Grain, Provincial Glass, Doors – CCR804028

Key

Tru-Defense Eligible

Door Surrounds

Add a beautiful, finished look to the entry with stylish, low-maintenance door surrounds from Therma-Tru. Discover a hand-selected assortment designed to complement the architectural details of virtually any home style. Create a cohesive look in the entry with authentic details for enhanced curb appeal.





Durable style built to last.


- Features a low-maintenance, durable and trimmable polyurethane construction that resists moisture and insects, and won't rot, warp, crack or split like wood. And, it won't expand or contract in extreme temperatures.



- Available in smooth, paintable styles, as well as wood-grained options that can be painted or stained to complement the entry.

- Designed as part of Therma-Tru's complete fiberglass door system and backed by the industry's most comprehensive lifetime limited warranty.

LIFETIME LIMITED WARRANTY



Top: Classic Craft Canvas, Homeward Glass, Door – CCV89922, Door Surround – TDS-CCCFLT

Door Surrounds Style Options

Traditional Crosshead



Traditional Header with End Cap
Plain Pilaster Side

	Style Option	Side Trim Width	Header Height
A	TDS-TRDPLN-5S6H	5"	6"
B	TDS-TRDPLN-7S9H	7"	9"



Traditional Header with End Cap & Keystone
Plain Pilaster Side

	Style Option	Side Trim Width	Header Height
A	TDS-TRDPLN-K-5S6H	5"	6"
B	TDS-TRDPLN-K-7S9H	7"	9"



Traditional Header with End Cap
Fluted Pilaster Side

	Style Option	Side Trim Width	Header Height
A	TDS-TRDFLU-5S6H	5"	6"
B	TDS-TRDFLU-7S9H	7"	9"



Traditional Header with End Cap & Keystone
Fluted Pilaster Side

	Style Option	Side Trim Width	Header Height
A	TDS-TRDFLU-K-5S6H	5"	6"
B	TDS-TRDFLU-K-7S9H	7"	9"



Traditional Header with End Cap
Smooth Flat Trim Side

	Style Option	Side Trim Width	Header Height
A	TDS-TRDFLT-6S6H	6"	6"
B	TDS-TRDFLT-6S9H	6"	9"



Traditional Header with End Cap & Keystone
Smooth Flat Trim Side

	Style Option	Side Trim Width	Header Height
A	TDS-TRDFLT-K-6S6H	6"	6"
B	TDS-TRDFLT-K-6S9H	6"	9"

Available Sizes & Configurations

6'8" Configurations - Use 90" Sides

90" Side Length

Single Units 3'0" x 6'8" and Smaller	
55" Header Length	
Widths	Heights
3'0" & Smaller	6'8"
	6'6"
Multiple Units & 3'6" Singles - 6'8" and smaller	
90" Header Length	
Widths	Heights
3'6" Single	6'8"
6'0" Double & Smaller	6'6"
Single-1 Sidelite (all STD Size options)*	
Single-2 Sidelite (all STD Size options)*	

8'0" Configurations - Use 108" Sides

108" Side Length

Single Units 3'0" x 8'0" and Smaller	
55" Header Length	
Widths	Heights
3'0" & Smaller	8'0"
	7'0"
	6'8" w/ 13-½" Transom
Multiple Units & 3'6" Singles - 8'0" and smaller	
90" Header Length	
Widths	Heights
3'6" Single	8'0"
6'0" Double & Smaller	7'0"
Single-1 Sidelite (all STD Size options)*	6'8" w/ 13-½" Transom
Single-2 Sidelite (all STD Size options)*	

Craftsman Cove Crosshead



Craftsman Cove Header with End Cap
Plain Pilaster Side

	Style Option	Side Trim Width	Header Height
A	TDS-CCCPLN-5S9H	5"	9"



Craftsman Cove Header
Plain Pilaster Side

	Style Option	Side Trim Width	Header Height
A	TDS-CRCPLN-5S9H	5"	9"



Craftsman Cove Header with End Cap
Smooth Flat Trim Side

	Style Option	Side Trim Width	Header Height
A	TDS-CCCFLT-4S9H	4"	9"
B	TDS-CCCFLT-6S9H	6"	9"

Craftsman Cove Crosshead



Craftsman Cove Header
Smooth Flat Trim Side

	Style Option	Side Trim Width	Header Height
A	TDS-CRCFLT-4S9H	4"	9"
B	TDS-CRCFLT-6S9H	6"	9"


Craftsman Step Crosshead



Craftsman Step Header
Smooth Flat Trim Side

	Style Option	Side Trim Width	Header Height
A	TDS-CRSFLT-4S6H	4"	6"
B	TDS-CRSFLT-4S8H	4"	8"
C	TDS-CRSFLT-6S6H	6"	6"
D	TDS-CRSFLT-6S8H	6"	8"

Smooth & Woodgrain Flat Trim



Smooth (TDS) / Woodgrain (TDG) Flat Trim Header
Smooth / Woodgrain Flat Trim Side

	Style Option	Side Trim Width	Header Height
A	___-FLTFLT-4S4H	4"	4"
B	___-FLTFLT-4S6H	4"	6"
C	___-FLTFLT-6S4H	6"	4"
D	___-FLTFLT-6S6H	6"	6"





*Door surrounds will support sidelite spread mull units up to 3" per mull (3'0 door / 14" sidelite maximum).
Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, dimensional data or additional configurations.
Dimensions listed are nominal and not actual.

Bottom Right: Smooth-Star, Clear Glass with SDLs, Door – S82103, Sidelites – S8000SL, Door Surround – TDS-CRSFLT

Special Quote Program

Don't sacrifice the look you want. In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.



Special Quote SDL Pattern Example





Special Quote
GBG Color Options

Divided Lites

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.



Privacy & Textured Glass

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.



Axis® with Standard Black Nickel Caming



Axis® with Special Quote Brushed Nickel Caming

Caming Colors

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

Note: Product availability, size options, lead times and pricing will vary based on the request. Please contact your Therma-Tru seller for details.

3'6" Width Door Style Options

Classic Craft®

8'0" Door Styles

Glass Designs




Glass Designs							
Homeward™	■		■			■	■
Augustine®	◆	◆	◆	◆	◆	◆	
Arborwatch®	■		■			■	■
Borrassa®	◆	◆	◆	◆	◆	◆	
Lucerna®	◆		◆			◆	
Geometric							■
Rainglass							■
Low-E	◆		■			◆	■

Key

- ■ Classic Craft® Artíssa Collection™
- ◆ Classic Craft® Founders Collection™
- ▲ Classic Craft® Visionary Collection™
- ✱ Smooth-Star®
- ◗ Profiles™ & Traditions
- ▮ Steel Edge

6'8" & 8'0" Solid-Panel Door Styles




◆ ◆ ◆ ◆ ◆ ◆ ◆ ■ ■ ◆ ◆ ◆ ◆ ▲ ▲

Smooth-Star®, Profiles™, Traditions & Pulse®

6'8" & 8'0" Door Styles

Glass Designs



Glass Designs												
Blackstone®	✱◗	✱			✱◗	✱						
Crystalline™	✱◗	✱			✱◗	✱						
Sedona	✱◗		✱◗	✱	✱◗	✱						
Salinas®	✱◗	✱			✱◗	✱						
Maple Park®	✱◗											
Avonlea®	✱◗				✱◗							
Saratoga™	✱◗		✱◗	✱	✱◗	✱						
Texas Star	◗											
Wellesley™	✱◗	✱										
Riserva®	✱◗	✱	✱◗	✱	✱◗	✱						
Concorde™	✱◗	✱										
Kensington™	✱◗											
Pembridge™	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱		
Axis®	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱		
Privacy & Textured Glass	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱		
Internal Blinds	✱◗	✱										
Divided Lites	✱◗	✱										
Clear	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱		
Solid Panel											✱◗▮	✱

7'0" Height Door Style Options

Glass Designs \ Door Styles											
Blackstone®	▼▲✱◗	▲✱◗	✱		◗						
Crystalline™	▼▲✱◗	▲✱◗	✱		◗			◗			
Sedona	▼▲✱◗	▲✱◗	✱		◗						
Salinas®	▼▲✱◗	▲✱◗	✱		◗						
Maple Park®	▼▲✱◗	▲✱◗	✱		◗		▲✱◗				
Avonlea®	▼▲✱◗	▲✱◗	✱		◗						
Saratoga™	▼▲✱◗	▲✱◗	✱		◗		▲✱◗				
Texas Star	▼▲✱◗	▲✱◗	✱		◗						
Wellesley™	▼▲✱◗	▲✱◗	✱		◗		▲✱◗				
Riserva®	▼▲✱◗	▲✱◗	✱		◗						
Concorde™	▼▲✱◗	▲✱◗	✱		◗		▲✱◗	◗			
Kensington™	▼▲✱◗	▲✱◗	✱		◗						
Pembridge™	▼▲✱◗	▲✱◗	✱		◗		◗		▲◗		
Axis®	▼▲✱◗	▲✱◗	✱		◗				▲✱◗		
Frosted Images®		▲✱◗	✱		◗						
Privacy & Textured Glass	▼▲✱◗	▲✱◗	✱	▼▲✱◗	◗				▲✱◗		
Internal Blinds	▼▲✱◗	▲✱◗	✱	▼▲✱◗							
Screen Vented		✱◗	✱	✱◗							
Divided Lites	▼▲✱◗	▲✱◗	✱		◗	✱◗	▲✱◗	◗		◗	◗
Clear	▼▲✱◗	▲✱◗	✱	▼▲✱◗	◗	✱◗	▲✱◗	◗	▲✱◗		
Solid Panel											

6'6" Height Door Style Options

Glass Designs \ Door Styles					
Blackstone®	▲✱◗			▲✱	
Crystalline™	▲✱◗			▲✱	
Sedona	▲✱◗			▲✱	
Salinas®	▲✱◗			▲✱	
Maple Park®	▲✱◗			▲✱	
Avonlea®	▲✱◗			▲✱	
Saratoga™	▲✱◗			▲✱	
Texas Star	▲✱◗			▲✱	
Wellesley™	▲✱◗			▲✱	
Riserva®	▲✱◗			▲✱	
Concorde™	▲✱◗			▲✱	
Kensington™	▲✱◗			▲✱	
Pembridge™	▲✱◗			▲✱	
Axis®	▲✱◗			▲✱	
Frosted Images®				▲✱	
Privacy & Textured Glass	▲✱◗	◗		▲✱	
Internal Blinds	▲✱◗	◗		▲✱	
Screen Vented		◗			
Divided Lites	▲✱◗		◗	▲✱	
Clear	▲✱◗	◗	◗	▲✱	
Solid Panel					✱◗

Key

- ▲ Classic Craft® Visionary Collection™
- ▼ Fiber-Classic® Mahogany Collection™
- ▲ Fiber-Classic® Oak Collection™
- ✱ Smooth-Star®
- ◗ Profiles™ & Traditions
- ▮ Steel Edge

	▼▲✱◗	◗					
	▼▲✱◗	◗					
	▼▲✱◗	◗					
	▼▲✱◗	◗					
	▼▲✱◗	◗					
	▼▲✱◗	◗					
	▼▲✱◗	◗					
	▼▲✱◗	◗					
	▼▲✱◗	◗					
	▼▲✱◗	◗					
	▼▲✱◗	◗					
	▼▲✱◗	◗	◗				
	▼▲✱◗	◗	◗				
	▼▲✱◗	◗					
	▼▲✱◗	◗	◗				
	▼▲✱◗	◗					
	▼▲✱◗	◗					
	▼▲✱◗	◗	◗				
				✱▮	▮	▲✱◗▮	▲▼▲✱◗▮





Top: Smooth-Star Door – SSF220
Bottom: Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S308SL

Entry & Patio Door Systems

Feature	Classic Craft®	Fiber-Classic® & Pulse® Wood-Grained	Smooth-Star® & Pulse® Smooth	Profiles™ & Pulse® Steel (6'8")	Traditions & Pulse® Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Fir, Walnut, Mahogany, Oak Grain; High-Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel – Top Rail	Composite	Composite	Composite	Wood	Wood
Panel – Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4" Full-Length Engineered Lumber	6'8": 1-¼" Engineered Lumber 8'0": 3-$^{15}/_{16}$" Full-Length Engineered Lumber	6'8": 1-¼" Engineered Lumber 8'0": 3-$^{15}/_{16}$" Full-Length Engineered Lumber	1-¼" Wood	1-¼" Wood
Lock Block	4" Full-Length Engineered Lumber Stile	22-½" Wood	12-½" Wood	12-½" Wood	6'8": 12-½" Wood / 8'0": 22-½" Wood
Height Options	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'6", 6'8" & 8'0"
Width Options	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Glass Options	SMC Frame; Deco / Privacy & Textured / Low-E IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG
Sill*	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Fixed Outswing: Aluminum	Inswing: Basic Fixed Outswing: Aluminum
Weatherstrip – Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip – Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip – Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	–	–
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges*	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame*	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Residential Limited Warranty	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

*Standard product recommendations shown; additional options may be available.

Therma-Tru® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Therma-Tru door surrounds must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru® Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft®, Fiber-Classic®, Smooth-Star® and Pulse® Door Systems; Steel – Pulse®, Profiles™, Traditions and Therma-Tru® Fire Door (TR 12-24) Steel Edge Door Systems
- Therma-Tru® Tru-Defense® Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft®, Fiber-Classic®, Smooth-Star® and Pulse® Fiberglass Door Systems
- EnLiten™ Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft®, Fiber-Classic® and Smooth-Star® Flush-Glazed Fiberglass Door Systems
- EnLiten™ Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft®, Fiber-Classic® and Smooth-Star® Flush-Glazed Fiberglass Door Systems
- PrismaGuard® Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft®, Fiber-Classic®, Smooth-Star®, and Pulse® Door Systems; Steel – Pulse®, Profiles™ and Traditions
- Same-Day® Stain 5-Year Limited Warranty: Same-Day® Stain and Topcoat for Use on Therma-Tru® Fiberglass Door Systems and Fypon® Stainable Polyurethane Products
- Therma-Tru® Composite Door Frame featuring Tru-Guard™ Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft®, Fiber-Classic®, Smooth-Star® and Pulse® Fiberglass Door Systems
- Therma-Tru® Composite Door Frame featuring Tru-Guard™ Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft®, Fiber-Classic®, Smooth-Star® and Pulse® Fiberglass Door Systems

Installation, Finishing & Maintenance

Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

Classic Craft®

19020T ... 117
19200T ... 117
19210T ... 117
19220T ... 117
AB30T ... 116
ABRT ... 116
BEET-B ... 116
BERT-B ... 116
CC040T ... 116
CC060T ... 116
CC090T ... 116
CC100 ... 73
CC10022 ... 73
CC102 ... 73
CC106 ... 73
CC107 ... 72
CC109 ... 72
CC110B ... 88
CC111B ... 72
CC113B ... 91
CC114B ... 75
CC1418 ... 52
CC1423 ... 48
CC1423SL ... 109
CC1424 ... 56
CC2020SL ... 113
CC2020XCSL ... 112
CC2020XESL ... 112
CC2020XGSL ... 112
CC2020XJSL ... 112
CC2020XNSL ... 112
CC2020XRSL ... 112
CC2025SL ... 113
CC2025XCSL ... 112
CC2025XESL ... 112
CC2025XGSL ... 112
CC2025XJSL ... 112
CC2025XNSL ... 112
CC2025XR SL ... 112
CC2040SL ... 110
CC2044SL ... 110
CC2060SL ... 109
CC2080BSL ... 109
CC2120SL ... 115
CC2122SL ... 115
CC2140SL ... 115
CC2144SL ... 115
CC2160SL ... 115
CC2270SL ... 114
CC2272SL ... 114
CC2276SL ... 114
CC2277SL ... 114
CC2279SL ... 114
CC3412SL ... 111
CC40 ... 94
CC400T ... 116
CC420T ... 116
CC44 ... 89
CC45 ... 88
CC47 ... 88
CC48 ... 90
CC48XE ... 89
CC49 ... 90
CC49XE ... 89
CC60 ... 94
CC600T ... 116
CC612 ... 89
CC620T ... 116
CC70 ... 91
CC76 ... 91
CC77 ... 91
CC78 ... 91
CC79 ... 91
CC8000SL ... 113
CC8000XCSL ... 112
CC8000XGSL ... 112
CC8000XJSL ... 112
CC8000XNSL ... 112
CC8000XRSL ... 112
CC8006SL ... 110
CC8007SL ... 110
CC8009SL ... 109
CC8010BSL ... 109
CC8102SL ... 111
CC81418 ... 52
CC81423SL ... 109
CC831 ... 93
CC860 ... 94
CC890 ... 53
CC892 ... 53
CC896 ... 76
CC897 ... 76
CC898 ... 75
CC899 ... 74
CC89922 ... 52
CC89925SL ... 108
CC90 ... 53
CC900T ... 116
CC901B ... 75
CC91 ... 63
CC92 ... 53
CC920T ... 116
CC922 ... 75
CC96 ... 76
CC97 ... 76
CC99 ... 74
CC9922 ... 52
CC9925 ... 48
CC9925SL ... 108
CC9926 ... 56
CCA1100 ... 106
CCA1125 ... 62
CCA1127 ... 62
CCA1133 ... 106
CCA1145 ... 106
CCA1147 ... 63
CCA1149 ... 62
CCA1150 ... 106
CCA1158 ... 63
CCA1166 ... 63
CCA1423SL ... 109
CCA210 ... 61
CCA210SL ... 115
CCA210XC ... 59
CCA210XCSL ... 115
CCA210XJ ... 59
CCA210XJSL ... 115
CCA210XN ... 59
CCA210XNSL ... 115
CCA210XR ... 59
CCA210XRSL ... 115
CCA211 ... 57
CCA211SL ... 115
CCA212 ... 57
CCA212SL ... 115
CCA220 ... 60
CCA220SL ... 115
CCA220XC ... 59
CCA220XCSL ... 115
CCA220XJ ... 59
CCA220XJSL ... 115
CCA220XN ... 59
CCA220XNSL ... 115
CCA220XR ... 59
CCA220XRSL ... 115
CCA221 ... 57
CCA222 ... 57
CCA230 ... 60
CCA2300 ... 103
CCA2300SL ... 112
CCA2300XC ... 102
CCA2300XCSL ... 111
CCA2300XE ... 102
CCA2300XESL ... 111
CCA2300XG ... 102
CCA2300XGSL ... 111
CCA2300XJ ... 102
CCA2300XJSL ... 111
CCA2300XK ... 102
CCA2300XKSL ... 111
CCA2300XN ... 102
CCA2300XNSL ... 111
CCA2300XR ... 102
CCA2300XRSL ... 111
CCA230XC ... 59
CCA230XJ ... 59
CCA230XN ... 59
CCA230XR ... 59
CCA231 ... 57
CCA2310 ... 103
CCA2310SL ... 112
CCA2310XC ... 102
CCA2310XCSL ... 111
CCA2310XE ... 102
CCA2310XESL ... 111
CCA2310XG ... 102
CCA2310XGSL ... 111
CCA2310XJ ... 102
CCA2310XJSL ... 111
CCA2310XK ... 102
CCA2310XKSL ... 111
CCA2310XN ... 102
CCA2310XNSL ... 111
CCA2310XR ... 102
CCA2310XRSL ... 111
CCA232 ... 57
CCA2320 ... 103
CCA2320SL ... 113
CCA2320XC ... 102
CCA2320XCSL ... 111
CCA2320XE ... 102
CCA2320XESL ... 111
CCA2320XG ... 102
CCA2320XGSL ... 111
CCA2320XJ ... 102
CCA2320XJSL ... 111
CCA2320XK ... 102
CCA2320XKSL ... 111
CCA2320XN ... 102
CCA2320XNSL ... 111
CCA2320XR ... 102
CCA2320XRSL ... 111
CCA2330 ... 103
CCA2330SL ... 113
CCA2330XC ... 102
CCA2330XCSL ... 111
CCA2330XE ... 102
CCA2330XESL ... 111
CCA2330XG ... 102
CCA2330XGSL ... 111
CCA2330XJ ... 102
CCA2330XJSL ... 111
CCA2330XK ... 102
CCA2330XKSL ... 111
CCA2330XN ... 102
CCA2330XNSL ... 111
CCA2330XR ... 102
CCA2330XRSL ... 111
CCA2340 ... 103
CCA2340SL ... 113
CCA2340XC ... 102
CCA2340XCSL ... 111
CCA2340XE ... 102
CCA2340XESL ... 111
CCA2340XG ... 102
CCA2340XGSL ... 111
CCA2340XJ ... 102
CCA2340XJSL ... 111
CCA2340XK ... 102
CCA2340XKSL ... 111
CCA2340XN ... 102
CCA2340XNSL ... 111
CCA2340XR ... 102
CCA2340XRSL ... 111
CCA2350 ... 50
CCA2350XC ... 48
CCA2350XCSL ... 111
CCA2350XE ... 48
CCA2350XESL ... 111
CCA2350XGSL ... 111
CCA2350XJ ... 48
CCA2350XJSL ... 111
CCA2350XN ... 48
CCA2350XNSL ... 111
CCA2350XR ... 48
CCA2350XRSL ... 111
CCA2360 ... 50
CCA2360XC ... 48
CCA2360XE ... 48
CCA2360XJ ... 48
CCA2360XN ... 48
CCA2360XR ... 48
CCA2370 ... 50
CCA2370XC ... 48
CCA2370XE ... 48
CCA2370XJ ... 48
CCA2370XN ... 48
CCA2370XR ... 48
CCA2380 ... 103
CCA2380XC ... 102
CCA2380XE ... 102
CCA2380XG ... 102
CCA2380XJ ... 102
CCA2380XK ... 102
CCA2380XN ... 102
CCA2380XR ... 102
CCA240 ... 60
CCA2400 ... 103
CCA2400SL ... 113
CCA2400XC ... 102
CCA2400XCSL ... 112
CCA2400XE ... 102
CCA2400XESL ... 112
CCA2400XG ... 102
CCA2400XGSL ... 112
CCA2400XJ ... 102
CCA2400XJSL ... 112
CCA2400XK ... 102
CCA2400XKSL ... 112
CCA2400XN ... 102
CCA2400XNSL ... 112
CCA2400XR ... 102
CCA2400XRSL ... 112
CCA240XC ... 59
CCA240XJ ... 59
CCA240XN ... 59
CCA240XR ... 59
CCA2410SL ... 109
CCA2420SL ... 108
CCA2430SL ... 108
CCA260 ... 61
CCA260XC ... 59
CCA260XJ ... 59
CCA260XN ... 59
CCA260XR ... 59
CCA3400SL ... 113
CCA3400XCSL ... 112
CCA3400XESL ... 112
CCA3400XGSL ... 112
CCA3400XJSL ... 112
CCA3400XNSL ... 112
CCA3400XRSL ... 112
CCA3401SL ... 108
CCA3402SL ... 108
CCA3450SL ... 113
CCA3500SL ... 113
CCA3500XCSL ... 112
CCA3500XESL ... 112
CCA3500XGSL ... 112
CCA3500XJSL ... 112
CCA3500XNSL ... 112
CCA3500XRSL ... 112
CCA3501SL ... 108
CCA3502SL ... 108
CCA3560SL ... 113
CCA4900 ... 50
CCA4900XC ... 49
CCA4900XE ... 49
CCA4900XJ ... 49
CCA4900XN ... 49
CCA4900XR ... 49
CCA4905 ... 62
CCA4910L ... 51
CCA4910LXC ... 49
CCA4910LXE ... 49
CCA4910LXJ ... 49
CCA4910LXN ... 49
CCA4910LXR ... 49
CCA4910R ... 51
CCA4910RXC ... 49
CCA4910RXE ... 49
CCA4910RXJ ... 49
CCA4910RXN ... 49
CCA4910RXR ... 49
CCA4915L ... 62
CCA4915R ... 62
CCA4920L ... 51
CCA4920LXC ... 50
CCA4920LXE ... 50
CCA4920LXJ ... 50
CCA4920LXN ... 50
CCA4920LXR ... 50
CCA4920R ... 51
CCA4920RXC ... 50
CCA4920RXE ... 50
CCA4920RXJ ... 50
CCA4920RXN ... 50
CCA4920RXR ... 50
CCA4925L ... 62
CCA4925R ... 62
CCA4930 ... 51
CCA4930XC ... 50
CCA4930XE ... 50
CCA4930XJ ... 50
CCA4930XN ... 50
CCA4930XR ... 50
CCA4935 ... 63
CCA4940 ... 51
CCA4940XC ... 50
CCA4940XE ... 50
CCA4940XJ ... 50
CCA4940XN ... 50
CCA4940XR ... 50
CCA4945 ... 63
CCA81100 ... 106
CCA81125 ... 62
CCA81127 ... 62
CCA81133 ... 106
CCA81145 ... 106
CCA81147 ... 63
CCA81149 ... 62
CCA81150 ... 106
CCA81158 ... 63
CCA81166 ... 63
CCA81423SL ... 109
CCA8210 ... 61
CCA8210XC ... 59
CCA8210XJ ... 59
CCA8210XN ... 59
CCA8210XR ... 59
CCA8211 ... 57
CCA8212 ... 57
CCA8220 ... 60
CCA8220XC ... 59
CCA8220XJ ... 59
CCA8220XN ... 59
CCA8220XR ... 59
CCA8221 ... 57
CCA8222 ... 57
CCA8230 ... 60
CCA82300 ... 103
CCA82300SL ... 112
CCA82300XC ... 102
CCA82300XCSL ... 111
CCA82300XE ... 102
CCA82300XESL ... 111
CCA82300XG ... 102
CCA82300XGSL ... 111
CCA82300XJ ... 102
CCA82300XJSL ... 111
CCA82300XK ... 102
CCA82300XKSL ... 111
CCA82300XN ... 102
CCA82300XNSL ... 111
CCA82300XR ... 102
CCA82300XRSL ... 111
CCA8230XC ... 59
CCA8230XJ ... 59
CCA8230XN ... 59
CCA8230XR ... 59
CCA8231 ... 57
CCA82310 ... 103
CCA82310SL ... 112
CCA82310XC ... 102
CCA82310XCSL ... 111
CCA82310XE ... 102
CCA82310XESL ... 111
CCA82310XG ... 102
CCA82310XGSL ... 111
CCA82310XJ ... 102
CCA82310XJSL ... 111
CCA82310XK ... 102
CCA82310XKSL ... 111
CCA82310XN ... 102
CCA82310XNSL ... 111
CCA82310XR ... 102
CCA82310XRSL ... 111
CCA8232 ... 57
CCA82320 ... 103
CCA82320SL ... 113
CCA82320XC ... 102
CCA82320XCSL ... 111
CCA82320XE ... 102
CCA82320XESL ... 111
CCA82320XG ... 102
CCA82320XGSL ... 111
CCA82320XJ ... 102
CCA82320XJSL ... 111
CCA82320XK ... 102
CCA82320XKSL ... 111
CCA82320XN ... 102
CCA82320XNSL ... 111
CCA82320XR ... 102
CCA82320XRSL ... 111
CCA82330 ... 103
CCA82330SL ... 113
CCA82330XC ... 102
CCA82330XCSL ... 111
CCA82330XE ... 102
CCA82330XESL ... 111
CCA82330XG ... 102
CCA82330XGSL ... 111
CCA82330XJ ... 102
CCA82330XJSL ... 111
CCA82330XK ... 102
CCA82330XKSL ... 111
CCA82330XN ... 102
CCA82330XNSL ... 111
CCA82330XR ... 102
CCA82330XRSL ... 111
CCA82340 ... 103
CCA82340SL ... 113

CCA82340XC 102
CCA82340XCSL 111
CCA82340XE 102
CCA82340XESL 111
CCA82340XG 102
CCA82340XGSL 111
CCA82340XJ 102
CCA82340XJSL 111
CCA82340XK 102
CCA82340XKSL 111
CCA82340XN 102
CCA82340XNSL 111
CCA82340XR 102
CCA82340XRSL 111
CCA82350 50
CCA82350XC 48
CCA82350XCSL 111
CCA82350XE 48
CCA82350XESL 111
CCA82350XJ 48
CCA82350XJSL 111
CCA82350XN 48
CCA82350XNSL 111
CCA82350XR 48
CCA82350XRSL 111
CCA82360 50
CCA82360XC 48
CCA82360XE 48
CCA82360XJ 48
CCA82360XN 48
CCA82360XR 48
CCA82370 50
CCA82370XC 48
CCA82370XE 48
CCA82370XJ 48
CCA82370XN 48
CCA82370XR 48
CCA82380 103
CCA82380XC 102
CCA82380XE 102
CCA82380XG 102
CCA82380XJ 102
CCA82380XK 102
CCA82380XN 102
CCA82380XR 102
CCA8240 60
CCA82400 103
CCA82400SL 113
CCA82400XC 102
CCA82400XCSL 112
CCA82400XE 102
CCA82400XESL 112
CCA82400XG 102
CCA82400XGSL 112
CCA82400XJ 102
CCA82400XJSL 112
CCA82400XK 102
CCA82400XKSL 112
CCA82400XN 102
CCA82400XNSL 112
CCA82400XR 102
CCA82400XRSL 112
CCA8240XC 59
CCA8240XJ 59
CCA8240XN 59
CCA8240XR 59
CCA82410SL 109
CCA82420SL 108
CCA82430SL 108
CCA8260 61
CCA8260XC 59
CCA8260XJ 59
CCA8260XN 59
CCA8260XR 59
CCA84900 50
CCA84900XC 49
CCA84900XE 49
CCA84900XJ 49
CCA84900XN 49
CCA84900XR 49
CCA84905 62
CCA84910L 51
CCA84910LXC 49
CCA84910LXE 49
CCA84910LXJ 49
CCA84910LXN 49
CCA84910LXR 49
CCA84910R 51
CCA84910RXC 49
CCA84910RXE 49
CCA84910RXJ 49
CCA84910RXN 49
CCA84910RXR 49
CCA84915L 62
CCA84915R 62
CCA84920L 51
CCA84920LXC 50
CCA84920LXE 50
CCA84920LXJ 50
CCA84920LXN 50
CCA84920LXR 50
CCA84920R 51
CCA84920RXC 50
CCA84920RXE 50
CCA84920RXJ 50
CCA84920RXN 50
CCA84920RXR 50
CCA84925L 63
CCA84925R 63
CCA84930 51
CCA84930XC 50
CCA84930XE 50
CCA84930XJ 50
CCA84930XN 50
CCA84930XR 50
CCA84935 63
CCA84940 51
CCA84940XC 50
CCA84940XE 50
CCA84940XJ 50
CCA84940XN 50
CCA84940XR 50
CCA84945 63
CCA87100 61
CCA87100XR 59
CCA87111 58
CCA87112 57
CCA87121 58
CCA87122 57
CCA87131 58
CCA87132 57
CCA87200 60
CCA87200XR 59
CCA87300 60
CCA87300XR 59
CCA87400 60
CCA87400XR 59
CCA87600 61
CCA87600XR 59
CCA89100 58
CCA89200 58
CCA89300 58
CCA9100 58
CCA9100SL 115
CCA9200 58
CCA9300 58
CCM1419 52
CCM1424 56
CCM1465 75
CCM1475 75
CCM1485 74
CCM1495 74
CCM1842 103
CCM1843SL 114
CCM1844 103
CCM200 76
CCM200XC 76
CCM200XN 76
CCM203 75
CCM204 75
CCM209 74
CCM210B 74
CCM300 76
CCM300XC 76
CCM300XN 76
CCM301CAL 86
CCM301CALXC 84
CCM301CALXJ 84
CCM301CALXN 84
CCM301CALXR 84
CCM301CAR 86
CCM301CARXC 84
CCM301CARXJ 84
CCM301CARXN 84
CCM301CARXR 84
CCM302 76
CCM302L 85
CCM302LXC 83
CCM302LXJ 83
CCM302LXN 83
CCM302LXR 83
CCM302R 85
CCM302RXC 83
CCM302RXJ 83
CCM302RXN 83
CCM302RXR 83
CCM303 75
CCM303L 86
CCM303LXC 83
CCM303LXJ 83
CCM303LXN 83
CCM303LXR 83
CCM303R 86
CCM303RXC 83
CCM303RXJ 83
CCM303RXN 83
CCM303RXR 83
CCM304L 86
CCM304LXC 83
CCM304LXJ 83
CCM304LXN 83
CCM304LXR 83
CCM304R 86
CCM304RXC 83
CCM304RXJ 83
CCM304RXN 83
CCM304RXR 83
CCM305CAL 87
CCM305CALXC 84
CCM305CALXJ 84
CCM305CALXN 84
CCM305CALXR 84
CCM305CAR 87
CCM305CARXC 84
CCM305CARXJ 84
CCM305CARXN 84
CCM305CARXR 84
CCM306CAL 87
CCM306CALXC 84
CCM306CALXJ 84
CCM306CALXN 84
CCM306CALXR 84
CCM306CAR 87
CCM306CARXC 84
CCM306CARXJ 84
CCM306CARXN 84
CCM306CARXR 84
CCM309 74
CCM310B 75
CCM3300SL 114
CCM3302SL 113
CCM3303SL 113
CCM3309SL 113
CCM3310BSL 113
CCM3500SL 114
CCM3502SL 114
CCM3503SL 114
CCM3509SL 114
CCM3510BSL 114
CCM60 94
CCM600 90
CCM600XE 89
CCM603 89
CCM609 88
CCM610B 88
CCM612 89
CCM700 91
CCM701 94
CCM702 91
CCM703 91
CCM709 91
CCM710B 91
CCM800 92
CCM801 94
CCM803 92
CCM805027 74
CCM809 92
CCM810B 92
CCM81418 52
CCM81519 75
CCM81843 103
CCM822 92
CCM8301CAL 86
CCM8301CALXC 84
CCM8301CALXJ 84
CCM8301CALXN 84
CCM8301CALXR 84
CCM8301CAR 86
CCM8301CARXC 84
CCM8301CARXJ 84
CCM8301CARXN 84
CCM8301CARXR 84
CCM8302L 85
CCM8302LXC 83
CCM8302LXJ 83
CCM8302LXN 83
CCM8302LXR 83
CCM8302R 85
CCM8302RXC 83
CCM8302RXJ 83
CCM8302RXN 83
CCM8302RXR 83
CCM8303L 86
CCM8303LXC 83
CCM8303LXJ 83
CCM8303LXN 83
CCM8303LXR 83
CCM8303R 86
CCM8303RXC 83
CCM8303RXJ 83
CCM8303RXN 83
CCM8303RXR 83
CCM8304L 86
CCM8304LXC 83
CCM8304LXJ 83
CCM8304LXN 83
CCM8304LXR 83
CCM8304R 86
CCM8304RXC 83
CCM8304RXJ 83
CCM8304RXN 83
CCM8304RXR 83
CCM8305CAL 87
CCM8305CALXC 84
CCM8305CALXJ 84
CCM8305CALXN 84
CCM8305CALXR 84
CCM8305CAR 87
CCM8305CARXC 84
CCM8305CARXJ 84
CCM8305CARXN 84
CCM8305CARXR 84
CCM8306CAL 87
CCM8306CALXC 84
CCM8306CALXJ 84
CCM8306CALXN 84
CCM8306CALXR 84
CCM8306CAR 87
CCM8306CARXC 84
CCM8306CARXJ 84
CCM8306CARXN 84
CCM8306CARXR 84
CCM890 63
CCM891 53
CCM892 75
CCM894 74
CCM895B 74
CCM898 75
CCM89922 52
CCM9923 52
CCM9926 56
CCR040 93
CCR04020 85
CCR04020XC 82
CCR04020XN 82
CCR04022 81
CCR04023 80
CCR04027 77
CCR04037 77
CCR040R 92
CCR100 63
CCR10022 73
CCR100R 92
CCR1414 55
CCR1415 54
CCR1417 54
CCR1423 48
CCR1423SL 109
CCR1511 79
CCR1511A 79
CCR1512 79
CCR1512A 79
CCR1514 79
CCR1515 78
CCR1516 78
CCR1518 78
CCR1528 72
CCR1838 104
CCR1839 104
CCR1841 104
CCR1851 102
CCR1851SL 111
CCR200 93
CCR20020 85
CCR20020XC 82
CCR20020XN 82
CCR20022 81
CCR20023 80
CCR20027 77
CCR20037 78
CCR20037A 78
CCR200A 93
CCR205 93
CCR20520 55
CCR20520XC 55
CCR20520XN 55
CCR20522 81
CCR20523 80
CCR20527 77
CCR20537 78
CCR20537A 78
CCR205A 93
CCR30020 73
CCR30023 73
CCR30024B 72
CCR30026 73
CCR30027 72
CCR30028 72
CCR30029 72
CCR3400SL 113
CCR3400XCSL 112
CCR3400XESL 112
CCR3400XGSL 112
CCR3400XHSL 110
CCR3400XJSL 112
CCR3400XNSL 109
CCR3400XNSL 112
CCR3400XRSL 112
CCR3406SL 110
CCR3407SL 110
CCR3408SL 110
CCR3409SL 109
CCR3410BSL 109
CCR3412SL 111
CCR8000SL 113
CCR8000XCSL 112
CCR8000XESL 112
CCR8000XGSL 112
CCR8000XHSL 110
CCR8000XJSL 112
CCR8000XNSL 109
CCR8000XNSL 112
CCR8000XRSL 112
CCR8005 93
CCR8005A 93
CCR8006SL 110
CCR8007SL 110
CCR8008SL 110
CCR8009SL 109
CCR8010BSL 109
CCR8040 93
CCR804020 85
CCR804020XC 82
CCR804020XN 82
CCR804022 81
CCR804023 80
CCR804024B 79
CCR804026 81
CCR804027 77
CCR804028 80
CCR804029 77
CCR804030 85
CCR804030AXC 83
CCR804030AXN 83
CCR804030XC 83
CCR804030XN 83
CCR804032 81
CCR804037 77
CCR8040R 92
CCR8100 63
CCR8100R 92
CCR8102SL 111
CCR81414 55
CCR81415 54
CCR81417 54
CCR81423SL 109
CCR81511 79
CCR81511A 79
CCR81512 79
CCR81512A 79
CCR81514 79
CCR81515 78
CCR81516 78
CCR81518 78
CCR81838 104
CCR81839 104
CCR81841 104
CCR81845 104
CCR81845A 105
CCR81846 104
CCR81846A 105
CCR81847 104

Continues on next page.

Classic Craft® *Continued*

CCR81847A 105
CCR81851SL 111
CCR8200 93
CCR820020 85
CCR820020XC 82
CCR820020XN 82
CCR820022 81
CCR820023 80
CCR820024B 79
CCR820026 81
CCR820027 77
CCR820028 80
CCR820029 77
CCR820030 85
CCR820030A 85
CCR820030XC 83
CCR820030XN 83
CCR820032 82
CCR820032A 82
CCR820037 78
CCR820037A 78
CCR8200A 93
CCR8205 93
CCR820520 55
CCR820520XC 55
CCR820520XN 55
CCR820522 81
CCR820523 80
CCR820524B 79
CCR820526 81
CCR820527 77
CCR820528 80
CCR820529 77
CCR820530 85
CCR820530A 85
CCR820530AXC 83
CCR820530AXN 83
CCR820530XC 83
CCR820530XN 83
CCR820532 82
CCR820532A 82
CCR820537 78
CCR820537A 78
CCR8205A 93
CCR8220 93
CCR8220R 93
CCR8222 93
CCR822214 55
CCR822215 79
CCR822218 54
CCR822220 85
CCR822220XC 82
CCR822220XN 82
CCR822222 81
CCR822223 81
CCR822224B 79
CCR822226 81
CCR822227 77
CCR822228 80
CCR822229 77
CCR822238 104
CCR8225 93
CCR8225R 92
CCR89918 54
CCR89919 54
CCR89921 54
CCR89925SL 108
CCR9918 54
CCR9919 54
CCR9921 54
CCR9925 48
CCR9925SL 108
CCV050 94
CCV05012 53
CCV05012XC 53
CCV05012XN 53
CCV05020 53
CCV05020XC 53
CCV05020XN 53
CCV05022 75
CCV05023 75
CCV05024B 75
CCV05026 76
CCV05027 74
CCV05028 76
CCV05029 74
CCV060 94
CCV06020 90
CCV06020XE 89
CCV06022 89
CCV06023 89
CCV06024B 88
CCV06026 89
CCV06028 89
CCV06029 88
CCV0609 90
CCV0609XE 89
CCV10015 73
CCV10020 73
CCV10022 73
CCV10023 73
CCV10024B 72
CCV10026 73
CCV10027 72
CCV10028 73
CCV10029 72
CCV100SL 113
CCV100XCSL 112
CCV100XESL 112
CCV100XGSL 112
CCV100XHSL 110
CCV100XJSL 112
CCV100XNSL 109
CCV100XNSL 112
CCV100XRSL 112
CCV103SL 110
CCV104BSL 109
CCV106SL 111
CCV108SL 110
CCV109SL 109
CCV1414 55
CCV1415 54
CCV1418 52
CCV1423 48
CCV1423SL 109
CCV1424 56
CCV1512 79
CCV1515 79
CCV1516 78
CCV1519 75
CCV1528 72
CCV1838 104
CCV1839 104
CCV1843 103
CCV1851 102
CCV1851SL 111
CCV200 63
CCV205 93
CCV20520 55
CCV20520XC 55
CCV20520XN 55
CCV20522 81
CCV20523 80
CCV20527 77
CCV20537 78
CCV220 93
CCV22020 85
CCV22020XC 82
CCV22020XN 82
CCV22022 81
CCV22023 81
CCV22027 77
CCV3412SL 111
CCV4100 59
CCV4100SL 115
CCV4200 59
CCV4300 59
CCV805015 53
CCV805020 53
CCV805022 75
CCV805023 75
CCV805024B 75
CCV805026 76
CCV805027 74
CCV805028 76
CCV805029 74
CCV806012 90
CCV806012XC 89
CCV806012XN 89
CCV806020 90
CCV806020XC 89
CCV806020XN 89
CCV806022 89
CCV806023 89
CCV806024B 88
CCV806026 89
CCV806027 88
CCV806028 89
CCV806029 88
CCV8100SL 113
CCV8100XCSL 112
CCV8100XGSL 112
CCV8100XHSL 110
CCV8100XJSL 112
CCV8100XNSL 109
CCV8100XNSL 112
CCV8100XRSL 112
CCV8102SL 111
CCV8103SL 110
CCV8104BSL 109
CCV8106SL 111
CCV8108SL 110
CCV8109SL 109
CCV8111SL 108
CCV8112SL 108
CCV81414 55
CCV81415 54
CCV81417 56
CCV81418 52
CCV81423SL 109
CCV81512 79
CCV81515 79
CCV81516 78
CCV81518 88
CCV81519 75
CCV81838 104
CCV81839 104
CCV81840 105
CCV81841 105
CCV81843 103
CCV81846 104
CCV81851SL 111
CCV8205 93
CCV820512 55
CCV820512XC 55
CCV820512XN 55
CCV820520 55
CCV820520XC 55
CCV820520XN 55
CCV820522 81
CCV820523 80
CCV820524B 79
CCV820526 81
CCV820527 77
CCV820528 80
CCV820529 77
CCV820530 85
CCV820530XC 83
CCV820530XN 83
CCV820532 82
CCV820537 78
CCV8220 93
CCV822012 85
CCV822012XC 82
CCV822012XN 82
CCV822020 85
CCV822020XC 82
CCV822020XN 82
CCV822022 81
CCV822023 81
CCV822024B 79
CCV822026 81
CCV822027 77
CCV822028 80
CCV822029 77
CCV831 93
CCV860 94
CCV8950SL 113
CCV8950XCSL 112
CCV8950XGSL 112
CCV8950XJSL 112
CCV8950XNSL 112
CCV8950XRSL 112
CCV89918 54
CCV89919 54
CCV89921 56
CCV89922 52
CCV9010SL 115
CCV9011SL 115
CCV9012SL 115
CCV9020SL 115
CCV910 61
CCV910XC 59
CCV910XCSL 115
CCV910XJ 59
CCV910XJSL 115
CCV910XN 59
CCV910XNSL 115
CCV910XR 59
CCV910XRSL 115
CCV911 58
CCV911SL 108
CCV912 57
CCV912SL 108
CCV920 61
CCV920XC 60
CCV920XCSL 115
CCV920XJ 60
CCV920XJSL 115
CCV920XN 60
CCV920XNSL 115
CCV920XR 60
CCV920XRSL 115
CCV921 58
CCV922 57
CCV930 61
CCV930XC 60
CCV930XJ 60
CCV930XN 60
CCV930XR 60
CCV931 58
CCV932 57
CCV940 61
CCV940XC 60
CCV940XJ 60
CCV940XN 60
CCV940XR 60
CCV950SL 113
CCV950XCSL 112
CCV950XESL 112
CCV950XGSL 112
CCV950XJSL 112
CCV950XNSL 112
CCV950XRSL 112
CCV960 61
CCV960XC 60
CCV960XJ 60
CCV960XN 60
CCV960XR 60
CCV9918 54
CCV9919 54
CCV9922 52
CCV9925 48
CCV9926 56
CCW1000 106
CCW81000 106
CCW8900L 106
CCW8900R 106
CCW8901L 106
CCW8901R 106
CCW8902L 107
CCW8902R 107
CCW8903 107
CCW8904L 107
CCW8904R 107
CCW8905 107
CCW8906L 107
CCW8906R 107
CCW8907L 107
CCW8907R 107
CCW900L 106
CCW900R 106
CCW901L 106
CCW901R 106
CCW902L 107
CCW902R 107
CCW903 107
CCW904L 107
CCW904R 107
CCW905 107
CCW906L 107
CCW906R 107
CCW907L 107
CCW907R 107
DRS2131SL 108
DRS82131SL 108
HW30T 116
HWRT 116
LC30T 116
LCET 116
LCRT 116
LF30T 116
LFET 116
LFRT 116
ZHRT 117

Fiber-Classic® & Smooth-Star®

1000 190
1283 146
1284 144
1285 144
1286 141
1289 145
2000 146
2009 142
2010 141
2050 141
2100 171
2150 168
8000 146
81000 190
81200 146
81208 145
81225 141
81828 145
12101SL 200
12101XCSL 197
12101XESL 197
12101XGSL 197
12101XJSL 197
12101XKSL 197
12101XNSL 197
12101XRSL 197
12102SL 199
12102XCSL 196
12102XESL 196
12102XGSL 196
12102XJSL 196
12102XKSL 196
12102XNSL 196
12102XRSL 196
1283XC 140
1283XE 140
1283XG 140
1283XJ 140
1283XK 140
1283XN 140
1283XR 140
1284XC 140
1284XE 140
1284XG 140
1284XJ 140
1284XK 140
1284XN 140
1284XR 140
1285XC 139
1285XE 139
1285XG 139
1285XJ 139
1285XK 139
1285XN 139
1285XR 139
1286SL 197
13101SL 195
18101SL 191
19020T 211
19055T 211
19080T 211
19200T 211
19210T 211
19220T 211
19520T 211
1964P 152
19720T 211
19730T 211
19740T 211
19750T 211
19800T 211
19810T 211
19820T 211
2000SL 200
2000XC 140
2000XCSL 196
2000XE 140
2000XESL 196
2000XG 140
2000XGSL 196
2000XJ 140
2000XJSL 196
2000XK 140
2000XKSL 196
2000XN 140
2000XNSL 196
2000XR 140
2000XRSL 196
2009SL 198
2010XC 138
2010XE 138
2010XG 138
2010XJ 138
2010XK 138
2010XN 138
2010XR 138
2050SL 198
2050XC 138
2050XCSL 195
2050XE 138
2050XESL 195
2050XG 138
2050XGSL 195
2050XJ 138
2050XJSL 195
2050XK 138
2050XKSL 195
2050XN 138
2050XNSL 195
2050XR 138
2050XRSL 195
8000-12 142
8000-18 142
8000-9 142
8000XC 140
8000XE 140
8000XG 140
8000XJ 140
8000XK 140
8000XN 140
8000XR 140
81200P 146
81200PSL 200
81200PXC 140
81200PXCSL 197
81200PXE 140
81200PXESL 197
81200PXG 140
81200PXGSL 197
81200PXJ 140
81200PXJSL 197
81200PXK 140
81200PXKSL 197
81200PXN 140
81200PXNSL 197
81200PXR 140
81200PXRSL 197
81200SL 200
81200XC 140
81200XCSL 197
81200XE 140
81200XESL 197
81200XG 140
81200XGSL 197
81200XJ 140
81200XJSL 197
81200XK 140
81200XKSL 197
81200XN 140
81200XNSL 197
81200XR 140
81200XRSL 197
81208P 145
81208PSL 199
81208PSL 199
81225P 141
81225PSL 197
81225SL 197
81800P 133
81800PSL 191
81800SL 191
81900PSL 205
81918P 133
81918PSL 191
81918SL 191
81919P 134
81919PSL 192
81919SL 192
81921P 136
81921PSL 193
81921SL 193
81928P 136
81928PSL 194
81928SL 194
81929P 171
81929PSL 209
81929PXC 167
81929PXCSL 208
81929PXE 167
81929PXESL 208
81929PXG 167
81929PXGSL 208
81929PXJ 167
81929PXJSL 208
81929PXK 167
81929PXKSL 208
81929PXN 167
81929PXNSL 208
81929PXR 167
81929PXRSL 208
81932P 161
81932PSL 206
81933P 159
81933PSL 206
81935P 159
81935PSL 206
81936P 160
81936PSL 206
81937P 160
81937PSL 206
81938P 162
81938PSL 207
81939P 161
81939PSL 206
81940P 162
81940PSL 207
81941P 163
81941PSL 207
81941PSL 207
81942P 164
81942PSL 207
81943P 155
81943PSL 205
81943PXC 152
81943PXCSL 204
81943PXE 152
81943PXESL 204
81943PXG 152
81943PXGSL 204
81943PXJ 152
81943PXJSL 204
81943PXK 152
81943PXKSL 204
81943PXN 152
81943PXNSL 204
81943PXR 152
81943PXRSL 204
81944P 155
81944PSL 205
81945P 154
81945PXC 152
81945PXE 152
81945PXG 152
81945PXJ 152
81945PXK 152
81945PXN 152
81945PXR 152
81946P 154
81946PSL 205
81946PXC 152
81946PXCSL 203
81946PXE 152
81946PXESL 203
81946PXG 152
81946PXGSL 203
81946PXJ 152
81946PXJSL 203
81946PXK 152
81946PXKSL 203
81946PXN 152
81946PXNSL 203
81946PXR 152
81946PXRSL 203
81947PSL 205
81949PSL 205
81952P 147
81952PSL 201
81953P 147
81953PSL 201
81954P 148
81954PSL 201
81955P 148
81955PSL 201
81956P 149
81956PSL 202
81957P 148
81957PSL 201
81958P 149
81958PSL 202
81959P 150
81959PSL 202
81960P 150
81960PSL 202
81961P 151
81961PSL 202
81963PSL 203
81964P 152
81964PSL 204
81967P 149
81967PSL 201
81968P 134
81968PSL 191
81968SL 191
81971P 172
81971PXC 167
81971PXE 167
81971PXG 167
81971PXJ 167
81971PXK 167
81971PXN 167
81971PXR 167
81974P 162
81975P 159
81977P 160
81978P 160
81980P 161
81981P 162
81982P 161
81983P 163
81984P 163
81985P 164
81986PSL 193
81986SL 193
85901SL 202
85919SL 207
AVRT 211
AXRT 211
BSRT 211
CNRT 211
DRS2131SL 191
DRS82131SL 191
FC10 146
FC100 134
FC1006 135
FC100SL 191
FC101 160
FC101SL 206
FC1027 135
FC1029 135
FC104 136
FC104SL 193
FC104XC 167
FC104XE 167
FC104XG 167
FC104XJ 167
FC104XK 167
FC104XN 167
FC104XR 167
FC105 163
FC105SL 207
FC108 133
FC1089 154
FC1089SL 204
FC1089SL 204
FC108SL 191
FC109 159
FC109SL 206
FC10XC 140
FC10XE 140
FC10XG 140
FC10XJ 140
FC10XK 140
FC10XN 140
FC10XR 140
FC113 134
FC113SL 192
FC114 160
FC114SL 206
FC115 148
FC115SL 201
FC116 168
FC11SL 195
FC1200 144
FC1200SL 199
FC1201 143
FC1201SL 198
FC1202 143
FC1202SL 198
FC1203 144
FC1204 141
FC1204SL 197
FC1205 141
FC1205SL 197
FC1205XC 138
FC1205XE 138
FC1205XG 138
FC1205XJ 138
FC1205XK 138
FC1205XN 138
FC1205XR 138
FC1206 141
FC1206SL 197
FC1207 141
FC1207XC 138
FC1207XE 138
FC1207XG 138
FC1207XJ 138
FC1207XK 138
FC1207XN 138
FC1207XR 138
FC1208 144
FC1208SL 199
FC1209 143
FC1209SL 198
FC1211 143
FC1211SL 198
FC1212 144
FC127 173
FC128 172
FC1289SL 200
FC129 172
FC130 173
FC131 148
FC131SL 201
FC1350 168
FC138 144
FC138XC 139
FC138XE 139
FC138XG 139
FC138XJ 139
FC138XK 139
FC138XN 139
FC138XR 139
FC1400 155
FC1400SL 205
FC1402 154
FC1404 180
FC1408 170
FC1408SL 209
FC1409 169
FC141 141
FC1411 174
FC141SL 197
FC142 135
FC142SL 193
FC143 149
FC143SL 202
FC144 162
FC1442SL 202
FC147 150
FC147SL 202
FC148 137
FC148SL 194
FC149 164
FC149SL 207
FC151 158
FC152 173
FC156 150
FC16 133
FC160 158
FC163 157
FC164 156
FC1645 187
FC1646 151
FC1646SL 203
FC1647 151
FC1651 138
FC1651SL 195
FC1652 138
FC1652SL 195
FC1654 165
FC1655 179
FC1656SL 208
FC1661 174
FC18 144
FC18SL 199
FC18XC 140
FC18XCSL 196
FC18XE 140
FC18XESL 196
FC18XG 140
FC18XGSL 196
FC18XJ 140
FC18XJSL 196
FC18XK 140
FC18XKSL 196
FC18XN 140
FC18XNSL 196
FC18XR 140
FC18XRSL 196
FC198 145
FC198SL 200

Continue on next page.

Fiber-Classic® & Smooth-Star® *Continued*

FC20042 151
FC21 187
FC2101 154
FC2101SL 204
FC2102 154
FC2106 153
FC2107 153
FC2108 153
FC23 187
FC241 134
FC31 189
FC310 133
FC32 155
FC32SL 205
FC32XC 152
FC32XCSL 204
FC32XE 152
FC32XESL 204
FC32XG 152
FC32XGSL 204
FC32XJ 152
FC32XJSL 204
FC32XK 152
FC32XKSL 204
FC32XN 152
FC32XNSL 204
FC32XR 152
FC32XRSL 204
FC3487SL 209
FC3487XCSL 208
FC3487XESL 208
FC3487XGSL 208
FC3487XJSL 208
FC3487XKSL 208
FC3487XNSL 208
FC3487XRSL 208
FC369 134
FC38 147
FC38SL 201
FC43 172
FC43SL 206
FC44 174
FC44SL 208
FC45 159
FC46SL 191
FC47SL 200
FC47XCSL 197
FC47XESL 197
FC47XGSL 197
FC47XJSL 197
FC47XKSL 197
FC47XNSL 197
FC47XRSL 197
FC48 174
FC48SL 209
FC48XC 174
FC48XCSL 208
FC48XE 174
FC48XESL 208
FC48XG 174
FC48XGSL 208
FC48XJ 174
FC48XJSL 208
FC48XK 174
FC48XKSL 208
FC48XN 174
FC48XNSL 208
FC48XR 174
FC48XRSL 208
FC507 178
FC529 150
FC5425 152
FC5425SL 204
FC543 150
FC545SL 202
FC549 178
FC5700 142
FC5700SL 198
FC5700XC 138
FC5700XCSL 195
FC5700XE 138
FC5700XESL 195
FC5700XG 138
FC5700XGSL 195
FC5700XJ 138
FC5700XJSL 195
FC5700XK 138
FC5700XKSL 195
FC5700XN 138
FC5700XNSL 195
FC5700XR 138
FC5700XRSL 195
FC571 136
FC5710 142
FC5710SL 198
FC5710XC 139
FC5710XCSL 195
FC5710XE 139
FC5710XESL 195
FC5710XG 139
FC5710XGSL 195
FC5710XJ 139
FC5710XJSL 195
FC5710XK 139
FC5710XKSL 195
FC5710XN 139
FC5710XNSL 195
FC5710XR 139
FC5710XRSL 195
FC5720 142
FC5720SL 198
FC5720XC 139
FC5720XCSL 195
FC5720XE 139
FC5720XESL 195
FC5720XG 139
FC5720XGSL 195
FC5720XJ 139
FC5720XJSL 195
FC5720XK 139
FC5720XKSL 195
FC5720XN 139
FC5720XNSL 195
FC5720XR 139
FC5720XRSL 195
FC572SL 193
FC573SL 193
FC574 136
FC581 163
FC583SL 207
FC585 173
FC60 190
FC6093 135
FC6094 136
FC6095 137
FC61 188
FC61XC 188
FC61XE 188
FC61XG 188
FC61XJ 188
FC61XK 188
FC61XN 188
FC61XR 188
FC62 171
FC626 137
FC62XC 167
FC62XE 167
FC62XG 167
FC62XJ 167
FC62XK 167
FC62XN 167
FC62XR 167
FC63 169
FC63SL 209
FC63XCSL 208
FC63XESL 208
FC63XGSL 208
FC63XJSL 208
FC63XKSL 208
FC63XNSL 208
FC63XRSL 208
FC65 170
FC6500 137
FC6500SL 194
FC6534 179
FC6550 137
FC6550SL 194
FC6560 165
FC6565SL 208
FC6570 187
FC6572 173
FC6576 158
FC6577 158
FC6580 151
FC6580SL 203
FC6582 151
FC65XC 166
FC65XE 166
FC65XG 166
FC65XJ 166
FC65XK 166
FC65XN 166
FC65XR 166
FC66 166
FC668 133
FC670 172
FC678 168
FC678SL 208
FC685L 143
FC685LXC 139
FC685LXE 139
FC685LXG 139
FC685LXJ 139
FC685LXK 139
FC685LXN 139
FC685LXR 139
FC685R 143
FC685RXC 139
FC685RXE 139
FC685RXG 139
FC685RXJ 139
FC685RXK 139
FC685RXN 139
FC685RXR 139
FC691 142
FC691XC 139
FC691XE 139
FC691XG 139
FC691XJ 139
FC691XK 139
FC691XN 139
FC691XR 139
FC704 186
FC707 185
FC708 186
FC709 157
FC710 158
FC7125SL 209
FC713 157
FC714 156
FC721 185
FC735 186
FC736 185
FC745 186
FC752 186
FC755 189
FC758 135
FC758SL 192
FC761 161
FC761SL 206
FC764 149
FC764SL 201
FC765 147
FC765SL 201
FC766 155
FC766XC 152
FC766XE 152
FC766XG 152
FC766XJ 152
FC766XK 152
FC766XN 152
FC766XR 152
FC769 149
FC770 147
FC772 147
FC773 148
FC775 148
FC776 149
FC777 148
FC778 149
FC779 150
FC780 150
FC782 173
FC784 158
FC785 156
FC787 158
FC788 156
FC789 158
FC791 158
FC792 157
FC794 156
FC796 157
FC797 157
FC798 158
FC803 187
FC807 174
FC807SL 192
FC807XC 174
FC807XE 174
FC807XG 174
FC807XJ 174
FC807XK 174
FC807XN 174
FC807XR 174
FC808 190
FC808SL 191
FC809 189
FC80920 180
FC809203 180
FC809203XC 179
FC809203XE 179
FC809203XG 179
FC809203XJ 179
FC809203XK 179
FC809203XN 179
FC809203XR 179
FC80920XC 179
FC80920XE 179
FC80920XG 179
FC80920XJ 179
FC80920XK 179
FC80920XN 179
FC80920XR 179
FC80941 177
FC80942 178
FC80943 176
FC80945 179
FC80947 178
FC80949 178
FC80952 177
FC80953 177
FC80954 178
FC80955 177
FC80956 177
FC809SL 194
FC812SL 192
FC813SL 194
FC814 133
FC8141 180
FC8144 171
FC8145 170
FC8145SL 209
FC8149 164
FC814SL 192
FC815SL 193
FC816 133
FC81645 187
FC81646 151
FC81646SL 203
FC81649 179
FC81651 138
FC81651SL 195
FC81652 138
FC81652SL 195
FC81653 166
FC81654 165
FC81654SL 208
FC816SL 191
FC817 134
FC817SL 193
FC818SL 193
FC82 154
FC820 137
FC821 136
FC822 134
FC828 145
FC82XC 152
FC82XE 152
FC82XG 152
FC82XJ 152
FC82XK 152
FC82XN 152
FC82XR 152
FC8310 154
FC8310SL 204
FC8311 154
FC8313 154
FC8313SL 204
FC8316 154
FC8318 171
FC8319 171
FC832 171
FC8320 171
FC8321 170
FC8321XC 167
FC8321XE 167
FC8321XG 167
FC8321XJ 167
FC8321XK 167
FC8321XN 167
FC8321XR 167
FC8322 169
FC8323 169
FC8324 169
FC832XC 167
FC832XE 167
FC832XG 167
FC832XJ 167
FC832XK 167
FC832XN 167
FC832XR 167
FC8529 150
FC8545SL 202
FC85700 142
FC85700XC 138
FC85700XE 138
FC85700XG 138
FC85700XJ 138
FC85700XK 138
FC85700XN 138
FC85700XR 138
FC8571 136
FC85710 142
FC85710XC 139
FC85710XE 139
FC85710XG 139
FC85710XJ 139
FC85710XK 139
FC85710XN 139
FC85710XR 139
FC85720 142
FC85720XC 139
FC85720XE 139
FC85720XG 139
FC85720XJ 139
FC85720XK 139
FC85720XN 139
FC85720XR 139
FC8572SL 193
FC8573SL 193
FC8574 136
FC8579 164
FC8581 163
FC8583SL 207
FC860 190
FC861 188
FC861XC 188
FC861XE 188
FC861XG 188
FC861XJ 188
FC861XK 188
FC861XN 188
FC861XR 188
FC862 190
FC86220 180
FC862203 180
FC862203XC 179
FC862203XE 179
FC862203XG 179
FC862203XJ 179
FC862203XK 179
FC862203XN 179
FC862203XR 179
FC86220XC 179
FC86220XE 179
FC86220XG 179
FC86220XJ 179
FC86220XK 179
FC86220XN 179
FC86220XR 179
FC86241 177
FC86242 178
FC86243 176
FC86245 179
FC86247 178
FC86249 178
FC86252 177
FC86253 177
FC86254 178
FC86255 177
FC86256 177
FC86500 137
FC86500SL 194
FC86533 179
FC86536 165
FC86550 137
FC86550SL 194
FC86560 165
FC86560SL 208
FC86570 187
FC86580 151
FC86580SL 203
FC86675SL 209
FC8678 168
FC8678SL 208
FC8685L 143
FC8685LXC 139
FC8685LXE 139
FC8685LXG 139
FC8685LXJ 139
FC8685LXK 139
FC8685LXN 139
FC8685LXR 139
FC8685R 143
FC8685RXC 139
FC8685RXE 139
FC8685RXG 139
FC8685RXJ 139

FC8685RXK 139
FC8685RXN 139
FC8685RXR 139
FC8691 142
FC8691XC 139
FC8691XE 139
FC8691XG 139
FC8691XJ 139
FC8691XK 139
FC8691XN 139
FC8691XR 139
FC8704 186
FC8707 185
FC8708 186
FC8721 185
FC8735 186
FC8736 185
FC8745 186
FC8752 186
FC8867SL 207
FC89701 165
FC8971 168
FC8972 180
FC900 134
FC900SL 192
FC901 161
FC901SL 206
FC902 148
FC902SL 201
FC903 173
FC905 135
FC905SL 193
FC906 162
FC906SL 207
FC907 149
FC907SL 202
FC908 173
FC910 136
FC910SL 194
FC911 164
FC911SL 207
FC912 150
FC912SL 202
FC913 173
FC915 157
FC916 157
FC917 187
FC92 154
FC925 180
FC92SL 204
FC92XC 152
FC92XCSL 203
FC92XE 152
FC92XESL 203
FC92XG 152
FC92XGSL 203
FC92XJ 152
FC92XJSL 203
FC92XK 152
FC92XKSL 203
FC92XN 152
FC92XNSL 203
FC92XR 152
FC92XRSL 203
FCM10 146
FCM100 134
FCM1000 190
FCM1006 134
FCM101 160
FCM101SL 206
FCM1027 135
FCM1029 135
FCM104 136
FCM104XC 167
FCM104XE 167
FCM104XG 167
FCM104XJ 167
FCM104XK 167
FCM104XN 167
FCM104XR 167
FCM105 163
FCM105SL 207
FCM106 157
FCM108 133
FCM1089SL 204
FCM109 159
FCM109SL 206
FCM10XC 140
FCM10XE 140
FCM10XG 140
FCM10XJ 140
FCM10XK 140
FCM10XN 140
FCM10XR 140
FCM110 156
FCM113 134
FCM114 160
FCM114SL 206
FCM115 148
FCM115SL 201
FCM116 168
FCM118 175
FCM1200 144
FCM1200SL 199
FCM1201 143
FCM1201SL 198
FCM1202 143
FCM1202SL 198
FCM1203 143
FCM1204SL 197
FCM1205SL 197
FCM1206SL 197
FCM1208 144
FCM1209 143
FCM12101SL 200
FCM12101XCSL 197
FCM12101XESL 197
FCM12101XGSL 197
FCM12101XJSL 197
FCM12101XKSL 197
FCM12101XNSL 197
FCM12101XRSL 197
FCM12102SL 199
FCM12102XCSL 196
FCM12102XESL 196
FCM12102XGSL 196
FCM12102XJSL 196
FCM12102XKSL 196
FCM12102XNSL 196
FCM12102XRSL 196
FCM1211 143
FCM1212 143
FCM124 175
FCM125 176
FCM126 175
FCM1283 146
FCM1283XC 140
FCM1283XE 140
FCM1283XG 140
FCM1283XJ 140
FCM1283XK 140
FCM1283XN 140
FCM1283XR 140
FCM1284 144
FCM1284XC 140
FCM1284XE 140
FCM1284XG 140
FCM1284XJ 140
FCM1284XK 140
FCM1284XN 140
FCM1284XR 140
FCM1285 144
FCM1285XC 139
FCM1285XE 139
FCM1285XG 139
FCM1285XJ 139
FCM1285XK 139
FCM1285XN 139
FCM1285XR 139
FCM1286 141
FCM1286SL 197
FCM1289 145
FCM1289SL 200
FCM131 148
FCM13101SL 195
FCM131SL 201
FCM132 176
FCM134 190
FCM138 144
FCM138XC 139
FCM138XE 139
FCM138XG 139
FCM138XJ 139
FCM138XK 139
FCM138XN 139
FCM138XR 139
FCM1400SL 205
FCM1402 154
FCM1405 170
FCM1405SL 209
FCM1406 170
FCM1408 170
FCM141 141
FCM142 135
FCM143 149
FCM143SL 202
FCM144 162
FCM1442SL 202
FCM147 150
FCM147SL 202
FCM148 137
FCM149 164
FCM149SL 207
FCM150 176
FCM151 157
FCM156 150
FCM16 133
FCM160 158
FCM163 157
FCM164 156
FCM1645 187
FCM1646SL 203
FCM1647 151
FCM1650 182
FCM1651 138
FCM1651SL 195
FCM1652 137
FCM1654 165
FCM1656 166
FCM1656SL 208
FCM1658 166
FCM18 144
FCM18101SL 191
FCM18XC 139
FCM18XE 139
FCM18XG 139
FCM18XJ 139
FCM18XK 139
FCM18XN 139
FCM18XR 139
FCM198 145
FCM2000SL 200
FCM2000XCSL 196
FCM2000XESL 196
FCM2000XGSL 196
FCM2000XJSL 196
FCM2000XKSL 196
FCM2000XNSL 196
FCM2000XRSL 196
FCM2009SL 198
FCM205 189
FCM2050SL 198
FCM2050XCSL 195
FCM2050XESL 195
FCM2050XGSL 195
FCM2050XJSL 195
FCM2050XKSL 195
FCM2050XNSL 195
FCM2050XRSL 195
FCM2101SL 204
FCM2106 153
FCM2107 153
FCM2108 153
FCM220 189
FCM241 134
FCM31 189
FCM310 133
FCM32 155
FCM32SL 205
FCM32XC 152
FCM32XCSL 204
FCM32XE 152
FCM32XESL 204
FCM32XG 152
FCM32XGSL 204
FCM32XJ 152
FCM32XJSL 204
FCM32XK 152
FCM32XKSL 204
FCM32XN 152
FCM32XNSL 204
FCM32XR 152
FCM32XRSL 204
FCM3487SL 209
FCM3487XCSL 208
FCM3487XESL 208
FCM3487XGSL 208
FCM3487XJSL 208
FCM3487XKSL 208
FCM3487XNSL 208
FCM3487XRSL 208
FCM369 134
FCM38 147
FCM38SL 201
FCM45 159
FCM45SL 206
FCM4810 184
FCM4810XC 183
FCM4810XE 183
FCM4810XJ 183
FCM4810XN 183
FCM4810XR 183
FCM4812 183
FCM4812XC 182
FCM4812XE 182
FCM4812XJ 182
FCM4812XN 182
FCM4812XR 182
FCM4813 183
FCM4813XC 182
FCM4813XE 182
FCM4813XJ 182
FCM4813XN 182
FCM4813XR 182
FCM4814 183
FCM4814XC 182
FCM4814XE 182
FCM4814XJ 182
FCM4814XN 182
FCM4814XR 182
FCM4816 183
FCM4816XC 182
FCM4816XE 182
FCM4816XJ 182
FCM4816XN 182
FCM4816XR 182
FCM506 176
FCM508 181
FCM5425 152
FCM5425SL 204
FCM543 150
FCM545SL 202
FCM571 136
FCM572SL 193
FCM574 136
FCM575 164
FCM577 164
FCM581 163
FCM583SL 207
FCM60 190
FCM600 190
FCM601 184
FCM601XC 183
FCM601XE 183
FCM601XJ 183
FCM601XN 183
FCM601XR 183
FCM602 181
FCM6021 171
FCM6021XC 167
FCM6021XE 167
FCM6021XG 167
FCM6021XJ 167
FCM6021XK 167
FCM6021XN 167
FCM6021XR 167
FCM6022 170
FCM6022XC 166
FCM6022XE 166
FCM6022XG 166
FCM6022XJ 166
FCM6022XK 166
FCM6022XN 166
FCM6022XR 166
FCM6023 166
FCM6025 160
FCM6026 164
FCM6027 160
FCM6029 162
FCM6030 163
FCM6031 161
FCM6032 159
FCM6035 168
FCM6036 165
FCM604 181
FCM6041 171
FCM6041XC 167
FCM6041XE 167
FCM6041XG 167
FCM6041XJ 167
FCM6041XK 167
FCM6041XN 167
FCM6041XR 167
FCM6042 170
FCM6042XC 166
FCM6042XE 166
FCM6042XG 166
FCM6042XJ 166
FCM6042XK 166
FCM6042XN 166
FCM6042XR 166
FCM6043 166
FCM6045 160
FCM6046 164
FCM6047 160
FCM6049 162
FCM605 184
FCM6050 163
FCM6051 161
FCM6052 159
FCM6055 168
FCM6056 165
FCM605XC 182
FCM605XE 182
FCM605XJ 182
FCM605XN 182
FCM605XR 182
FCM606 184
FCM606XC 182
FCM606XE 182
FCM606XJ 182
FCM606XN 182
FCM606XR 182
FCM607 184
FCM6074 163
FCM6075 163
FCM607XC 183
FCM607XE 183
FCM607XJ 183
FCM607XN 183
FCM607XR 183
FCM608 184
FCM608XC 183
FCM608XE 183
FCM608XJ 183
FCM608XN 183
FCM608XR 183
FCM609 181
FCM6093 135
FCM6094 136
FCM6095 136
FCM6097 169
FCM61 188
FCM6107 161
FCM6108 161
FCM6124SL 199
FCM6124XCSL 196
FCM6124XESL 196
FCM6124XJSL 196
FCM6124XNSL 196
FCM6124XRSL 196
FCM6125SL 199
FCM6125XCSL 196
FCM6125XESL 196
FCM6125XJSL 196
FCM6125XNSL 196
FCM6125XRSL 196
FCM6126SL 200
FCM6126XCSL 196
FCM6126XESL 196
FCM6126XJSL 196
FCM6126XNSL 196
FCM6126XRSL 196
FCM61XC 188
FCM61XE 188
FCM61XG 188
FCM61XJ 188
FCM61XK 188
FCM61XN 188
FCM61XR 188
FCM62 171
FCM626 137
FCM62SL 209
FCM62XC 167
FCM62XCSL 208
FCM62XE 167
FCM62XESL 208
FCM62XG 167
FCM62XGSL 208
FCM62XJ 167
FCM62XJSL 208
FCM62XK 167
FCM62XKSL 208
FCM62XN 167
FCM62XNSL 208
FCM62XR 167
FCM62XRSL 208
FCM63 169
FCM65 170
FCM6500 137
FCM6500SL 194
FCM6520 182
FCM6532 176
FCM6550 137
FCM6560 165
FCM6565 165
FCM6565SL 208
FCM6568 165

Continue on next page.

Fiber-Classic® & Smooth-Star® *Continued*

FCM6570 187
FCM6575 158
FCM6577 158
FCM6580SL 203
FCM6582 151
FCM65SL 209
FCM65XC 166
FCM65XCSL 208
FCM65XE 166
FCM65XESL 208
FCM65XG 166
FCM65XGSL 208
FCM65XJ 166
FCM65XJSL 208
FCM65XK 166
FCM65XKSL 208
FCM65XN 166
FCM65XNSL 208
FCM65XR 166
FCM65XRSL 208
FCM66 166
FCM668 133
FCM66SL 208
FCM670 172
FCM678 168
FCM678SL 208
FCM704 186
FCM707 185
FCM708 186
FCM7125SL 209
FCM721 185
FCM735 186
FCM736 185
FCM745 186
FCM752 186
FCM755 189
FCM758 135
FCM760 175
FCM761 161
FCM761SL 206
FCM764 149
FCM764SL 201
FCM765 147
FCM765SL 201
FCM784 158
FCM785 156
FCM787 158
FCM788 156
FCM789 158
FCM80 158
FCM800 175
FCM807SL 192
FCM808SL 191
FCM809SL 194
FCM81000 190
FCM8101SL 205
FCM8101XCSL 203
FCM8101XESL 203
FCM8101XGSL 203
FCM8101XJSL 203
FCM8101XKSL 203
FCM8101XNSL 203
FCM8101XRSL 203
FCM8103SL 202
FCM8104SL 201
FCM8105SL 201
FCM8107SL 202
FCM8109SL 203
FCM811 169
FCM8110SL 204
FCM8114 133
FCM8114SL 191
FCM8115 141
FCM8115SL 197
FCM81200 146
FCM81200SL 200
FCM81200XC 140
FCM81200XE 140
FCM81200XESL 197
FCM81200XG 140
FCM81200XGSL 197
FCM81200XJ 140
FCM81200XK 140
FCM81200XKSL 197
FCM81200XKSL 197
FCM81200XKSL 197
FCM81200XKSL 197
FCM81200XKSL 197
FCM81200XN 140
FCM81200XR 140
FCM81208P 145
FCM81208PSL 199
FCM81208SL 199
FCM81225 141
FCM81225SL 197
FCM812SL 192
FCM813SL 194
FCM814 133
FCM8145 170
FCM8145SL 209
FCM8149 164
FCM814SL 192
FCM815SL 192
FCM816 133
FCM81645 187
FCM81646SL 203
FCM81651 138
FCM81651SL 195
FCM81652 137
FCM81652SL 195
FCM81654 165
FCM81654SL 208
FCM816SL 191
FCM817 134
FCM817SL 193
FCM81800SL 191
FCM81828 145
FCM81829 145
FCM818SL 193
FCM81900SL 205
FCM81918SL 191
FCM81919SL 192
FCM81921SL 193
FCM81928SL 194
FCM81944SL 205
FCM81947SL 205
FCM81949SL 205
FCM81968SL 191
FCM81986SL 192
FCM82 153
FCM820 136
FCM821 136
FCM822 134
FCM828 145
FCM82XC 152
FCM82XE 152
FCM82XG 152
FCM82XJ 152
FCM82XK 152
FCM82XN 152
FCM82XR 152
FCM8310SL 204
FCM8311SL 204
FCM8313SL 204
FCM8321 170
FCM8321XC 167
FCM8321XE 167
FCM8321XG 167
FCM8321XJ 167
FCM8321XK 167
FCM8321XN 167
FCM8321XR 167
FCM8322 169
FCM8323 169
FCM8324 169
FCM8545SL 202
FCM8571 136
FCM8572SL 193
FCM8573SL 193
FCM8574 136
FCM8581 163
FCM8583SL 207
FCM860 190
FCM861 188
FCM861XC 188
FCM861XE 188
FCM861XG 188
FCM861XJ 188
FCM861XK 188
FCM861XN 188
FCM861XR 188
FCM862 171
FCM862SL 209
FCM862XC 167
FCM862XCSL 208
FCM862XE 167
FCM862XESL 208
FCM862XG 167
FCM862XGSL 208
FCM862XJ 167
FCM862XJSL 208
FCM862XK 167
FCM862XKSL 208
FCM862XN 167
FCM862XNSL 208
FCM862XR 167
FCM862XRSL 208
FCM863 159
FCM863SL 206
FCM864 160
FCM864SL 206
FCM865 160
FCM86500 137
FCM86500SL 194
FCM86550 137
FCM86550SL 194
FCM86560 165
FCM86560SL 208
FCM86570 187
FCM86580SL 203
FCM865SL 206
FCM866 163
FCM866SL 207
FCM8675SL 209
FCM8678 168
FCM8678SL 208
FCM867SL 207
FCM870 146
FCM8704 186
FCM8707 185
FCM8708 186
FCM870SL 200
FCM870XC 140
FCM870XCSL 197
FCM870XE 140
FCM870XESL 197
FCM870XG 140
FCM870XGSL 197
FCM870XJ 140
FCM870XJSL 197
FCM870XK 140
FCM870XKSL 197
FCM870XN 140
FCM870XNSL 197
FCM870XR 140
FCM870XRSL 197
FCM871 133
FCM871SL 191
FCM872 134
FCM8721 185
FCM872SL 191
FCM873 134
FCM8735 186
FCM8736 185
FCM873SL 192
FCM874 136
FCM8745 186
FCM874SL 193
FCM8752 186
FCM881SL 205
FCM881XCSL 204
FCM881XEL 204
FCM881XGSL 204
FCM881XJSL 204
FCM881XKSL 204
FCM881XNSL 204
FCM881XRSL 204
FCM882SL 201
FCM883SL 201
FCM884SL 201
FCM885SL 202
FCM886 161
FCM886SL 206
FCM887SL 201
FCM888 162
FCM888SL 207
FCM889SL 202
FCM890 136
FCM890SL 194
FCM891 164
FCM891SL 207
FCM892SL 202
FCM893SL 192
FCM896 161
FCM896SL 206
FCM898 159
FCM898SL 206
FCM899 162
FCM899SL 207
FCM900 134
FCM901 161
FCM901SL 206
FCM902 148
FCM902SL 201
FCM904 175
FCM905 135
FCM906 162
FCM906SL 207
FCM907 149
FCM907SL 202
FCM909 176
FCM910 136
FCM911 164
FCM911SL 207
FCM912 150
FCM912SL 202
FCM914 176
FCM915 157
FCM916 157
FCM92SL 204
FCM92XCSL 203
FCM92XESL 203
FCM92XGSL 203
FCM92XJSL 203
FCM92XKSL 203
FCM92XNSL 203
FCM92XRSL 203
FCM966 162
FCM968 162
FCO6184SL 199
FCO6184XCSL 196
FCO6184XESL 196
FCO6184XJSL 196
FCO6184XNSL 196
FCO6184XRSL 196
FCO6185SL 199
FCO6185XCSL 196
FCO6185XESL 196
FCO6185XJSL 196
FCO6185XNSL 196
FCO6185XRSL 196
FCO6186SL 200
FCO6186XCSL 196
FCO6186XESL 196
FCO6186XJSL 196
FCO6186XNSL 196
FCO6186XRSL 196
FCO6188SL 199
FCO6188XCSL 196
FCO6188XESL 196
FCO6188XJSL 196
FCO6188XNSL 196
FCO6188XRSL 196
FCO6189SL 199
FCO6189XCSL 196
FCO6189XESL 196
FCO6189XJSL 196
FCO6189XNSL 196
FCO6189XRSL 196
FCO6190SL 200
FCO6190XCSL 196
FCO6190XESL 196
FCO6190XJSL 196
FCO6190XNSL 196
FCO6190XRSL 196
FCO6575 158
FWRT 211
KNRT 211
PBRT 211
RSRT 211
S10 176
S100 190
S1000 157
S1001 158
S1006 135
S100SL 200
S100XCSL 197
S100XESL 197
S100XGSL 197
S100XJSL 197
S100XKSL 197
S100XNSL 197
S100XRSL 197
S1027 135
S1029 135
S104 172
S104XC 167
S104XE 167
S104XG 167
S104XJ 167
S104XK 167
S104XN 167
S104XR 167
S105 172
S108 144
S1089 154
S1089SL 204
S108XC 140
S108XE 140
S108XG 140
S108XJ 140
S108XK 140
S108XN 140
S108XR 140
S11 190
S1100 189
S115 169
S1170SL 199
S1170XCSL 196
S1170XESL 196
S1170XGSL 196
S1170XJSL 196
S1170XKSL 196
S1170XNSL 196
S1170XRSL 196
S118 146
S118XC 140
S118XE 140
S118XG 140
S118XJ 140
S118XK 140
S118XN 140
S118XR 140
S12 175
S120 189
S1200 144
S1200SL 199
S1201 143
S1201SL 198
S1202 143
S1202SL 199
S1203 144
S1204 141
S1204SL 198
S1205 141
S1205SL 197
S1205XC 138
S1205XE 138
S1205XG 138
S1205XJ 138
S1205XK 138
S1205XN 138
S1205XR 138
S1206 141
S1206SL 197
S1207 141
S1207XC 138
S1207XE 138
S1207XG 138
S1207XJ 138
S1207XK 138
S1207XN 138
S1207XR 138
S1208 144
S1208SL 199
S1209 143
S1209SL 198
S1211 143
S1211SL 198
S1212 144
S128 144
S128XC 139
S128XE 139
S128XG 139
S128XJ 139
S128XK 139
S128XN 139
S128XR 139
S130 141
S130SL 197
S131 168
S132 168
S132SL 209
S1350 168
S137 168
S138SL 195
S139 134
S139SL 192
S140 146
S1400 155
S1400SL 205
S1401 153
S1401SL 204
S1402 154
S1404 180
S1405 170
S1405SL 209
S1406 170
S1407 171
S1408 170
S1409 169
S140STC 188
S140XC 140
S140XE 140
S140XG 140
S140XJ 140
S140XK 140
S140XN 140

S140XR 140
S141 144
S1411 174
S141STC 188
S141XC 139
S141XE 139
S141XG 139
S141XJ 139
S141XK 139
S141XN 139
S141XR 139
S1442SL 202
S154 135
S154SL 193
S155 136
S155SL 193
S156 150
S160 137
S160SL 194
S161 164
S161SL 207
S162 173
S163 158
S1645 187
S1646 151
S1646SL 203
S1647 151
S1650 182
S1651 138
S1651SL 195
S1652 138
S1652SL 195
S1653 166
S1654 166
S1655 179
S1656 166
S1656SL 208
S1658 166
S1661 174
S17 176
S198 145
S198SL 200
S20 176
S200 189
S2000 146
S2000SL 200
S2000SL-2C 198
S2000SL-4C 198
S2000XC 140
S2000XCSL 196
S2000XCSL-2C 195
S2000XCSL-4C 195
S2000XE 140
S2000XESL 196
S2000XESL-2C 195
S2000XESL-4C 195
S2000XG 140
S2000XGSL 196
S2000XJ 140
S2000XJSL 196
S2000XJSL-2C 195
S2000XJSL-4C 195
S2000XK 140
S2000XKSL 196
S2000XN 140
S2000XNSL 196
S2000XNSL-2C 195
S2000XNSL-4C 195
S2000XR 140
S2000XRSL 196
S2000XRSL-2C 195
S2000XRSL-4C 195
S20042 151
S2009 142
S2009SL 198
S2010 141
S2010SL 198
S2010XC 138
S2010XCSL 195
S2010XE 138
S2010XESL 195
S2010XG 138
S2010XGSL 195
S2010XJ 138
S2010XJSL 195
S2010XK 138
S2010XKSL 195
S2010XN 138
S2010XNSL 195
S2010XR 138
S2010XRSL 195
S205 189
S2050 141
S206 171
S206E 166
S206XC 167
S206XE 167
S206XG 167
S206XJ 167
S206XK 167
S206XN 167
S206XR 167
S2070SL 195
S210 190
S2100 171
S2101 154
S2101SL 204
S2102 154
S2103 153
S2103SL 204
S2103XC 151
S2103XCSL 203
S2103XE 151
S2103XESL 203
S2103XG 151
S2103XGSL 203
S2103XJ 151
S2103XJSL 203
S2103XK 151
S2103XKSL 203
S2103XN 151
S2103XNSL 203
S2103XR 151
S2103XRSL 203
S2104 153
S2104SL 204
S2104XC 151
S2104XCSL 203
S2104XE 151
S2104XESL 203
S2104XG 151
S2104XGSL 203
S2104XJ 151
S2104XJSL 203
S2104XK 151
S2104XKSL 203
S2104XN 151
S2104XNSL 203
S2104XR 151
S2104XRSL 203
S2105 153
S2106 153
S2107 153
S2108 153
S210SL 209
S210XCSL 208
S210XESL 208
S210XGSL 208
S210XJSL 208
S210XKSL 208
S210XNSL 208
S210XRSL 208
S211 160
S213 162
S214 163
S2150 169
S220 189
S2200 155
S2200XC 152
S2200XCSL 203
S2200XE 152
S2200XESL 203
S2200XG 152
S2200XGSL 203
S2200XJ 152
S2200XJSL 203
S2200XK 152
S2200XKSL 203
S2200XN 152
S2200XNSL 203
S2200XR 152
S2200XRSL 203
S2250 153
S2250XC 151
S2250XCSL 203
S2250XE 151
S2250XESL 203
S2250XG 151
S2250XGSL 203
S2250XJ 151
S2250XJSL 203
S2250XK 151
S2250XKSL 203
S2250XN 151
S2250XNSL 203
S2250XR 151
S2250XRSL 203
S236 187
S237 187
S241 134
S243 168
S255 187
S256 187
S2600 140
S2610 184
S2610XC 183
S2610XE 183
S2610XJ 183
S2610XN 183
S2610XR 183
S262 170
S2620 182
S262XC 166
S262XE 166
S262XG 166
S262XJ 166
S262XK 166
S262XN 166
S262XR 166
S2630 181
S263SL 209
S263XCSL 208
S263XESL 208
S263XGSL 208
S263XJSL 208
S263XKSL 208
S263XNSL 208
S263XRSL 208
S2640 182
S2650 181
S2660 181
S2670 181
S289 174
S289E 174
S289ESL 208
S289XC 174
S289XE 174
S289XG 174
S289XJ 174
S289XK 174
S289XN 174
S289XR 174
S291 173
S291SL 207
S292 173
S294 172
S294SL 206
S296 188
S296XC 188
S296XE 188
S296XG 188
S296XJ 188
S296XK 188
S296XN 188
S296XR 188
S30 172
S308SL 199
S308XCSL 196
S308XESL 196
S308XGSL 196
S308XJSL 196
S308XKSL 196
S308XNSL 196
S308XRSL 196
S30XC 167
S30XE 167
S30XG 167
S30XJ 167
S30XK 167
S30XN 167
S30XR 167
S31 190
S310 133
S32 171
S32XC 166
S32XE 166
S32XG 166
S32XJ 166
S32XK 166
S32XN 166
S32XR 166
S34 166
S3487SL 209
S3487XCSL 208
S3487XESL 208
S3487XGSL 208
S3487XJSL 208
S3487XKSL 208
S3487XNSL 208
S3487XRSL 208
S35 160
S369 134
S37 164
S38 160
S4070SL 194
S41 162
S416SL 194
S42 163
S426 164
S43 165
S430 173
S430SL 207
S454 187
S4570SL 191
S4800 190
S4810 184
S4810SL 210
S4810XC 183
S4810XCSL 210
S4810XE 183
S4810XESL 210
S4810XJ 183
S4810XJSL 210
S4810XN 183
S4810XNSL 210
S4810XR 183
S4810XRSL 210
S4812 183
S4812SL 210
S4812XC 182
S4812XCSL 209
S4812XE 182
S4812XESL 209
S4812XJ 182
S4812XJSL 209
S4812XN 182
S4812XNSL 209
S4812XR 182
S4812XRSL 209
S4813 183
S4813XC 182
S4813XE 182
S4813XJ 182
S4813XN 182
S4813XR 182
S4814 183
S4814XC 182
S4814XE 182
S4814XJ 182
S4814XN 182
S4814XR 182
S4816 183
S4816XC 182
S4816XE 182
S4816XJ 182
S4816XN 182
S4816XR 182
S506 176
S507 178
S508 181
S529 150
S5425 152
S5425SL 204
S543 150
S545SL 202
S549 178
S5700 142
S5700SL 198
S5700XC 138
S5700XCSL 195
S5700XE 138
S5700XESL 195
S5700XG 138
S5700XGSL 195
S5700XJ 138
S5700XJSL 195
S5700XK 138
S5700XKSL 195
S5700XN 138
S5700XNSL 195
S5700XR 138
S5700XRSL 195
S5705 142
S5705XC 138
S5705XE 138
S5705XG 138
S5705XJ 138
S5705XK 138
S5705XN 138
S5705XR 138
S571 136
S5710 142
S5710SL 198
S5710XC 139
S5710XCSL 195
S5710XE 139
S5710XESL 195
S5710XG 139
S5710XGSL 195
S5710XJ 139
S5710XJSL 195
S5710XK 139
S5710XKSL 195
S5710XN 139
S5710XNSL 195
S5710XR 139
S5710XRSL 195
S5715 142
S5715XC 138
S5715XE 138
S5715XG 138
S5715XJ 138
S5715XK 138
S5715XN 138
S5715XR 138
S5720 142
S5720SL 198
S5720XC 139
S5720XCSL 195
S5720XE 139
S5720XESL 195
S5720XG 139
S5720XGSL 195
S5720XJ 139
S5720XJSL 195
S5720XK 139
S5720XKSL 195
S5720XN 139
S5720XNSL 195
S5720XR 139
S5720XRSL 195
S5725 142
S5725XC 138
S5725XE 138
S5725XG 138
S5725XJ 138
S5725XK 138
S5725XN 138
S5725XR 138
S572SL 194
S573SL 194
S574 136
S575 164
S577 164
S579 164
S581 163
S583SL 207
S585 173
S5870SL 193
S600 190
S6000 159
S6000SL 206
S6002 133
S6002SL 191
S6006 161
S6006SL 206
S6008 134
S6008SL 192
S6009 148
S6009SL 201
S601 184
S6010 148
S6012 175
S6013 172
S6014 173
S601SL 200
S601XC 183
S601XCSL 197
S601XE 183
S601XESL 197
S601XGSL 197
S601XJ 183
S601XJSL 197
S601XKSL 197
S601XN 183
S601XNSL 197
S601XR 183
S601XRSL 197
S602 181
S6021 171
S6021XC 167
S6021XE 167
S6021XG 167
S6021XJ 167
S6021XK 167
S6021XN 167
S6021XR 167
S6022 170

 Continue on next page.

Fiber-Classic® & Smooth-Star® *Continued*

S6022XC 166
S6022XE 166
S6022XG 166
S6022XJ 166
S6022XK 166
S6022XN 166
S6022XR 166
S6023 166
S6025 160
S6026 164
S6027 160
S6029 162
S602SL 193
S6030 163
S6031 161
S6032 159
S6034 168
S6035 168
S6036 165
S604 181
S6041 172
S6041XC 167
S6041XE 167
S6041XG 167
S6041XJ 167
S6041XK 167
S6041XN 167
S6041XR 167
S6042 170
S6042XC 166
S6042XE 166
S6042XG 166
S6042XJ 166
S6042XK 166
S6042XN 166
S6042XR 166
S6043 166
S6045 160
S6046 164
S6047 160
S6049 162
S604SL 192
S605 184
S6050 163
S6051 161
S6052 159
S6054 168
S6055 168
S6056 165
S605SL 199
S605XC 182
S605XCSL 196
S605XE 182
S605XESL 196
S605XJ 182
S605XJSL 196
S605XN 182
S605XNSL 196
S605XR 182
S605XRSL 196
S606 184
S6061 141
S6062 145
S6062SL 200
S6063 145
S6063STC 188
S6063XC 140
S6063XE 140
S6063XG 140
S6063XJ 140
S6063XK 140
S6063XN 140
S6063XR 140
S606SL 199
S606XC 182
S606XCSL 196
S606XE 182
S606XESL 196
S606XJ 182
S606XJSL 196
S606XN 182
S606XNSL 196
S606XR 182
S606XRSL 196
S607 184
S6070 135
S6070SL 193
S6071 149
S6071SL 202
S6072 149
S6073 163
S6074 163
S6075 163
S6076 163
S607SL 200
S607XC 183
S607XCSL 196
S607XE 183
S607XESL 196
S607XJ 183
S607XJSL 196
S607XN 183
S607XNSL 196
S607XR 183
S607XRSL 196
S608 184
S6080 158
S6081 158
S6082 157
S6084 157
S6085 156
S608XC 183
S608XE 183
S608XJ 183
S608XN 183
S608XR 183
S609 181
S6090 137
S6091 150
S6091SL 202
S6092 149
S6092SL 202
S6093 135
S6094 136
S6095 137
S6097 169
S6100 135
S6100SL 192
S6101 161
S6101SL 206
S6102 148
S6102SL 201
S6103 148
S6104 173
S6105 175
S6106 161
S6107 161
S6108 161
S6111 175
S6113 175
S6117 176
S6119 176
S6121 175
S6123 187
S6124SL 199
S6124XCSL 196
S6124XESL 196
S6124XJSL 196
S6124XNSL 196
S6124XRSL 196
S6125SL 200
S6125XCSL 196
S6125XESL 196
S6125XJSL 196
S6125XNSL 196
S6125XRSL 196
S6126SL 200
S6126XCSL 196
S6126XESL 196
S6126XJSL 196
S6126XNSL 196
S6126XRSL 196
S6127SL 192
S6128SL 197
S6130SL 191
S6131SL 192
S6132SL 194
S6134SL 192
S6135SL 193
S626 137
S63 169
S6500 137
S6500SL 194
S6520 182
S6532 176
S6534 179
S6536 165
S6550 137
S6550SL 194
S6560 165
S6565 165
S6565SL 208
S6568 165
S6570 187
S6572 173
S6575 158
S6576 158
S6577 158
S6580 151
S6580SL 203
S6582 151
S668 134
S682 153
S685L 143
S685LXC 139
S685LXE 139
S685LXG 139
S685LXJ 139
S685LXK 139
S685LXN 139
S685LXR 139
S685R 143
S685RXC 139
S685RXE 139
S685RXG 139
S685RXJ 139
S685RXK 139
S685RXN 139
S685RXR 139
S691 143
S691XC 139
S691XE 139
S691XG 139
S691XJ 139
S691XK 139
S691XN 139
S691XR 139
S704 186
S707 185
S708 186
S709 157
S7125SL 209
S721 185
S735 186
S736 185
S745 186
S751SL 205
S751XCSL 204
S751XESL 204
S751XGSL 204
S751XJSL 204
S751XKSL 204
S751XNSL 204
S751XRSL 204
S752 186
S755 190
S757SL 202
S758SL 201
S770 158
S771 156
S773 157
S774 157
S80 155
S8000 146
S8000-12 142
S8000-18 142
S8000-9 142
S8000SL 200
S8000XC 140
S8000XCSL 196
S8000XE 140
S8000XESL 196
S8000XG 140
S8000XGSL 196
S8000XJ 140
S8000XJSL 196
S8000XK 140
S8000XKSL 196
S8000XN 140
S8000XNSL 196
S8000XR 140
S8000XRSL 196
S807 174
S807XC 174
S807XE 174
S807XG 174
S807XJ 174
S807XK 174
S807XN 174
S807XR 174
S808 145
S808SL 199
S80XC 152
S80XE 152
S80XG 152
S80XJ 152
S80XK 152
S80XN 152
S80XR 152
S810 190
S81000 190
S81086SL 200
S81086XCSL 197
S81086XESL 197
S81086XGSL 197
S81086XJSL 197
S81086XKSL 197
S81086XNSL 197
S81086XRSL 197
S811 169
S81100 189
S81186SL 199
S8120 189
S81208 145
S81225 141
S8132 168
S8132SL 209
S814 134
S8140 146
S81401 153
S81405 170
S8140STC 188
S8140XC 140
S8140XE 140
S8140XG 140
S8140XJ 140
S8140XK 140
S8140XN 140
S8140XR 140
S8141 180
S8144 171
S8145 170
S8145SL 209
S8149 164
S814SL 191
S815 134
S816 133
S81645 187
S81646 151
S81646SL 203
S81649 179
S81650 182
S81651 138
S81651SL 195
S81652 138
S81652SL 195
S81653 166
S81654 166
S81654SL 208
S81656 166
S817 134
S818 146
S81828 145
S818XC 140
S818XE 140
S818XG 140
S818XJ 140
S818XK 140
S818XN 140
S818XR 140
S81929P 171
S81929PXC 167
S81929PXE 167
S81929PXG 167
S81929PXJ 167
S81929PXK 167
S81929PXN 167
S81929PXR 167
S81932P 161
S81933P 159
S81935P 159
S81936P 160
S81937P 161
S81938P 162
S81939P 161
S81940P 163
S81941P 163
S81942P 164
S81983 163
S82 154
S820 137
S8200 189
S8201 189
S8202SL 205
S8204SL 205
S8207SL 205
S821 136
S82103 153
S82103XC 151
S82103XE 151
S82103XG 151
S82103XJ 151
S82103XK 151
S82103XN 151
S82103XR 151
S82104 153
S82105 153
S82105XC 151
S82105XE 151
S82105XG 151
S82105XJ 151
S82105XK 151
S82105XN 151
S82105XR 151
S82106 153
S82106XC 151
S82106XE 151
S82106XG 151
S82106XJ 151
S82106XK 151
S82106XN 151
S82106XR 151
S82107 153
S82107XC 151
S82107XE 151
S82107XG 151
S82107XJ 151
S82107XK 151
S82107XN 151
S82107XR 151
S82200 155
S82200XC 152
S82200XE 152
S82200XG 152
S82200XJ 152
S82200XK 152
S82200XN 152
S82200XR 152
S82250 153
S822XC 152
S822XE 152
S822XG 152
S822XJ 152
S822XK 152
S822XN 152
S822XR 152
S82600 140
S82610 184
S82610XC 183
S82610XE 183
S82610XJ 183
S82610XN 183
S82610XR 183
S82620 182
S82630 181
S82640 182
S82650 181
S82660 181
S82670 181
S828 145
S829 141
S829SL 197
S82SL 204
S82XC 152
S82XCSL 203
S82XE 152
S82XESL 203
S82XG 152
S82XGSL 203
S82XJ 152
S82XJSL 203
S82XK 152
S82XKSL 203
S82XN 152
S82XNSL 203
S82XR 152
S82XRSL 203
S830 172
S830XC 167
S830XE 167
S830XG 167
S830XJ 167
S830XK 167
S830XN 167
S830XR 167
S831 190
S8310 154
S8310SL 204
S8311 154
S8311SL 204
S83120 180
S831203 180
S831203XC 179
S831203XE 179
S831203XG 179
S831203XJ 179
S831203XK 179
S831203XN 179

S831203XR 179
S83120XC 179
S83120XE 179
S83120XG 179
S83120XJ 179
S83120XK 179
S83120XN 179
S83120XR 179
S8313 154
S8313SL 204
S83141 177
S83142 178
S83143 176
S83145 179
S83147 178
S83149 178
S83152 177
S83153 177
S83154 178
S83155 177
S83156 177
S8316 154
S8317 187
S8318 171
S8319 171
S832 171
S8320 171
S8321 170
S8321XC 167
S8321XE 167
S8321XG 167
S8321XJ 167
S8321XK 167
S8321XN 167
S8321XR 167
S8322 169
S8323 169
S8324 169
S8325 170
S8326 169
S8327 169
S8328 170
S832XC 167
S832XE 167
S832XG 167
S832XJ 167
S832XK 167
S832XN 167
S832XR 167
S833 160
S837 164
S84586SL 191
S84800 190
S84810 184
S84810SL 210
S84810XC 183
S84810XCSL 210
S84810XE 183
S84810XESL 210
S84810XJ 183
S84810XJSL 210
S84810XN 183
S84810XNSL 210
S84810XR 183
S84810XRSL 210
S84812 183
S84812SL 210
S84812XC 182
S84812XCSL 209
S84812XE 182
S84812XESL 209
S84812XJ 182
S84812XJSL 209
S84812XN 182
S84812XNSL 209
S84812XR 182
S84812XRSL 209
S84813 183
S84813XC 182
S84813XE 182
S84813XJ 182
S84813XN 182
S84813XR 182
S84814 183
S84814XC 182
S84814XE 182
S84814XJ 182
S84814XN 182
S84814XR 182
S84816 183
S84816XC 182
S84816XE 182
S84816XJ 182
S84816XN 182
S84816XR 182
S84886SL 198
S84886XCSL 195
S84886XESL 195
S84886XGSL 195
S84886XJSL 195
S84886XKSL 195
S84886XNSL 195
S84886XRSL 195
S8508 181
S8529 150
S8545SL 202
S85700 142
S85700SL 198
S85700XC 138
S85700XCSL 195
S85700XE 138
S85700XESL 195
S85700XG 138
S85700XGSL 195
S85700XJ 138
S85700XJSL 195
S85700XK 138
S85700XKSL 195
S85700XN 138
S85700XNSL 195
S85700XR 138
S85700XRSL 195
S85705 142
S85705XC 138
S85705XE 138
S85705XG 138
S85705XJ 138
S85705XK 138
S85705XN 138
S85705XR 138
S8571 136
S85710 142
S85710SL 198
S85710XC 139
S85710XCSL 195
S85710XE 139
S85710XESL 195
S85710XG 139
S85710XGSL 195
S85710XJ 139
S85710XJSL 195
S85710XK 139
S85710XKSL 195
S85710XN 139
S85710XNSL 195
S85710XR 139
S85710XRSL 195
S85715 142
S85715XC 138
S85715XE 138
S85715XG 138
S85715XJ 138
S85715XK 138
S85715XN 138
S85715XR 138
S85720 142
S85720SL 198
S85720XC 139
S85720XCSL 195
S85720XE 139
S85720XESL 195
S85720XG 139
S85720XGSL 195
S85720XJ 139
S85720XJSL 195
S85720XK 139
S85720XKSL 195
S85720XN 139
S85720XNSL 195
S85720XR 139
S85720XRSL 195
S85725 142
S85725XC 138
S85725XE 138
S85725XG 138
S85725XJ 138
S85725XK 138
S85725XN 138
S85725XR 138
S8572SL 194
S8573SL 194
S8574 136
S8575 164
S8579 164
S8581 163
S8583SL 207
S85892SL 191
S85893 134
S85893SL 192
S85895 137
S85895SL 194
S85896 136
S85896SL 193
S85897 161
S85898 148
S85898SL 201
S85900 149
S85900SL 201
S85901 149
S85902 150
S85902SL 202
S85905 159
S85906 162
S85907 160
S85908 162
S85909 163
S85910SL 209
S85910XCSL 208
S85910XESL 208
S85910XGSL 208
S85910XJSL 208
S85910XKSL 208
S85910XNSL 208
S85910XRSL 208
S85911SL 206
S85912SL 206
S85914SL 206
S85915SL 206
S85916SL 206
S85917SL 207
S85918SL 206
S85920SL 207
S85922SL 207
S85924SL 199
S85925SL 200
S85926SL 200
S85927SL 191
S85928SL 197
S85930SL 194
S85931SL 192
S85932SL 193
S85934SL 193
S8600 190
S8600XC 183
S8600XE 183
S8600XJ 183
S8600XN 183
S8600XR 183
S8601 184
S8601SL 200
S8601XCSL 197
S8601XESL 197
S8601XGSL 197
S8601XJSL 197
S8601XKSL 197
S8601XNSL 197
S8601XRSL 197
S8602 181
S86021 171
S86021XC 167
S86021XE 167
S86021XG 167
S86021XJ 167
S86021XK 167
S86021XN 167
S86021XR 167
S86022XC 167
S86022XE 167
S86022XG 167
S86022XJ 167
S86022XK 167
S86022XN 167
S86022XR 167
S86025 160
S86026 164
S86027 160
S86029 162
S8602SL 193
S86030 163
S86031 161
S86032 159
S86035 168
S86036 165
S8604 181
S8605 184
S8605SL 199
S8605XC 182
S8605XE 182
S8605XJ 182
S8605XN 182
S8605XR 182
S8606 184
S8606SL 199
S8606XC 182
S8606XE 182
S8606XJ 182
S8606XN 182
S8606XR 182
S8607 184
S86074 163
S8607SL 200
S8607XC 183
S8607XE 183
S8607XJ 183
S8607XN 183
S8607XR 183
S8608 184
S8608XC 183
S8608XE 183
S8608XJ 183
S8608XN 183
S8608XR 183
S8609 181
S86107 161
S86500 137
S86500SL 194
S86520 182
S86533 179
S86536 165
S86550 137
S86550SL 194
S86560 165
S86560SL 208
S86565 165
S86570 187
S86580 151
S86580SL 203
S8675SL 209
S867SL 207
S8682 153
S8682SL 204
S8685L 143
S8685LXC 139
S8685LXE 139
S8685LXG 139
S8685LXJ 139
S8685LXK 139
S8685LXN 139
S8685LXR 139
S8685R 143
S8685RXC 139
S8685RXE 139
S8685RXG 139
S8685RXJ 139
S8685RXK 139
S8685RXN 139
S8685RXR 139
S8691 143
S8691XC 139
S8691XE 139
S8691XG 139
S8691XJ 139
S8691XK 139
S8691XN 139
S8691XR 139
S8704 186
S8707 185
S8708 186
S8721 185
S8735 186
S8736 185
S8745 186
S8752 186
S880 155
S880SL 205
S880XC 152
S880XCSL 204
S880XE 152
S880XESL 204
S880XG 152
S880XGSL 204
S880XJ 152
S880XJSL 204
S880XK 152
S880XKSL 204
S880XN 152
S880XNSL 204
S880XR 152
S880XRSL 204
S881 154
S881SL 205
S881XC 152
S881XCSL 203
S881XE 152
S881XESL 203
S881XG 152
S881XGSL 203
S881XJ 152
S881XJSL 203
S881XK 152
S881XKSL 203
S881XN 152
S881XNSL 203
S881XR 152
S881XRSL 203
S882 154
S884SL 203
S887 148
S887SL 201
S888 147
S888SL 201
S891 149
S891SL 202
S892 150
S892SL 202
S893 161
S894 147
S894SL 201
S895 148
S895SL 201
S896 188
S8968 162
S897 189
S89701 165
S8971 168
S8972 180
S898 155
S898SL 205
S90 155
S902 151
S902SL 202
S90SL 205
S90XC 152
S90XE 152
S90XG 152
S90XJ 152
S90XK 152
S90XN 152
S90XR 152
S91 148
S912 150
S916 134
S916SL 191
S91SL 201
S92 154
S925 180
S926 159
S92SL 204
S92XC 152
S92XE 152
S92XG 152
S92XJ 152
S92XK 152
S92XN 152
S92XR 152
S93 189
S930 172
S930SL 206
S9320 180
S93203 180
S93203XC 179
S93203XE 179
S93203XG 179
S93203XJ 179
S93203XK 179
S93203XN 179
S93203XR 179
S9320XC 179
S9320XE 179
S9320XG 179
S9320XJ 179
S9320XK 179
S9320XN 179
S9320XR 179
S9341 177
S9342 178
S9343 176
S9345 179
S9347 178
S9349 178
S9352 177
S9353 177
S9354 178
S9355 177
S9356 177
S95 148
S960 190
S962 135

Continue on next page.

Steel

S962SL 192
S964 161
S964SL 206
S966 162
S968 162
S97 150
S970 162
S971 168
S972 159
S973 161
S975 147
S975SL 201
S976 149
S976SL 201
S977 147
S979 147
S980 149
S981 147
S982 149
S983 150
S985 173
S988 156
S989 158
S991 156
S992 158
S994 158
S995 157
S997 156
S999 157
SART 211

100 228
104 224
105 224
108 218
118 218
128 218
130 218
131 223
137 223
139 217
198 218
310 217
369 217
571 217
610 217
620 217
626 217
800 235
808 232
810 235
818 232
828 232
829 232
896 235
916 217
1006 217
1027 217
1028 217
1029 217
1200 218
1201 218
1202 218
1203 218
5425 219
8132 233
8145 233
8206 233
8317 235
8321 233
8322 233
8323 233
8324 233
8704 234
8708 234
8752 234
03142HD 219
1001HD 220
1002HD 221
1004HD 223
1005HD 228
1006SL 228
1007HD 221
1007SLHD 230
1008HD 224
1009HD 218
1009SLHD 229
100SL 229
100SL 236
100XCSL 229
100XCSL 236
100XESL 229
100XESL 236
100XGSL 229
100XGSL 236
100XJSL 229
100XJSL 236
100XKSL 229
100XKSL 236
100XNSL 229
100XNSL 236
100XRSL 229
100XRSL 236
1011HD 221
1020HD 220
1021HD 220
1022HD 220
1024HD 220

1025HD 220
1027SL 228
1029SL 228
1031HD 221
1031SLHD 230
1032HD 221
1034HD 221
1035HD 221
1037HD 218
1037SLHD 229
1038HD 219
1038SLHD 229
1039HD 219
1039SLHD 229
1040HD 219
1040SLHD 229
1041HD 219
1041SLHD 229
1042HD 218
1044HD 224
1047HD 220
104XC 223
104XE 223
104XG 223
104XJ 223
104XK 223
104XN 223
104XR 223
1055HD 227
1089SLHD 230
108XC 218
108XE 218
108XE 218
108XG 218
108XJ 218
108XK 218
108XN 218
1101HD 224
1101XCHD 223
1101XEHD 223
1101XGHD 223
1101XJHD 223
1101XKHD 223
1101XNHD 223
1101XRHD 223
1102HD 223
1107HD 221
1110HD 222
1111HD 221
1112HD 221
1113HD 222
1114HD 221
1115HD 221
1116HD 221
1117HD 220
1118HD 222
1119HD 220
1120HD 221
1121HD 223
1122HD 223
1123HD 223
1123HDXC 222
1123HDXE 222
1123HDXG 222
1123HDXJ 222
1123HDXK 222
1123HDXN 222
1123HDXR 222
115HD 223
118XC 218
118XE 218
118XE 218
118XG 218
118XJ 218
118XK 218
118XN 218
1200SL 229

1200SL 236
1201SL 229
1201SL 236
1202SL 229
1202SL 236
128XC 218
128XE 218
128XE 218
128XG 218
128XJ 218
128XK 218
128XN 218
130SL 229
130SL 236
132HD 223
132SLHD 231
138SL 229
139SL 228
1400SLHD 230
1403HD 219
1405HD 224
1405SLHD 231
1406HD 224
1408HD 223
1411HD 225
1643HD 227
1643SLHD 231
1644HD 219
1644SLHD 230
1650HD 226
1651HD 217
1651SL 229
1657HD 222
1657SLHD 231
1659HD 222
1660HD 222
1662HD 225
19020T 237
19055T 237
19080T 237
19200T 237
19210T 237
19220T 237
19520T 237
19720T 237
19730T 237
19740T 237
19750T 237
19800T 237
19810T 237
19820T 237
198SL 229
198SL 236
203HD 228
205HD 228
206EHD 222
206HD 224
206HDXC 223
206HDXE 223
206HDXG 223
206HDXJ 223
206HDXK 223
206HDXN 223
206HDXR 223
2109HD 219
210HD 228
210SLHD 231
210SLHDXC 231
210SLHDXE 231
210SLHDXG 231
210SLHDXJ 231
210SLHDXK 231
210SLHDXN 231
210SLHDXR 231
2110HD 219
2111HD 219
211HD 220

236HD 227
237HD 227
243HD 223
255HD 227
256HD 227
262HD 223
262HDXC 222
262HDXE 222
262HDXG 222
262HDXJ 222
262HDXK 222
262HDXN 222
262HDXR 222
263HD 225
263HDXC 225
263HDXE 225
263HDXG 225
263HDXJ 225
263HDXK 225
263HDXN 225
263HDXR 225
263SLHD 231
263SLHDXC 231
263SLHDXE 231
263SLHDXG 231
263SLHDXJ 231
263SLHDXK 231
263SLHDXN 231
263SLHDXR 231
289EHD 225
289ESLHD 231
289HD 225
289HDXC 225
289HDXE 225
289HDXG 225
289HDXJ 225
289HDXK 225
289HDXN 225
289HDXR 225
294HD 224
294SLHD 230
296HD 227
296HDXC 227
296HDXE 227
296HDXG 227
296HDXJ 227
296HDXK 227
296HDXN 227
296HDXR 227
296SLHD 231
296SLHDXC 231
296SLHDXE 231
296SLHDXG 231
296SLHDXJ 231
296SLHDXK 231
296SLHDXN 231
296SLHDXR 231
309HD 220
310SL 228
311HD 224
311SLHD 230
369SL 228
371HD 224
371SLHD 230
374HD 221
416SL 228
426HD 222
430HD 224
430SLHD 231
454HD 227
4572SLHD 230
508HD 225
5425SL 230
544HD 219
546SLHD 229
576HD 222
578HD 222

582HD 222
584SLHD 231
588HD 224
601HD 226
601XCHD 226
601XEHD 226
601XJHD 226
601XNHD 226
601XRHD 226
6023HD 223
602HD 225
604HD 225
605HD 226
605HDXC 226
605HDXE 226
605HDXJ 226
605HDXN 226
605HDXR 226
606HD 226
606HDXC 226
606HDXE 226
606HDXJ 226
606HDXN 226
606HDXR 226
607HD 226
607HDXC 226
607HDXE 226
607HDXJ 226
607HDXN 226
607HDXR 226
608HD 226
608HDXC 226
608HDXE 226
608HDXJ 226
608HDXN 226
608HDXR 226
609HD 225
610SL 228
613HD 221
615HD 224
615SLHD 230
6184SL 229
6184SL 236
6184XCSL 236
6184XESL 236
6184XJSL 236
6184XNSL 236
6184XRSL 236
6185SL 229
6185SL 236
6185XCSL 236
6185XESL 236
6185XJSL 236
6185XNSL 236
6185XRSL 236
6186SL 229
6186SL 236
6186XCSL 236
6186XESL 236
6186XJSL 236
6186XNSL 236
6186XRSL 236
620SL 228
623HD 221
625HD 224
625SLHD 230
626SL 228
627HD 222
628HD 225
628SLHD 231
630HD 220
631HD 222
632SL 229
632SL 236
632XCSL 236
632XESL 236
632XGSL 236

632XJSL 236
632XKSL 236
632XNSL 236
632XRSL 236
6500HD 217
6500SL 228
6520HD 225
6560HD 222
6565HD 222
6565SLHD 231
6568HD 222
6570HD 227
6570SLHD 231
6572HD 225
6578HD 220
6580SLHD 230
6582HD 219
6720HDXCSL 230
6720HDXESL 230
6720HDXGSL 230
6720HDXJSL 230
6720HDXKSL 230
6720HDXNSL 230
6720HDXRSL 230
6720SLHD 230
704HD 227
707HD 226
708HD 227
721HD 226
735HD 226
736HD 226
745HD 226
752HD 227
818SL 236
818XC 232
818XCSL 236
818XE 232
818XESL 236
818XG 232
818XGSL 236
818XJ 232
818XJSL 236
818XK 232
818XKSL 236
818XN 232
818XNSL 236
818XR 232
818XRSL 236
8206XC 233
8206XE 233
8206XG 233
8206XJ 233
8206XK 233
8206XN 233
8206XR 233
828SL 236
829SL 236
8321XC 233
8321XE 233
8321XG 233
8321XJ 233
8321XK 233
8321XN 233
8321XR 233
86184SL 236
86185SL 236
86186SL 236
896XC 235
896XE 235
896XG 235
896XJ 235
896XK 235
896XN 235
896XR 235
916SL 228
926HD 220
930HD 224
930SLHD 230
956SLHD 229
959HD 219
959HDXC 219
959HDXCSL 230
959HDXE 219
959HDXESL 230
959HDXG 219
959HDXGSL 230
959HDXJ 219
959HDXJSL 230
959HDXK 219
959HDXKSL 230
959HDXN 219
959HDXNSL 230
959HDXR 219
959HDXRSL 230
959SLHD 230
961HD 219
961HDXC 219
961HDXE 219
961HDXG 219
961HDXJ 219
961HDXK 219
961HDXN 219
961HDXR 219
965HD 218
965SLHD 229
966SLHD 230
967HD 219
967SLHD 230
968HD 218
969HD 228
971SLHD 229
978HD 228
980HD 224
980HDXC 223
980HDXE 223
980HDXG 223
980HDXJ 223
980HDXK 223
980HDXN 223
980HDXR 223
982HD 223
982HDXC 223
982HDXE 223
982HDXG 223
982HDXJ 223
982HDXK 223
982HDXN 223
982HDXR 223
984HD 223
985HD 222
988HD 221
989HD 221
991HD 220
996HD 221
999HD 222
AVRT 237
AXRT 237
BSRT 237
CNRT 237
FWRT 237
KNRT 237
PBRT 237
RSRT 237
SART 237
TS100 235
TS104 233
TS104XC 233
TS104XE 233
TS104XG 233
TS104XJ 233
TS104XK 233
TS104XN 233
TS104XR 233
TS105 233
TS108 232
TS108XC 232
TS108XE 232
TS108XG 232
TS108XJ 232
TS108XK 232
TS108XN 232
TS108XR 232
TS115 233
TS118 232
TS118XC 232
TS118XE 232
TS118XG 232
TS118XJ 232
TS118XK 232
TS118XN 232
TS118XR 232
TS1200 232
TS1201 232
TS1202 232
TS1203 232
TS128 232
TS128XC 232
TS128XE 232
TS128XG 232
TS128XJ 232
TS128XK 232
TS128XN 232
TS128XR 232
TS130 232
TS131 233
TS132 233
TS132SL 236
TS137 233
TS1405SL 236
TS1408 233
TS1411 234
TS198 232
TS206 233
TS206XC 233
TS206XE 233
TS206XG 233
TS206XJ 233
TS206XK 233
TS206XN 233
TS206XR 233
TS210 235
TS210SL 236
TS210XCSL 236
TS210XESL 236
TS210XGSL 236
TS210XJSL 236
TS210XKSL 236
TS210XNSL 236
TS210XRSL 236
TS214 235
TS236 235
TS237 235
TS243 233
TS255 234
TS256 234
TS262 233
TS262XC 233
TS262XE 233
TS262XG 233
TS262XJ 233
TS262XK 233
TS262XN 233
TS262XR 233
TS263 234
TS263SL 236
TS263XC 234
TS263XCSL 236
TS263XE 234
TS263XESL 236
TS263XG 234
TS263XGSL 236
TS263XJ 234
TS263XJSL 236
TS263XK 234
TS263XKSL 236
TS263XN 234
TS263XNSL 236
TS263XR 234
TS263XRSL 236
TS289 234
TS289 234
TS296 235
TS296SL 236
TS296XC 235
TS296XCSL 236
TS296XE 235
TS296XESL 236
TS296XG 235
TS296XGSL 236
TS296XJ 235
TS296XJSL 236
TS296XK 235
TS296XKSL 236
TS296XN 235
TS296XNSL 236
TS296XR 235
TS296XRSL 236
TS572SL 228
TS704 234
TS708 234
TS752 234
100 242
1005HD 242
203HD 242
205HD 242
210HD 242
969HD 242
978HD 242
FCF100 241
FCF160 241
FCF31 240
FCF755 240
FCF808 240
FCF809 240
FCF8100 241
FCF8160 241
FCF862 240
FMF100 241
FMF134 241
FMF205 240
FMF220 240
FMF31 240
FMF60 241
FMF600 241
FMF755 240
FMF8100 241
FMF860 241
SE100 242
SE1005HD 242
SE210HD 242
SE514 242
SE969HD 242
SE978HD 242
SSF100 241
SSF11 241
SSF1100 240
SSF120 240
SSF160 241
SSF200 240
SSF205 240
SSF220 240
SSF31 240
SSF4800 240
SSF600 241
SSF755 240
SSF8100 241
SSF81100 240
SSF8120 240
SSF8160 241
SSF8200 240
SSF8205 240
SSF8220 240
SSF831 240
SSF84800 240
SSF8600 241
SSF93 240
SSF960 240
TS100 242
TS210 242
TS214 242
DRS2131SL 255
DRS82131SL 255
S10AXSL 256
S10CLSL 256
S10PBSL 255
S10XCSL 256
S10XESL 256
S10XGSL 256
S10XJSL 256
S10XKSL 256
S10XNSL 256
S10XRSL 256
S1651SL 255
S1AV 249
S1AX 250
S1BL 248
S1BS 248
S1CL 250
S1LAV 249
S1LAX 250
S1LBL 248
S1LBS 248
S1LCL 250
S1LPB 250
S1LRS 249
S1LSA 249
S1LSG 249
S1LSN 249
S1LXC 250
S1LXE 250
S1LXG 250
S1LXJ 250
S1LXK 250
S1LXN 250
S1LXR 250
S1PB 250
S1RAV 249
S1RAX 250
S1RBL 249
S1RBS 248
S1RCL 250
S1RPB 250
S1RRS 250
S1RS 249
S1RSA 249
S1RSG 249
S1RSN 249
S1RXC 250
S1RXE 250
S1RXG 250
S1RXJ 250
S1RXK 250
S1RXN 250
S1RXR 250
S1SA 249
S1SG 249
S1SN 249
S1XC 250
S1XE 250
S1XG 250
S1XJ 250
S1XK 250
S1XN 250
S1XR 250
S2AX 248
S2CL 248
S2PB 248
S2RS 248
S2SG 248
S2SN 248
S2XC 248
S2XE 248
S2XG 248
S2XJ 248
S2XK 248
S2XN 248

Continues on next page.

Pulse *Continued*

S2XR 248
S4570SL 255
S4AX 252
S4AXSL 256
S4CL 253
S4CLSL 256
S4LAX 252
S4LCL 253
S4LPB 250
S4LXC 253
S4LXE 253
S4LXG 253
S4LXJ 253
S4LXK 253
S4LXN 253
S4LXR 253
S4PB 250
S4PBSL 255
S4RAX 252
S4RCL 253
S4RPB 250
S4RXC 253
S4RXE 253
S4RXG 253
S4RXJ 253
S4RXK 253
S4RXN 253
S4RXR 253
S4XC 253
S4XCSL 256
S4XE 253
S4XESL 256
S4XG 253
S4XGSL 256
S4XJ 253
S4XJSL 256
S4XK 253
S4XKSL 256
S4XN 253
S4XNSL 256
S4XR 253
S4XRSL 256
S572SL 255
S5AX 252
S5AXSL 256
S5CL 253
S5CLSL 256
S5LAX 252
S5LCL 253
S5LPB 250
S5LXC 253
S5LXE 253
S5LXG 253
S5LXJ 253
S5LXK 253
S5LXN 253
S5LXR 253
S5PB 251
S5PBSL 255
S5RAX 252
S5RCL 253
S5RPB 251
S5RXC 253
S5RXE 253
S5RXG 253
S5RXJ 253
S5RXK 253
S5RXN 253
S5RXR 253
S5XC 253
S5XCSL 256
S5XE 253
S5XESL 256
S5XG 253
S5XGSL 256
S5XJ 253
S5XJSL 256
S5XK 253
S5XKSL 256
S5XN 253
S5XNSL 256
S5XR 253
S5XRSL 256
S601SL 255
S601XCSL 255
S601XESL 255
S601XGSL 255
S601XJSL 255
S601XKSL 255
S601XNSL 255
S601XRSL 255
S602SL 255
S604SL 255
S6127SL 255
S6130SL 255
S6134SL 255
S6500SL 255
S81086SL 255
S81086XCSL 255
S81086XESL 255
S81086XGSL 255
S81086XJSL 255
S81086XKSL 255
S81086XNSL 255
S81086XRSL 255
S810AX 253
S810AXSL 256
S810CL 254
S810CLSL 256
S810LAX 253
S810LCL 254
S810LPB 251
S810LXC 254
S810LXE 254
S810LXG 254
S810LXJ 254
S810LXK 254
S810LXN 254
S810LXR 254
S810PB 251
S810PBSL 255
S810RAX 253
S810RCL 254
S810RPB 251
S810RXC 254
S810RXE 254
S810RXG 254
S810RXJ 254
S810RXK 254
S810RXN 254
S810RXR 254
S810XC 254
S810XCSL 256
S810XE 254
S810XESL 256
S810XG 254
S810XGSL 256
S810XJ 254
S810XJSL 256
S810XK 254
S810XKSL 256
S810XN 254
S810XNSL 256
S810XR 254
S810XRSL 256
S811AX 253
S811AXSL 256
S811CL 254
S811CLSL 256
S811LAX 253
S811LCL 254
S811LPB 251
S811LXC 254
S811LXE 254
S811LXG 254
S811LXJ 254
S811LXK 254
S811LXN 254
S811LXR 254
S811PB 251
S811PBSL 255
S811RAX 253
S811RCL 254
S811RPB 251
S811RXC 254
S811RXE 254
S811RXG 254
S811RXJ 254
S811RXK 254
S811RXN 254
S811RXR 254
S811XC 254
S811XCSL 256
S811XE 254
S811XESL 256
S811XG 254
S811XGSL 256
S811XJ 254
S811XJSL 256
S811XK 254
S811XKSL 256
S811XN 254
S811XNSL 256
S811XR 254
S811XRSL 256
S81651SL 255
S81AX 250
S81BL 248
S81BS 248
S81CL 250
S81LAX 250
S81LBL 248
S81LBS 248
S81LCL 250
S81LPB 250
S81LRS 249
S81LSA 249
S81LSG 249
S81LXC 250
S81LXE 250
S81LXG 250
S81LXJ 250
S81LXK 250
S81LXN 250
S81LXR 250
S81PB 250
S81RAX 250
S81RBL 249
S81RBS 248
S81RCL 250
S81RPB 250
S81RRS 250
S81RS 249
S81RSA 249
S81RSG 249
S81RXC 250
S81RXE 250
S81RXG 250
S81RXJ 250
S81RXK 250
S81RXN 250
S81RXR 250
S81SA 249
S81SG 249
S81XC 250
S81XE 250
S81XG 250
S81XJ 250
S81XK 250
S81XN 250
S81XR 250
S83AX 248
S83CL 248
S83PB 248
S83RS 248
S83SG 248
S83SN 248
S83XC 248
S83XE 248
S83XG 248
S83XJ 248
S83XK 248
S83XN 248
S83XR 248
S84586SL 255
S84AX 252
S84AXSL 256
S84CL 253
S84CLSL 256
S84LAX 252
S84LCL 253
S84LPB 250
S84LXC 253
S84LXE 253
S84LXG 253
S84LXJ 253
S84LXK 253
S84LXN 253
S84LXR 253
S84PB 250
S84PBSL 255
S84RAX 252
S84RCL 253
S84RPB 250
S84RXC 253
S84RXE 253
S84RXG 253
S84RXJ 253
S84RXK 253
S84RXN 253
S84RXR 253
S84XC 253
S84XCSL 256
S84XE 253
S84XESL 256
S84XG 253
S84XGSL 256
S84XJ 253
S84XJSL 256
S84XK 253
S84XKSL 256
S84XN 253
S84XNSL 256
S84XR 253
S84XRSL 256
S8572SL 255
S85927SL 255
S85931SL 255
S85932SL 255
S85AX 252
S85AXSL 256
S85CL 253
S85CLSL 256
S85LAX 252
S85LCL 253
S85LPB 250
S85LXC 253
S85LXE 253
S85LXG 253
S85LXJ 253
S85LXK 253
S85LXN 253
S85LXR 253
S85PB 251
S85PBSL 255
S85RAX 252
S85RCL 253
S85RPB 251
S85RXC 253
S85RXE 253
S85RXG 253
S85RXJ 253
S85RXK 253
S85RXN 253
S85RXR 253
S85XC 253
S85XCSL 256
S85XE 253
S85XESL 256
S85XG 253
S85XGSL 256
S85XJ 253
S85XJSL 256
S85XK 253
S85XKSL 256
S85XN 253
S85XNSL 256
S85XR 253
S85XRSL 256
S86500SL 255
S86AX 252
S86AXSL 255
S86CL 253
S86CLSL 256
S86LAX 252
S86LCL 253
S86LPB 251
S86LXC 253
S86LXE 253
S86LXG 253
S86LXJ 253
S86LXK 253
S86LXN 253
S86LXR 253
S86PB 251
S86PBSL 255
S86RAX 252
S86RCL 253
S86RPB 251
S86RXC 253
S86RXE 253
S86RXG 253
S86RXJ 253
S86RXK 253
S86RXN 253
S86RXR 253
S86XC 253
S86XCSL 256
S86XE 253
S86XESL 256
S86XG 253
S86XGSL 256
S86XJ 253
S86XJSL 256
S86XK 253
S86XKSL 256
S86XN 253
S86XNSL 256
S86XR 253
S86XRSL 256
S8AX 252
S8CL 254
S8LAX 252
S8LCL 254
S8LPB 251
S8LXC 254
S8LXE 254
S8LXG 254
S8LXJ 254
S8LXK 254
S8LXN 254
S8LXR 254
S8PB 251
S8RAX 252
S8RCL 254
S8RPB 251
S8RXC 254
S8RXE 254
S8RXG 254
S8RXJ 254
S8RXK 254
S8RXN 254
S8RXR 254
S8XC 254
S8XE 254
S8XG 254
S8XJ 254
S8XK 254
S8XN 254
S8XR 254
S9AX 252
S9AXSL 256
S9CL 254
S9CLSL 256
S9LAX 252
S9LCL 254
S9LPB 251
S9LXC 254
S9LXE 254
S9LXG 254
S9LXJ 254
S9LXK 254
S9LXN 254
S9LXR 254
S9PB 251
S9PBSL 255
S9RAX 252
S9RCL 254
S9RPB 251
S9RXC 254
S9RXE 254
S9RXG 254
S9RXJ 254
S9RXK 254
S9RXN 254
S9RXR 254
S9XC 254
S9XCSL 256
S9XE 254
S9XESL 256
S9XG 254
S9XGSL 256
S9XJ 254
S9XJSL 256
S9XK 254
S9XKSL 256
S9XN 254
S9XNSL 256
S9XR 254
S9XRSL 256

Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles. **homestyles.thermatru.com.**



Education Center

Learn from the experts in fiberglass doors and test your door IQ on a variety of topics at **thermatru.com/learning.**



Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru – the expert in fiberglass door systems – and OSI® – the expert in construction sealants. Get started today at **thermatru.com/installer.**

THERMA-TRU DOORS CERTIFIED DOOR SYSTEM INSTALLER PROGRAM

DoorWays™ App

The power to create the perfect entrance is at your fingertips – it's easier than ever to design and visualize entrances at **thermatru.com/doorways.**

Download on the App Store

GET IT ON Google Play

Consumers Digest Best Buy

Order free, ready-to-use promotional materials to promote Classic Craft and Fiber-Classic in your showroom at **thermatru.com/consumersdigest.**





Trade Professionals Online

Find everything from selling tools and training materials to technical information at **thermatru.com/professionals.**



Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play and the Google Play logo are trademarks of Google LLC.



THERMA-TRU® DOORS

Where Home Begins™

thermatru.com
1-800-THERMA-TRU (843-7628)
1750 Indian Wood Circle
Maumee, OH 43537

#thermatru

Cover: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8306CAL, CCM8306CAR, Finish – Bark
Top: Classic Craft Walnut Grain Doors – CCW902R, CCW902L, Finish – Barley

©2021 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. The Best Buy Seal and other licensed materials are registered certification marks and trademarks of Consumers Digest Communications, LLC, used under license. For award information, visit ConsumersDigest.com. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.

Part #MAFL2021 HESB / JAN 2021