



DOORS • DECORATIVE & SPECIALTY GLASS • FINISHING • SYSTEM COMPONENTS

THERMA-TRU®
DOORS

thermatru.com

1-800-THERMA-TRU (843-7628)
1 Horizon Way
Deerfield, IL 60015



#thermatru



Cover / Back Cover: Classic Craft Mahogany Grain
Flush-Glazed 3/4-Lite, Clear Glass with SDLs,
Door - CCM2806-SDLF6LE, Finish - Barley

©2026 Therma-Tru Corp. All rights reserved. All trademarks and images featured are owned by their respective company and used with permission. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. and Larson Manufacturing Company, LLC are part of Fortune Brands Innovations, Inc. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.

Part #MAFL2026 SHERIDAN / JAN 2026 O25-39280

THERMA-TRU®

FIBERGLASS & STEEL CATALOG

THERMA-TRU®
DOORS

FIBERGLASS & STEEL CATALOG



MANIFEST YOUR OUTER HOME



Manifest your outer home.

America's #1 fiberglass entry door.¹

Thanks to decades of material science expertise, Therma-Tru doors are made from super-natural, better-than-nature materials proven to outlast and outperform wood and steel and assembled in America.

Therma-Tru doors seamlessly blend beauty and durability to add incredible value and stunning curb appeal. They're designed to enhance your home's aesthetic and character, and keep their allure season after season. Choosing a Therma-Tru door means designing an inspired entrance with the confidence that it will perform for years to come.

TABLE OF CONTENTS

- 2 Introduction
- 30 Patio, Storm & Vent
- 36 Classic Craft
- 100 Fiber-Classic & Smooth-Star
- 115 Flush-Glazed Designs
- 208 Steel
- 232 Fire Doors
- 236 Pulse
- 250 Finish Options
- 257 Door System Components
- 272 Special Quote Program
- 273 3'6" Width Options Chart
- 274 7'0" & 6'6" Height Options Charts
- 276 Product Details
- 278 Index
- 291 Trade Resources

¹Based on 2024 market data.

America's #1 fiberglass entry door.¹ Proudly assembled in America.

Therma-Tru offers the #1 fiberglass entry door¹ on the market, assembled right here in America. As your trusted domestic partner, we're committed to providing the right door for every project, supported by best-in-class lead times.

PROUDLY LOCAL

A DOMESTIC PARTNER YOU
CAN COUNT ON

Our domestic supply chain allows us to deliver consistent products and offer best-in-class lead times. When combined with our nationwide network of fabricators, distributors and local support specialists, Therma-Tru helps keep your projects on track.



COMPLETE SOLUTIONS

THE RIGHT DOOR FOR
ANY PROJECT, BACKED BY
DECades OF EXPERTISE


We have the doors your customers want — versatile, on-trend styles rooted in American craftsmanship — and the tools you need to find the perfect fit for your project.



PROVEN PERFORMANCE

CONFIDENCE IN EVERY DOOR, IN EVERY REGION

Built on reliability and backed by comprehensive warranties, our product portfolio is tested beyond the strictest national standards for total compliance.



The only door you'll ever need.™

PROVEN TO PERFORM, PROTECT AND PRESERVE

A Therma-Tru® complete door system is the culmination of more than 60 years of expertise in material science, engineering and manufacturing. We design on-trend entryways and test them against extreme environmental conditions — far beyond industry standards — to ensure maximum durability and safety. Our complete door systems are proudly Assembled in America and backed with comprehensive, industry-leading warranties.



PERFORM

PROTECT

PRESERVE

Since we manufacture or specify every part of our complete door system, we can test every part — ensuring that each component meets our highest standards, and yours. A Therma-Tru door system **provides unmatched performance** when it matters most — for exceptional protection against water infiltration, improved energy efficiency and unparalleled durability.

1 FLUSH-GLAZED GLASS

Intentional design for exceptional performance — sleek flush-glazed glass provides increased energy efficiency¹ and superior sound dampening.

2 BALL-BEARING HINGES

Our ball-bearing hinges have been slam-tested to sustain daily use by a family of four for **more than 150 years**.

3 WEATHERSTRIPPING

Provides two points of contact and a form-fitting barrier for extra protection against leaks.


4 PRESSURE-INJECTED FOAM CORE

Our fiberglass doors feature a pressure-injected foam core that offers **4X more insulation** than a wood door.²

5 SILL, SWEEP & CORNER PADS

When the door is closed, an enhanced seal provides elevated protection against water infiltration.

6 SILL PAN



¹Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

²Comparison of R-values of fiberglass to wood doors (both without glass).

Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Homeowners want to be confident that their home is safe and secure — offer a door system that delivers continuous protection against forced entry, **providing invaluable peace of mind**.

1 COMPOSITE DOOR FRAME

Our rot-free composite door frame is **50% stronger** at resisting forced entry than wood.¹

2 MULTI-POINT LOCKING SYSTEM

Engages the door frame at the top, middle and bottom, providing continuous protection along the door edge for enhanced security vs. a traditional deadbolt.

3 FIBERGLASS DOORS

Fiberglass entry doors are tough, providing **30% more protection** against forced entry than steel.²



Learn more about a Therma-Tru complete door system.

A Therma-Tru entryway offers **exceptional beauty that withstands the test of time**. From our industry-first fiberglass — made from a proprietary blend of advanced materials — to our innovative PrismaGuard finish, our door systems are built to last.

1 FLUSH-GLAZED GLASS

Choose beautiful glass built directly into the door, protected by a comprehensive warranty that covers accidental glass breakage during construction or installation.



2 PRE-FINISHED PRISMAGUARD® DOORS

Today's homeowners expect perfection — PrismaGuard offers an **impeccable, factory-applied finish** that meets the toughest expectations.

3 FIBERGLASS DOORS

A durable fiberglass skin resists dents and dings, providing unsurpassed beauty for a lifetime.

Tru-Defense: The Ultimate Protection

A Therma-Tru® door system with Tru-Defense system components provides enhanced protection against water infiltration backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider. With a Tru-Defense system, you are eligible for a reimbursement of up to \$2,500 should an issue arise.¹




DOUBLE YOUR PEACE OF MIND

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility.²

Look for the  icon.

How to choose a Tru-Defense® system:

1 SELECT ANY THERMA-TRU FIBERGLASS DOOR SLAB



2 CHOOSE YOUR COMPONENTS

Door Frame	Bottom Sweep (Inswing Only)	Corner Seal Pads (Inswing Only)	Astragal (Double Doors)
Composite Adjustable Sill	Hinges (Any)	Weatherstrip (Any)	Rain Guard (Outswing Only)

3 ADD ANY RECOMMENDED COMPONENTS FOR ENHANCED PROTECTION

Multi-Point Locking System
(MPLS)

Sill Pan

Tru-Defense Warranty Rider

LEVELS OF REIMBURSEMENT		
System Includes	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan) ³	\$250	\$500
Latch & Deadbolt with Sill Pan ³	\$500	\$1,000
MPLS (No Sill Pan)	\$1,000	\$2,000
MPLS with Sill Pan	\$1,250	\$2,500

¹If water infiltrates solely as a result of non-conformities in the Tru-Defense door system.

²The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.

³Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.

DID YOU KNOW?



On average, a home is burglarized in the U.S. every 4 minutes.¹



More than half of home burglaries occur during the daytime.¹

THERMA-TRU® COMPOSITE DOOR FRAME

Our rot-free composite door frame is 50% stronger at resisting forced entry than wood.²

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.



Scan to see our products put to the test.



Therma-Tru Wood Jamb

Therma-Tru Composite Jamb




THERMA-TRU FIBERGLASS DOOR SLAB

Up to 30% more resistant to kick-ins than standard steel doors.³
Features durable construction that can withstand impact by absorbing and deflecting the force.³

- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- Fiberglass will not dent or rust, nor will it warp, split, crack or rot.

THERMA-TRU GLASS


- Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.



MATERIAL MYTHS

Think steel is stronger? Think again.

- While many people assume steel doors are the most secure against forced entry, Therma-Tru fiberglass doors are up to 30% more resistant to kick-ins than standard steel doors.²
- Standard steel doors can dent and bow, which leads more quickly to product failure. Therma-Tru fiberglass doors feature durable construction that can withstand impact by absorbing and deflecting the force.²
- Wood doors and steel doors may weaken over time with exposure to the elements.




Pendulum Impact Test

¹Source: FBI Crime Data Explorer.

²Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

³Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.

Energy-Efficient Options for Every Home



Therma-Tru has options to meet ENERGY STAR® requirements in all 50 states.


ENERGY STAR provides simple, credible and unbiased information that homeowners rely on to make well-informed decisions.

Products that earn the ENERGY STAR label are independently certified to meet strict standards for energy efficiency set by the U.S. Environmental Protection Agency (EPA).


Year-round comfort, no matter the weather.

Factory-coated Low-E glass features a thin layer that reflects infrared and ultraviolet (UV) light, helping deliver exceptional energy efficiency.

Select flush-glazed full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements indicated in gold starting on page 117.



In cold weather, Low-E glass reflects a home's heat back inside to help keep the home warm.



In warm weather, Low-E glass reflects the sun's rays off the glass and a home's air conditioning back inside to help keep the home cool.



Scan to view qualifying products.

Advanta® Lite Frame for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse®.



Four-piece design includes two interchangeable frame covers and a two-piece base frame.

ADVANTA
LITE FRAME

Advanta lite frame clear and privacy glass includes options that meet ENERGY STAR® requirements in all 50 states, featuring triple-pane construction with a Low-E coating.

A new frame of mind.


Achieve a seamless look with the Advanta lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.

Available in scrolled and flat frame options for Fiber-Classic and Smooth-Star, starting on page 130; Profiles and Traditions, starting on page 213; and Pulse, starting on page 240.

AVAILABLE ENERGY STAR®-CERTIFIED GLASS OPTIONS



Reeded (XK)



Satin Etch (XE)



Chord (XC)



Chinchilla (XJ)



Rainglass (XR)



Granite (XN)



Low-E

LIFETIME
LIMITED WARRANTY

Fiber-Classic,
Smooth-Star, Pulse
Fiberglass

10 YEAR
LIMITED WARRANTY


Profiles, Traditions,
Pulse Steel

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, and limited warranties and exclusions.

NEW

3/4-Lite Flush-Glazed Shaker-Style Doors and Sidelites

FOR FIBER-CLASSIC® AND SMOOTH-STAR® DOORS



Discover the full portfolio of Fiber-Classic and Smooth-Star Shaker-style doors and sidelites—crafted to complement nearly every home style.

Capture the beautiful simplicity of Shaker style with 3/4-lite 1-panel doors and sidelites with flush-glazed glass. Available with privacy and textured, energy-efficient Low-E glass and divided lite styles.


Fiber-Classic® and Smooth-Star® doors set the standard for beauty, quality and performance.

AVAILABLE DOORS AND SIDELITES



S7500*
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM7500*
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S7500SL
12" x 6'8"
14" x 6'8"

FCM7500SL
12" x 6'8"
14" x 6'8"



S87500*
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM87500*
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Elevated 10" Bottom Rail
*Can be used with full lite sidelites.

TRU-ADVANTAGES

- On-Trend Styles:** These doors are thoughtfully designed to coordinate with a variety of architectural and decorative elements, including Craftsman, Coastal and other popular design influences.
- Advanced Protection:** Composite edge stiles with Tru-Guard® composite technology work together with composite top and bottom rails and durable fiberglass door skins for extra protection from water absorption, rot, mold and wood-ingesting insects on all six sides of the door.
- Low Maintenance:** Durable, long-lasting fiberglass skins won't warp, rot, dent or rust, and require very little maintenance.

AVAILABLE GLASS SHAPES AND SDL PATTERNS



FLAT-PROFILE SDL BARS


Smooth
(28.6 mm / 1.125 in.)



Grained
(28.6 mm / 1.125 in.)



AVAILABLE GLASS OPTIONS



Satin Etch (XE)



Chord (XC)



Rainglass (XR)



Chinchilla (XJ)



Granite (XN)



Low-E

Open to possibilities.

Veris embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.

VERIS[™]




Pivot Doors



Hinged Doors



Folding Doors



Sliding Doors



NEW MODERN GRAIN

Designed to harmonize with your home and enhance your way of living, new Veris[™] Modern Grain entryway systems blend the best of both worlds — sleek glass and aluminum with warm, true-to-wood Walnut-grained fiberglass panels.




Experience Veris.



Scan the QR code
to view the complete
Veris catalog.

Explore options and see it in your home
with our visualizer at veriscollection.com.

Together, let's make a world of difference.



We're doing our part to build a better world, every chance we get. Therma-Tru® Thrive is our commitment to make safe and sustainable products, support the communities where we live and work, and leave a positive, lasting impact on the environment.

HELPING TAKE CARE OF OUR PLANET

Across all our facilities, we're finding innovative ways to reuse waste materials and expand our recycling efforts.

5+ years on the leading edge of the industry, **reducing harmful chemicals** from our PrismaGuard® paints and stains.

Therma-Tru is proud to be **recognized as the 2025 Brand Leader**² by *Green Builder* magazine for offering durable, well-insulated products.

Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of **Yellowstone National Park**.

BEING A GOOD NEIGHBOR

For over 40 years, we've been proud to partner with 100+ local and national organizations to make a positive impact on the places we all call home.

Building homes for those in need with Habitat for Humanity.

Providing entryways for our nation's wounded vets with Jared Allen's Homes for Wounded Warriors.

Hosting blood and donation drives to support the American Red Cross.

Awards

Veris entryway systems have been recognized by *Green Builder* as a cutting-edge solution that enhances energy efficiency, resilience and sustainability in homes; and by *Architizer* for quality, performance and design impact.


Veris Modern Grain entryway systems received recognition as a winner of the 2025 Product Innovation Awards, published by *Architectural Products*, for outstanding innovation.



We are proud to be an official corporate partner of Yellowstone Forever's sustainability initiative to help ensure that Yellowstone National Park remains for generations. We're proud to provide fiberglass entryways for Yellowstone Park employee housing.

Where style meets serenity.

Today's design trends invite you to create a relaxing retreat that reflects your home's unique style. Whether you're drawn to nostalgic charm, timeless elegance or laid-back luxury, we offer the products that will help turn your home into a haven.



MODERN HARMONY NOSTALGIC | INDUSTRIAL | ORGANIC

Retro styles meet nature-inspired influences as Modern homes lean into lighter hues, warm wood grains and mixed textures.

FEATURED PRODUCTS:

Classic Craft Walnut Grain Door - CCW8905; Low-E Glass Direct Set Sidelite, Finish - Rustic Clay



BALANCED BLEND CRAFTED | TEXTURAL | WELCOMING

The new Casual aesthetic features trend-forward colors and finishes in perfect harmony with elevated-but-comfortable details like vertical textures and eased edges.

FEATURED PRODUCTS:

Smooth-Star Flush-Glazed Door - S82103; Clear Glass with SDLs, Finish - Onyx



WELL TAILORED DECORATIVE | TRANSITIONAL | REFINED

Traditional homes blend European-inspired elements with tailored details, including mixed wood grains and a moody color palette, for a fresh take on Old World style.

FEATURED PRODUCTS:

Classic Craft Mahogany Grain Door - CCM8306CAL, CCM8306CAR; Low-E Glass with SDLs, Finish - Driftwood



Door Selections

Choose from our many door selections to complement the architectural style of the home from the front entry to the back patio. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

The Classic Craft® Series

Pages 36–95

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.



Fir Grain



Walnut Grain



Mahogany Grain



Canvas



Fiber-Classic® & Smooth-Star® Collections

Pages

100–201

The industry's first fiberglass door delivers the look and feel of real wood grains — or a smooth, paintable surface — with excellent performance and value.



Mahogany Collection™



Oak Collection™



Smooth-Star®



Steel

Pages 208–231

Bring style and affordability together to create very attractive results with our steel doors.



Door & Glass



Door




Glass



Profiles™




Traditions



Ari



Línea



Echo

Pulse®

Pages 236–249

A contemporary series of door styles and glass designs that can be combined to make a bold statement.



Fiberglass



Steel

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.


Left Page: Classic Craft Walnut Grain Door – CCW8902L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Lynx

Glass Options

DECORATIVE & SPECIALTY GLASS

A Therma-Tru® door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Numerous glass colors, textures, shapes and caming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.



Note: See your Therma-Tru seller or visit thermatru.com for details on ENERGY STAR qualified products.



TRIPLE-PANE CONSTRUCTION

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.

PRIVACY & TEXTURED GLASS

Therma-Tru doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse® doors and sidelites.

Glass Privacy Rating Scale

Glass privacy ratings are measured on a scale of 1 to 10, with 1 being clear and 10 being the most opaque, private option.

1 2 3 4 5 6 7 8 9 10

Clear

Opaque



INTERNAL BLINDS

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Available options include Low-E glass for energy efficiency, flush-glazed designs and Impact-rated options.

Available in Fiber-Classic®, Smooth-Star®, Profiles™ and Traditions doors and sidelites.



LOW-E GLASS

Factory-coated Low-E glass features a thin layer that reflects infrared and ultraviolet (UV) light, helping deliver exceptional energy efficiency.

Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the  icon.

DIVIDED LITES

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices.


- Coordinate with the home's window patterns and architectural details for a cohesive look and increased curb appeal.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.

Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles and Traditions.

Flush-Glazed Glass

for Classic Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, flush-glazed glass is perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the (💧) icons.



STRENGTH IS BUILT IN

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.



DURABLE BY DESIGN

Intentional design for exceptional performance — sleek flush-glazed glass provides increased energy efficiency¹ and superior sound dampening.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.¹



Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).² (ASTM-E330)

¹Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

²Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Check product approvals before purchasing. Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Riders.

Left Page Top Left: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors - CCA82320XE, Finish - Raven


Left Page Bottom: Smooth-Star, Internal Blinds, Doors - S2600

Right Page: Smooth-Star, Granite Glass with SDLs, Door - S83400XN, Sidelites - S85225XNSL, Finish - Peregrine

Flush-Glazed Warranty Riders

for Construction & Installation, and Homeowners. See page 115 for details.

Tough when you need it. Beautiful always.



High-Power Testing

Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.


Impact-Rated Products

Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

1 Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.¹

2 Use the icons to find available Therma-Tru® product options in this catalog.



WBDR / HVHZ Options: Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.¹

4 Make sure the product is installed in compliance with the product approval to meet building codes.


The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

¹Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed. Note: See your Therma-Tru seller or visit thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.



IMPACT OPTIONS

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.¹



Doors

Feature a built-in 24-gauge steel plate.



Lip-Lite Frame

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



Flush-Glazed Glass

Offers clean style and an increased daylight opening.



Glass

Features special laminated glass construction.



Internal Blinds

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile.

OTHER CONSIDERATIONS

Fire Doors

See pages 232–235.

Noise Reduction Doors

See page 197.

E Elevated 10" Bottom Rail

Look for the (E) symbol.

Hinged Patio Door Systems


Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns and let fresh air into the home.



A Therma-Tru patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Interior view of door.



VENTED SIDELITES

Enjoy the view — and a fresh breeze, too.

8 Multi-Point Locking System (Included)

9 Removable Screens

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the (●) symbol.

Available Configurations



Single Door with
Vented Sidelites
(Inswing Only)




Double Doors with
Vented Sidelites (Inswing Only)

PATIO TRANSOMS


Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for door systems with a mullion.



19250T




19050T

Classic Craft, starting on page 96.

Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 202.

Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, they have been quality tested for compatibility with Therma-Tru® entry door systems.



Face mount installation allows for an easier install while providing a full pass-through space without an intrusive cassette or track.

EZ-Glide System enables smooth screen retraction and extension without slamming.

Fiberglass screen mesh fully retracts when not in use.

One-hand operation with a secure and ergonomic latch / lock handle.

Rust-proof aluminum housing and track for strength and beauty.

Quick-Snap Track adjusts to required length in seconds — no cutting required.¹

Universal sill plate designed for simple and secure fit.

¹Adjusts quickly for 32"-36" doors. If less than 32", a hacksaw is required for one cut to each track.

²Based on average DIY skills and standard door application, widths 32"-36".


³Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.




AVAILABLE SIZES

(Available for most inswing units.)



Single Door System
Widths: 32"-36"
Heights: 6'6", 6'8", 8'0"



French Door System
Widths: 68"-73"
Heights: 6'6", 6'8", 8'0"



Installation is quick and easy, taking approximately 30 minutes.²

AVAILABLE COLOR OPTIONS

Coordinates with exterior trim.³



White




Brown



Black

AVAILABLE CONFIGURATIONS



WARRANTY COVERAGE

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.



When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.



See your Therma-Tru seller for details on product availability and ordering.

Classic Craft®

An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Bottom: Classic Craft Mahogany Grain, Borrassa Glass, Door – CCM81519

Right Page: Classic Craft Mahogany Grain, Clear Glass with SDLs, Doors – CCM8306CAL, CCM8306CAR





Comprehensive warranties for peace of mind.

LIFETIME LIMITED WARRANTY

Classic Craft
Transferable

10 YEAR LIMITED WARRANTY

Classic Craft Finish
Transferable

Uniquely designed by Therma-Tru, Classic Craft® complete entryway systems are backed by an industry-leading lifetime limited warranty that can be transferred one time to a new owner, should you ever sell your home.

In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard® premium stain or paint are backed by a transferable 10-year limited finish warranty — Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our warranties at thermatru.com/warranty.

Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.



Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft® premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



¹Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit thermatru.com for details.

²Comparison of R-Values of fiberglass to wood doors (both without glass).



True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.



FIR GRAIN

Designed to echo the grain of the largest species of American Hemlocks — the Western Hemlock tree — found in lush coastal rainforests of the Pacific Northwest.




WALNUT GRAIN

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.



MAHOGANY GRAIN

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.



CANVAS

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.



AccuGrain.
TECHNOLOGY




Decorative & Specialty Glass Designs

Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive **1** clear bevels, **2** seeded glass and **3** gray antique glass. An ideal complement for a Transitional home design.

GLASS SHAPES



GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

Augustine®

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and **1** granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

GLASS SHAPES




Corresponding sidelites feature Granite glass without wrought iron.

GLASS PRIVACY RATING



Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 69 to see an example on a home.




Wrought Iron

Arborwatch®

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines **1** narrow reeded glass, **2** M seeded glass, **3** waterglass and caming in a symmetrical arrangement accented by **4** pale amber glass, **5** amber antique glass and **6** clear bevels.

GLASS SHAPES



GLASS PRIVACY RATING



Note: The use of pale amber and amber antique glass varies based on glass size. Refer to the image on page 52 to see an example on a home.



Black Nickel



Brushed Nickel

Borrassa®

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with **1** hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

GLASS SHAPES



Corresponding sidelites feature Hammered glass without wrought iron.

GLASS PRIVACY RATING



Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 36 to see an example on a home.



Wrought Iron

Decorative & Specialty Glass Designs

Continued


Provincial™

A unique diamond-based motif features **1** double waterglass, **2** clear bevels and caming surrounded by a **3** gray baroque glass border. Provincial captivates with stunning clarity.

GLASS SHAPES



GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

Lucerna®

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of **1** curved, **2** diamond and **3** rectangular bevels surrounded by smooth, swirling **4** barn wood and heavily textured **5** diamond border glass.

GLASS SHAPES



GLASS PRIVACY RATING



Black Nickel



Brushed Nickel


Longford™

The traditional design of Longford integrates a hint of a Celtic knot with **1** seeded glass, **2** clear bevels, **3** granite glass and caming. A timeless design ideal for entries where modest privacy is desired.

GLASS SHAPES



GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

Zaha

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features **1** oceana and **2** seedy glass, **3** clear and **4** multifaceted bevels, and caming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

GLASS SHAPES



GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

Privacy & Textured Glass



Reeded (XK)

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.



GLASS PRIVACY RATING



Satin Etch (XE)

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.



GLASS PRIVACY RATING



Rainglass (XR)

An elegantly fashioned glass, featuring ripples of cascading water.



GLASS PRIVACY RATING



Chord (XC)

A vertical flowing pattern reminiscent of waves on the water.



GLASS PRIVACY RATING



Chinchilla (XJ)

A free-flowing configuration, presenting quiet lines and curves.



GLASS PRIVACY RATING



Granite (XN)

A coarse-grained arrangement with surface detail over the entirety of the glass.




GLASS PRIVACY RATING



Also Available: Low-E Glass



In cold weather, Low-E glass reflects a home's heat back inside to help keep the home warm.



In warm weather, Low-E glass reflects the sun's rays off the glass and a home's air conditioning back inside to help keep the home cool.



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatr.com for details on glass privacy ratings and designs.

Right Page: Classic Craft Fir Grain, Rainglass, Door – CCA210XR, Finish – New Earth



Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the (6) icon.



Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Riders.

Top: Classic Craft Canvas, Low-E Glass with SDLs, Door - CCV960, Sidelites - CCV9020SL, Transom - 19220T, Finish - Cypress
Right Page: Classic Craft Fir Grain, Reeded Glass with SDLs, Door - CCA2320XK, Sidelites - CCA2320XKSL, Finish - Rustic Clay

Flush-Glazed Sticking Profiles

Flush-glazed designs feature a seamless look with simple profile around the glass. Look for the (🔥) and (💧) icons.




Detailed Sticking
Look for the (🔥) icon.



Square Sticking (Fir Grain)
Look for the (💧) icon.



Square Sticking (Mahogany Grain)
Look for the (💧) icon.



Flush-Glazed Warranty Riders

for Construction & Installation, and Homeowners.
See page 115 for details.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft® Fir Grain 4-Block Dentil Shelf



Classic Craft® Fir Grain 4-Block Dentil Shelf¹



Classic Craft® Fir Grain 16-Block Dentil Shelf



Classic Craft® Canvas 4-Block Dentil Shelf



4-Block Dentil Shelf
Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf
Shown on 3'0" x 8'0" door.

Clavos & Strap Hinges


Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



1-1/2" 1-1/4" 1" 1-3/4" 1-1/4" 1"



18"



¹Pairs with 3'6" wide doors.

Full Lites

HOMEWARD™ ◆◆



BORRASSA® X



PROVINCIAL™ ◆◆



Mahogany Grain

Canvas

Key

- ◆ Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Wrought Iron (1W)

ARBORWATCH™ ◆◆




LONGFORD™ ◆◆



AUGUSTINE® X



LUCERNA® X



For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.


Full Lites

Continued

Fir Grain



Mahogany Grain



Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- 3 Simulated Divided Lites (SDLF3)
- 4 Simulated Divided Lites (SDLF4)
- 5 Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

XK = Reeded XJ = Chinchilla
 XE = Satin Etch XR = Rainglass
 XC = Chord XN = Granite



For transoms, see page 94.

Note: Product images show exterior side of door.

*Not available with Reeded (XK) glass.


Note: See page 277 for important product details that may help with your purchase decision.

Full Lites

Continued

PRIVACY & TEXTURED

Fir Grain



Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- 3 Simulated Divided Lites (SDLF3)
- 4 Simulated Divided Lites (SDLF4)
- 5 Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options


Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

XK = Reeded XJ = Chinchilla
 XE = Satin Etch XR = Rainglass
 XC = Chord XN = Granite



LOW-E






For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Classic Craft



LOW-E GLASS Continues on next page.

Full Lites

Continued

LOW-E



Fir Grain

Fir

CCA84920L | CCA84920R
3'0" x 8'0" | 3'0" x 8'0"


Fir

CCA4930 | CCA84930
3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA2340SL | CCA82340SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Fir

CCA2400SL | CCA82400SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Mahogany Grain




Fir

CCA4940 | CCA84940
3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA2400 | CCA82400
3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA2300SL | CCA82300SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Mahogany

CCR30020
3'0" x 6'8"



Mahogany

CCR2025SL
12" x 6'8"
14" x 6'8"



Mahogany

CCR3400SL
12" x 6'8"
14" x 6'8"

Canvas



Fir

CCA2310SL | CCA82310SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Fir

CCA2320SL | CCA82320SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Fir

CCA2330SL | CCA82330SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Canvas

CCV10020
3'0" x 6'8"



Canvas

CCV950SL
12" x 6'8"
14" x 6'8"



Canvas

CCV100SL
12" x 6'8"
14" x 6'8"



For transoms, see page 94.

Note: Product images show exterior side of door.


Note: See page 277 for important product details that may help with your purchase decision.

Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2340, Sidelite – CCA2400SL, Finish – Rustic Clay



Mahogany Grain

Mahogany
CCM2801 | CCM82801
3'0" x 6'8" | 3'0" x 8'0"Mahogany
CCM9923
3'0" x 6'8"Mahogany
CCR9925SL | CCR89925SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"Canvas
CCV9922 | CCV89922
3'0" x 6'8" | 3'0" x 8'0"Mahogany
CCM1495
3'0" x 6'8"Mahogany
CCR3400XNSL | CCR8000XNSL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"Canvas
CCV05027 | CCV805027
3'0" x 6'8" | 3'0" x 8'0"Canvas
CCV100XNSL | CCV8100XNSL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Canvas

Canvas
CCV911SL | CCV8111SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"Mahogany
CCM81418
3'0" x 8'0"Mahogany
CCM1419
3'0" x 6'8"Mahogany
CCR1423SL | CCR81423SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"Mahogany
CCM81519
3'0" x 8'0"Mahogany
CCM1475
3'0" x 6'8"Mahogany
CCM1465
3'0" x 6'8"Mahogany
CCR3400XHSL | CCR8000XHSL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"Canvas
CCV1519 | CCV81519
3'0" x 6'8" | 3'0" x 8'0"

AUGUSTINE®

Canvas
CCV1418 | CCV81418
3'0" x 6'8" | 3'0" x 8'0"Canvas
CCV1423SL | CCV81423SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"Mahogany
CCM805027
3'0" x 8'0"Mahogany
CCM1485
3'0" x 6'8"Canvas
CCV100XHSL | CCV8100XHSL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"Mahogany
CCM892
3'0" x 8'0"Mahogany
CCM203
3'0" x 6'8"Mahogany
CCM303
3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.


Note: See page 277 for important product details that may help with your purchase decision.

3/4 Lites


Continued

Mahogany Grain

LONGFORD™



PROVINCIAL™



ZAHAA®



Classic Craft

Canvas

Key


- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

XK = Reeded XJ = Chinchilla
XE = Satin Etch XR = Rainglass
XC = Chord XN = Granite

LUCERNA®



PRIVACY & TEXTURED



For transoms, see page 94.

Note: Product images show exterior side of door.

*Not available with Chinchilla (XJ) glass.

Note: See page 277 for important product details that may help with your purchase decision.


PRIVACY & TEXTURED GLASS Continues on next page.

3/4 Lites

Continued

Mahogany Grain

PRIVACY & TEXTURED



Canvas

Key

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- ★ Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

XE = Satin Etch XR = Rainglass
XC = Chord XN = Granite
XJ = Chinchilla



Canvas

Canvas

Canvas

Mahogany

Canvas

Canvas

Canvas

LOW-E



Mahogany

Mahogany

Mahogany

For transoms, see page 94.

Note: Product images show exterior side of door.

Right Page: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Door – CCM2806, Finish – Acorn



2/3 Lites

HOMEWARD™

Mahogany Grain



Mahogany
CCR9921
3'0" x 6'8"
3'6" x 8'0"



Mahogany
CCR89921
3'0" x 8'0"
3'6" x 8'0"



Mahogany
CCR9919
3'0" x 6'8"
3'6" x 8'0"



Mahogany
CCR822214
3'0" x 8'0"
3'6" x 8'0"



Canvas
CCV1415
3'0" x 6'8"
3'6" x 8'0"



Canvas
CCV81415
3'0" x 8'0"
3'6" x 8'0"



Mahogany
CCR04027
3'0" x 6'8"
3'6" x 8'0"

Canvas



Mahogany
CCR822218
3'0" x 8'0"
3'6" x 8'0"



Canvas
CCV9919
3'0" x 6'8"
3'6" x 8'0"



Canvas
CCV9918
3'0" x 6'8"
3'6" x 8'0"



Mahogany
CCR20527
3'0" x 6'8"
3'6" x 8'0"



Mahogany
CCR20027
3'0" x 6'8"
3'6" x 8'0"



Mahogany
CCR822227
3'0" x 8'0"
3'6" x 8'0"




Mahogany
CCR04037
3'0" x 6'8"
3'6" x 8'0"

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)

Optional Accessories



Clavos

Strap Hinge



Mahogany
CCR1417
3'0" x 6'8"
3'6" x 8'0"



Mahogany
CCR1415
3'0" x 6'8"
3'6" x 8'0"



Mahogany
CCR1414
3'0" x 6'8"
3'6" x 8'0"

For transoms, see page 94.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Augustine Glass, Door – CCR20527, Finish – New Earth

AUGUSTINE.✗



Mahogany
CCR804027
3'0" x 6'8"
3'6" x 8'0"



AUGUSTINE Continues on next page.

2/3 Lites

Continued

AUGUSTINE. X



Mahogany
CCR20537
3'0" x 6'8"
CCR820537
3'0" x 8'0"
3'6" x 8'0"



Mahogany
CCR20037
3'0" x 6'8"
CCR820037
3'0" x 8'0"



Mahogany
CCR20537A
3'0" x 6'8"
CCR820537A
3'0" x 8'0"
3'6" x 8'0"



Mahogany
CCR1515
3'0" x 6'8"
CCR81515
3'0" x 8'0"



Mahogany
CCR822215
3'0" x 8'0"
CCR1514
3'0" x 6'8"
CCR81514
3'0" x 8'0"
3'6" x 8'0"



Mahogany
CCR1514
3'0" x 6'8"
CCR81514
3'0" x 8'0"
3'6" x 8'0"



Mahogany
CCR1512
3'0" x 6'8"
CCR81512
3'0" x 8'0"
3'6" x 8'0"

Mahogany Grain

Canvas



Mahogany
CCR20037A
3'0" x 6'8"
CCR820037A
3'0" x 8'0"



Canvas
CCV20527
3'0" x 6'8"
CCV820527
3'0" x 8'0"



Canvas
CCV22027
3'0" x 6'8"
CCV822027
3'0" x 8'0"



Mahogany
CCR1511
3'0" x 6'8"
CCR81511
3'0" x 8'0"



Mahogany
CCR1512A
3'0" x 6'8"
CCR81512A
3'0" x 8'0"
3'6" x 8'0"



Mahogany
CCR1511A
3'0" x 6'8"
CCR81511A
3'0" x 8'0"



Canvas
CCV1516
3'0" x 6'8"
CCV81516
3'0" x 8'0"

BORRASSA. X



Canvas
CCV20537
3'0" x 6'8"
CCV820537
3'0" x 8'0"



Mahogany
CCR1518
3'0" x 6'8"
CCR81518
3'0" x 8'0"
3'6" x 8'0"



Mahogany
CCR1516
3'0" x 6'8"
CCR81516
3'0" x 8'0"
3'6" x 8'0"



Canvas
CCV1515
3'0" x 6'8"
CCV81515
3'0" x 8'0"



Canvas
CCV1512
3'0" x 6'8"
CCV81512
3'0" x 8'0"



Mahogany
CCR804028
3'0" x 8'0"



Mahogany
CCR820528
3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

AUGUSTINE. X

Classic Craft

2/3 Lites

Continued

Mahogany Grain




Mahogany	Mahogany	Canvas	Canvas
CCR820028 3'0" x 8'0"	CCR822228 3'0" x 8'0"	CCV820528 3'0" x 8'0"	CCV822028 3'0" x 8'0"

Canvas

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Optional Accessories



Mahogany	Mahogany	Mahogany	Mahogany
CCR04023 3'0" x 6'8"	CCR20523 3'0" x 6'8"	CCR20023 3'0" x 6'8"	CCR820023 3'0" x 8'0"



Mahogany	Canvas	Canvas
CCR822223 3'0" x 8'0"	CCV20523 3'0" x 6'8"	CCV22023 3'0" x 6'8"
CCV820523 3'0" x 8'0"	CCV822023 3'0" x 8'0"	CCV822023 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

PROVINCIAL™

LUCERNA.

Classic Craft



Mahogany	Mahogany	Mahogany	Mahogany
CCR04022 3'0" x 6'8"	CCR80422 3'0" x 8'0" 3'6" x 8'0"	CCR20522 3'0" x 6'8"	CCR820522 3'0" x 8'0" 3'6" x 8'0"
CCR20022 3'0" x 6'8"	CCR820022 3'0" x 8'0"	CCR20022 3'0" x 6'8"	CCR820022 3'0" x 8'0"

LONGFORD™



Mahogany	Mahogany	Mahogany	Mahogany	Mahogany
CCR804032 3'0" x 8'0"	CCR820532 3'0" x 8'0"	CCR820032 3'0" x 8'0"	CCR820532A 3'0" x 8'0"	CCR820032A 3'0" x 8'0"

ZAHIA.



Canvas	Canvas	Canvas	Canvas	Canvas	Mahogany
CCV20522 3'0" x 6'8"	CCV820522 3'0" x 8'0"	CCV22022 3'0" x 6'8"	CCV822022 3'0" x 8'0"	CCV820532 3'0" x 8'0"	CCR1841 3'0" x 6'8"
CCV81841 3'0" x 8'0"	CCV81841 3'0" x 8'0"	CCV81841 3'0" x 8'0"	CCV81841 3'0" x 8'0"	CCV81841 3'0" x 8'0"	CCR1841 3'0" x 6'8"

Note: See page 277 for important product details that may help with your purchase decision.

ZAHIA Continues on next page.

2/3 Lites

Continued

ZAHAA.◆◆

Mahogany Grain



Mahogany
CCR1839 3'0" x 6'8" | CCR81839 3'0" x 8'0"
CCR1838 3'0" x 6'8" | CCR81838 3'0" x 8'0"
CCR822238 3'0" x 8'0"

PRIVACY & TEXTURED



Mahogany
CCR04020* 3'0" x 6'8" | CCR804020* 3'0" x 8'0"
CCR20520* 3'0" x 6'8" | CCR820520* 3'0" x 8'0"
CCR20020* 3'0" x 6'8" | CCR820020* 3'0" x 8'0"
CCR822220* 3'0" x 8'0"

Canvas



Mahogany
CCR81847 3'0" x 8'0" | CCR81846 3'0" x 8'0"
CCR81845 3'0" x 8'0" | CCR81846A 3'0" x 8'0"



Mahogany
CCR804030* 3'0" x 8'0" | CCR820530* 3'0" x 8'0"
CCR820030* 3'0" x 8'0" | CCR820530A* 3'0" x 8'0"
CCV20520* 3'0" x 6'8" | CCV820520* 3'0" x 8'0"

Key

- ◆ Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

XE = Satin Etch XR = Rainglass

XC = Chord XN = Granite

Optional Accessories

◆◆◆◆◆

Clavos



Mahogany
CCR81845A 3'0" x 8'0" | CCV1839 3'0" x 6'8" | CCV81839 3'0" x 8'0"
CCV1838 3'0" x 6'8" | CCV81838 3'0" x 8'0"



Canvas
CCV22020* 3'0" x 6'8" | CCV822020* 3'0" x 8'0"
CCV820530* 3'0" x 8'0"
Mahogany
CCM302L* 3'0" x 6'8" | CCM302R* 3'0" x 6'8"
CCM8302L* 3'0" x 8'0" | CCM8302R* 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

*Not available with Satin Etch (XE) or Rainglass (XR) glass.
Note: See page 277 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED GLASS Continues on next page.

Continued

Mahogany Grain

Key

Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

XE = Satin Etch XR = Rainglass

XC = Chord XN = Granite

PRIVACY & TEXTURED



Mahogany
CCM304L_____ | CCM304R_____
3'0" x 6'8" | 3'0" x 6'8"



Mahogany
CCM8304L_____ | CCM8304R_____
3'0" x 8'0" | 3'0" x 8'0"



Mahogany
CCM305CAL_____ | CCM305CAR_____
3'0" x 6'8" | 3'0" x 6'8"
CCM8305CAL_____ | CCM8305CAR_____
3'0" x 8'0" | 3'0" x 8'0"



Mahogany
CCM306CAL_____ | CCM306CAR_____
3'0" x 6'8" | 3'0" x 6'8"



Mahogany
CCM303L_____ | CCM303R_____
3'0" x 6'8" | 3'0" x 6'8"



Mahogany
CCM8303L_____ | CCM8303R_____
3'0" x 8'0" | 3'0" x 8'0"



Mahogany
CCM8306CAL_____ | CCM8306CAR_____
3'0" x 8'0" | 3'0" x 8'0"
CCR04020_____ | CCR804020_____
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany
CCR20520_____ | CCR820520_____
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany
CCM301CAL_____ | CCM301CAR_____
3'0" x 6'8" | 3'0" x 6'8"



Mahogany
CCM8301CAL_____ | CCM8301CAR_____
3'0" x 8'0" | 3'0" x 8'0"



Mahogany
CCR20020_____ | CCR820020_____
3'0" x 6'8" | 3'0" x 8'0"
CCR822220_____ | CCR804030_____
3'0" x 8'0" | 3'6" x 8'0"
CCR804030_____ | CCR820030_____
3'0" x 8'0" | 3'0" x 8'0"



Mahogany
CCR820030_____ | CCR820030_____
3'0" x 8'0" | 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

2/3 Lites

Continued

LOW-E



Mahogany
CCR820530A
3'0" x 8'0"



Mahogany
CCR820030A
3'0" x 8'0"



Canvas
CCV20520
3'0" x 6'8"
CCV820520
3'0" x 8'0"



Mahogany
CCM8304L
3'0" x 8'0"
CCM8304R
3'0" x 8'0"



Mahogany
CCM303L
3'0" x 6'8"
CCM303R
3'0" x 6'8"



Mahogany
CCM8303L
3'0" x 8'0"
CCM8303R
3'0" x 8'0"

Canvas



Canvas
CCV22020
3'0" x 6'8"
CCV822020
3'0" x 8'0"



Canvas
CCV820530
3'0" x 8'0"



Mahogany
CCM302L
3'0" x 6'8"
CCM302R
3'0" x 6'8"



Mahogany
CCM301CAL
3'0" x 6'8"
CCM301CAR
3'0" x 6'8"



Mahogany
CCM8301CAL
3'0" x 8'0"
CCM8301CAR
3'0" x 8'0"



Mahogany
CCM305CAL
3'0" x 6'8"
CCM305CAR
3'0" x 6'8"



Mahogany
CCM8302L
3'0" x 8'0"
CCM8302R
3'0" x 8'0"



Mahogany
CCM304L
3'0" x 6'8"
CCM304R
3'0" x 6'8"



Mahogany
CCM8305CAL
3'0" x 8'0"
CCM8305CAR
3'0" x 8'0"



Mahogany
CCM306CAL
3'0" x 6'8"
CCM306CAR
3'0" x 6'8"



Mahogany
CCM8306CAL
3'0" x 8'0"
CCM8306CAR
3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

1/2 Lites

HOMEWARD™

Mahogany Grain



Mahogany

CCM9926
3'0" x 6'8"

Canvas

CCV9926
3'0" x 6'8"

ARBORWATCH®

Canvas

PROVINCIAL™



Canvas

CCV06028
3'0" x 6'8"

LONGFORD™



Mahogany

CCM603
3'0" x 6'8"

Canvas

CCV06023
3'0" x 6'8"

LOW-E

For transoms, see page 94.

Note: Product images show exterior side of door.

LUCERNA.◆◆



Mahogany

CCM612
3'0" x 6'8"

Canvas

CCV06022
3'0" x 6'8"

PRIVACY & TEXTURED



Mahogany

CCM600XE
3'0" x 6'8"

Canvas

CCV06020XE
3'0" x 6'8"

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door – CCV9926, Finish – Chestnut

Craftsman

Fir Grain

Fir
CCA231 | CCA8231
3'0" x 6'8" | 3'0" x 8'0"Fir
CCA87132
3'6" x 8'0"Fir
CCA211 | CCA8211
3'0" x 6'8" | 3'0" x 8'0"Fir
CCA9300 | CCA89300
3'0" x 6'8" | 3'0" x 8'0"Fir
CCA87131
3'6" x 8'0"Fir
CCA9100 | CCA89100
3'0" x 6'8" | 3'0" x 8'0"Fir
CCA87111
3'6" x 8'0"

Canvas

Fir
CCA87112
3'6" x 8'0"Fir
CCA3401SL | CCA3501SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"Fir
CCA211SL
12" x 6'8"
14" x 6'8"
Canvas
CCV931
3'0" x 6'8"Fir
CCA1423SL | CCA81423SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"Fir
CCA9100SL
12" x 6'8"
14" x 6'8"
Canvas
CCV4300
3'0" x 6'8"Canvas
CCV4100
3'0" x 6'8"
Canvas
CCV1423SL
12" x 6'8"
14" x 6'8"Canvas
CCV4100SL
12" x 6'8"
14" x 6'8"
Canvas
CCV4100SL
12" x 6'8"
14" x 6'8"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)


Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.


XC = Chord XR = Rainglass
XJ = Chinchilla XN = Granite

Optional Dentil Shelves


Available for all Classic Craft Craftsman-lite doors.




16-Block Dentil Shelf




4-Block Dentil Shelf



4-Block Dentil Shelf
Pairs with 3'6" wide doors.



4-Block Dentil Shelf

Canvas
CCV911
3'0" x 6'8"Canvas
CCV911SL
12" x 6'8"
14" x 6'8"Canvas
CCV9011SL
12" x 6'8"
14" x 6'8"Fir
CCA220_ | CCA8220_
3'0" x 6'8" | 3'0" x 8'0"Fir
CCA87200XR
3'6" x 8'0"Fir
CCA230_ | CCA8230_
3'0" x 6'8" | 3'0" x 8'0"Fir
CCA87300XR
3'6" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Craftsman

Continued

PRIVACY & TEXTURED

Fir Grain



Fir
CCA240_* | CCA8240_*
3'0" x 6'8" | 3'0" x 8'0"



Fir
CCA87400XR
3'6" x 8'0"



Fir
CCA260_* | CCA8260_*
3'0" x 6'8" | 3'0" x 8'0"

Canvas



Fir
CCA87600XR
3'6" x 8'0"



Fir
CCA210_* | CCA8210_*
3'0" x 6'8" | 3'0" x 8'0"



Fir
CCA87100XR
3'6" x 8'0"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.


XE = Satin Etch XR = Rainglass
XC = Chord XN = Granite
XJ = Chinchilla

Optional Dentil Shelves


Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf
Pairs with 3'6" wide doors.



4-Block Dentil Shelf



Fir
CCA3450_SL* | CCA3560_SL*
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Fir
CCA3400_SL* | CCA3500_SL*
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Fir
CCA220_SL* | CCA210_SL*
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Canvas
CCV920_*
3'0" x 6'8"



Canvas
CCV930_*
3'0" x 6'8"



Canvas
CCV940_*
3'0" x 6'8"



Canvas
CCV960_*
3'0" x 6'8"



Canvas
CCV910_*
3'0" x 6'8"

LOW-E



Fir
CCA220 | CCA8220
3'0" x 6'8" | 3'0" x 8'0"



Canvas
CCV950_SL | CCV8950_SL*
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Canvas
CCV100_SL | CCV8100_SL*
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Canvas
CCV920_SL* | CCV910_SL*
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Fir
CCA87200
3'6" x 8'0"



Fir
CCA230 | CCA8230
3'0" x 6'8" | 3'0" x 8'0"



Fir
CCA87300
3'6" x 8'0"



Fir
CCA240 | CCA8240
3'0" x 6'8" | 3'0" x 8'0"

LOW-E GLASS Continues on next page.

*Not available with Satin Etch (XE) glass.

Note: See page 277 for important product details that may help with your purchase decision.

Craftsman

Continued

LOW-E



Fir
CCA87400
3'6" x 8'0"



Fir
CCA260
3'0" x 6'8"
CCA8260
3'0" x 8'0"



Fir
CCA87600
3'6" x 8'0"



Canvas
CCV960
3'0" x 6'8"



Canvas
CCV910
3'0" x 6'8"



Canvas
CCV950SL
12" x 6'8"
14" x 6'8"
CCV8950SL
12" x 8'0"
14" x 8'0"



Canvas
CCV100SL
12" x 6'8"
14" x 6'8"
CCV8100SL
12" x 8'0"
14" x 8'0"



Canvas
CCV9020SL
12" x 6'8"
14" x 6'8"



Canvas
CCV9010SL
12" x 6'8"
14" x 6'8"

Canvas

Key

- Orange Diamond: Flush-Glazed Glass with Detailed Sticking (FG)
- Blue Diamond: Flush-Glazed Glass with Square Sticking (FG)
- Yellow Star: Low-E Glass (LE)
- Brown Flag: Simulated Divided Lites (SDL)

Optional Dentil Shelves


Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf

Pairs with 3'6" wide doors.



4-Block Dentil Shelf




Fir
CCA210
3'0" x 6'8"



Fir
CCA8210
3'0" x 8'0"



Fir
CCA3450SL
12" x 6'8"
14" x 6'8"
CCA3560SL
12" x 8'0"
14" x 8'0"
CCA3400SL
12" x 6'8"
14" x 6'8"
CCA3500SL
12" x 8'0"
14" x 8'0"



Fir
CCA220SL
12" x 6'8"
14" x 6'8"
CCA210SL
12" x 6'8"
14" x 6'8"



Canvas
CCV920
3'0" x 6'8"



Canvas
CCV930
3'0" x 6'8"
CCV940
3'0" x 6'8"



For transoms, see page 94.

Note: Product images show exterior side of door.


Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA3400SL, Finish – Raven

Solid Panels



Fir Grain



Fir

CCA1125
5 6
3'0" x 6'8"

CCA81125
5 6 E
3'0" x 8'0"

Fir

CCA1149
5 6
3'0" x 6'8"

CCA81149
5 6 E
3'0" x 8'0"

Fir

CCA1127
4 6
3'0" x 6'8"

CCA81127
4 6 E
3'0" x 8'0"

Fir



Fir

CCA84925L
5 6 E
3'0" x 8'0"

CCA84925R
5 6 E
3'0" x 8'0"

Fir

CCA4935
5 6
3'0" x 6'8"

CCA84935
5 6 E
3'0" x 8'0"

Fir

CCA4945
5 6
3'0" x 6'8"

CCA84945
5 6 E
3'0" x 8'0"


Fir

CCA1166
5 6
3'0" x 6'8"

CCA81166
5 6 E
3'0" x 8'0"

Fir

Classic Craft



Fir

CCA4905
3 6
3'0" x 6'8"

CCA84905
3 6 E
3'0" x 8'0"

Fir

CCA4915L
3 6
3'0" x 6'8"

CCA4915R
3 6
3'0" x 6'8"

Fir



Fir

CCA1158
3 6
3'0" x 6'8"

CCA81158
3 6 E
3'0" x 8'0"

Fir

CCA1147
5 6
3'0" x 6'8"

CCA81147
5 6 E
3'0" x 8'0"

Fir


CCA2420SL
5 6
12" x 6'8"
14" x 6'8"

CCA82420SL
5 6
12" x 8'0"
14" x 8'0"

Fir

CCA2410SL
5 6
12" x 6'8"
14" x 6'8"

CCA82410SL
5 6
12" x 8'0"
14" x 8'0"



Fir

CCA4915L
3 6 E
3'0" x 8'0"

CCA84915R
3 6 E
3'0" x 8'0"

Fir

CCA4925L
5 6
3'0" x 6'8"

CCA4925R
5 6
3'0" x 6'8"



Fir

CCA1100
5 6
3'0" x 6'8"

CCA81100
5 6 E
3'0" x 8'0"

Fir

CCA1133
4 6
3'0" x 6'8"

CCA81133
4 6 E
3'0" x 8'0"

Fir

CCA1145
4 6
3'0" x 6'8"

CCA81145
4 6 E
3'0" x 8'0"

Fir

CCA1150
3 6
3'0" x 6'8"

CCA81150
3 6 E
3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Solid Panels

Continued



Walnut Grain

Key

- Low-E Glass (LE)
- WBDR Options
- E Elevated 10" Bottom Rail Options

Walnut	
CCW1000	CCW81000
6E	6E
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut	
CCW900L	CCW8900L
6	6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut	
CCW900R	CCW8900R
6	6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut	
CCW902R	CCW8902R
6	6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut	
CCW903	CCW8903
6	6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut	
CCW904L	CCW8904L
6	6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut	
CCW904R	CCW8904R
6	6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut	
CCW901L	CCW8901L
6	6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut	
CCW901R	CCW8901R
6	6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut	
CCW902L	CCW8902L
6	6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut	
CCW905	CCW8905
6E	6E
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut	
CCW906L	CCW8906L
6	6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut	
CCW906R	CCW8906R
6	6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut	
CCW907L	CCW8907L
6	6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'	

Solid Panels

Continued



Mahogany Grain

Mahogany

Mahogany

CCR100
3'0" x 6'8" | CCR8100
3'6" x 6'8"

CCR8100
3'0" x 8'0" | CCM890
3'6" x 8'0"

CCR8222
6
3'0" x 8'0" | 3'6" x 8'0"



Mahogany

Mahogany

Mahogany

Mahogany



Canvas

Mahogany

Mahogany

CCR100R
3'0" x 6'8" | CCR8100R
3'6" x 6'8"

CCR8005A
3'0" x 8'0"

CCR205A
3'0" x 6'8" | CCR8205A
3'6" x 8'0"

HAMMERED



Mahogany

Canvas

Canvas

Canvas

CCR2025XHSL
12" x 6'8" | 14" x 6'8"

CCV200
3'0" x 6'8"

CCV205
3'0" x 6'8" | CCV8205
3'0" x 8'0"

CCV220
3'0" x 6'8" | CCV8220
3'0" x 8'0"



Mahogany

Mahogany

Mahogany

CCR200A
3'0" x 6'8" | CCR8200A
3'6" x 6'8"

CCR8225
6
3'0" x 8'0" | 3'6" x 8'0"

CCR8005
6
3'0" x 8'0"



Canvas

Canvas

Canvas

Canvas

CCV831
3'0" x 8'0"

CCV060
3'0" x 6'8"

CCV050
3'0" x 6'8"

CCV950XHSL
12" x 6'8" | 14" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Transoms

Transoms can be stained or painted to match Classic Craft® door systems.

HOMEWARD™



HWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



HW30T
3'0" Door Only

LONGFORD™



LFET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

LF30T
3'0" Door Only

LUCERNA™



LCET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

LC30T
3'0" Door Only

LOW-E



Grille Sticks Applied

19220T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Key

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door – CCV9925, Sidelites – CCV911SL, Transom – HWRT



Classic Craft® Hinged Patio Doors

A premium entrance to outdoor living.

The unmatched craftsmanship of Classic Craft premium entryways extends to the patio as an uncompromising entrance to the outdoors. Select from remarkably authentic wood grains and premium smooth surfaces to create a seamless indoor-outdoor connection.



GRAIN & TEXTURE OPTIONS



Fir Grain



Mahogany Grain



Canvas

GLASS OPTIONS



Low-E Glass




Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

Flush-Glazed Warranty Riders

See page 115 for details on the Flush-Glazed Rider for Construction & Installation, and the Flush-Glazed Rider for Homeowners.

AVAILABLE CONFIGURATIONS



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Left Page: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – New Earth

Flush-Glazed Low-E Glass




AVAILABLE COLLECTIONS

- Classic Craft® Fir Grain
- Classic Craft® Mahogany Grain

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS




Low-E Glass




AVAILABLE COLLECTIONS

- Classic Craft® Mahogany Grain
- Classic Craft® Canvas

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Flush-Glazed Low-E Glass with Divided Lites




AVAILABLE COLLECTIONS

- Classic Craft® Mahogany Grain

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Fiber-Classic® & Smooth-Star®


Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offer options to fit virtually every entrance — from front entry to patio to utility doors — at an excellent value.

Top: Fiber-Classic Oak Collection, Salinas Glass, Door – FC115, Sidelite – FC115SL, Finish – Raven
Bottom: Fiber-Classic Mahogany Collection, Saratoga Glass, Door – FCM6240, Finish – New Earth
Right Page: Smooth-Star, Calix Glass, Door – S4521, Finish – Estuary



Grain Options



FIBER-CLASSIC. MAHOGANY COLLECTION™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.

FIBER-CLASSIC. OAK COLLECTION™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.

See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard® premium finish and Same-Day® Stain color options on pages 250–256.



Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 106.
- Lite frame options include Advanta® lite frame with no screw plugs and a standard Lip-lite frame, starting on page 130. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with flush-glazed designs with 25–27" wide glass, starting on page 115.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



Door Construction

Fiber-Classic and Smooth-Star doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



1 WEATHER RESISTANCE

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 SECURITY

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.¹ Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-1/4" engineered lumber lock stile which increases rigidity and stability.

3 DURABILITY

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-VALUES

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood², Therma-Tru® fiberglass doors insulate against cold and heat for exceptional energy efficiency.



Select full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states.

¹Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.

²Comparison of fiberglass to wood doors (both without glass).

Additional Options

- WBDR Options: Look for this icon to find door styles that can be configured for WBDR.¹
- WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.¹
- Fire-Rated Options: Available on solid-panel doors. See pages 232–235.

FLUSH-GLAZED OPTIONS

Look for these icons (💧) to find door styles with flush-glazed glass. See pages 116–129.

Warranties

LIFETIME
LIMITED WARRANTY

Fiber-Classic and Smooth-Star products are backed by a lifetime limited warranty. See page 277 for more information.

💧 Fiber-Classic and Smooth-Star products with flush-glazed glass are also backed by the Flush-Glazed Rider for Construction & Installation, and the Flush-Glazed Rider for Homeowners. See page 115 for more information.

❖ Fiber-Classic and Smooth-Star door systems are eligible for the Tru-Defense® Warranty Rider when properly assembled and installed with all Therma-Tru® specified system components, in accordance with the Rider. See pages 8–9 for details.



RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 28–29.

5'0" Patio Opening = (2) 24" Doors

6'0" Patio Opening = (2) 210" Doors

'Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatr.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Left: Smooth-Star, Clear Glass, Door – S8140
Right Page: Smooth-Star, Granite Glass with SDLs, Door – S2103XN, Sidelites – S2000XNSL

■ = Available
· = Not Applicable
S = Stain
P = Paint

	Fiber-Classic Mahogany Collection	Fiber-Classic Oak Collection	Smooth-Star
Door Widths			
2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	·	·	■
Door Heights			
6'6"	·	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■
Glass Options			
Decorative	16	16	16
Privacy & Textured	6	6	6
Internal Blinds	■	■	■
Flush-Glazed	■	■	■
Screen Vented	·	·	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Low-E	■	■	■
Clear	■	■	■
Additional Options			
Finish	S / P	S / P	P
Vented Sidelites	■	■	■



Vented Sidelites

Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. **In fact, only Therma-Tru offers vented sidelites with decorative glass.** Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens — available in bronze and white — are designed for worry-free use.



AVAILABLE CONFIGURATIONS



Single Door with
Vented Sidelites
(Inswing Only)

Double Doors with
Vented Sidelites (Inswing Only)

AVAILABLE SIZES

Height	Width	
	12"	14"
6'6"	■	■
6'8"	■	■
8'0"		■

Note: Impact-rated options not available for vented sidelites. Advanta lite frame only available with 14" vented sidelites.

Decorative & Specialty Glass Designs

Blackstone®

Traditional English design meets ① clear curved bevels, ② rain glass and caming to create the distinctive styling of Blackstone. Entries get the best of both privacy and simple refinement.

PRIVACY RATING




Black Nickel Brushed Nickel

Crystalline™

This time-honored design features geometric styling brought to life with ① glue chip glass, ② glue chip bevels, ③ clear bevels and caming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.

PRIVACY RATING





Black Nickel Brushed Nickel

Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with ① slump glass, ② clear bevels, ③ clear antique glass and caming.

PRIVACY RATING



Black Nickel Brushed Nickel

Salinas®

① Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.

PRIVACY RATING



Wrought Iron

Maple Park®

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with ① waterglass, ② clear bevels, ③ granite glass and caming. The curved design adds unique appeal.

PRIVACY RATING



Black Nickel



Brushed Nickel

Saratoga™

Saratoga evokes a certain urban sophistication while offering modest privacy with its ① clear bevels, ② diamond glass, ③ reeded glass and caming. The geometric pattern bridges both modern and traditional designs.

PRIVACY RATING



Black Nickel



Brushed Nickel

Texas Star

Beautifully crafted with **1** clear bevels, **2** curved bevels, **3** clear waterglass, **4** granite glass, **5** glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.

PRIVACY RATING



Black Nickel



Brushed Nickel


Wellesley™

Simple yet charming, Wellesley's Victorian-inspired design uses **1** clear baroque glass, **2** clear curved bevels, **3** waterglass, **4** granite glass and caming to add beauty to any entry.

PRIVACY RATING



Black Nickel



Brass


Riserva®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features **1** oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.

PRIVACY RATING



Wrought Iron



Concorde™

There's just something friendly about Concorde's cheery four-leaf design. **1** Glue chip glass, **2** clear curved bevels, **3** clear glass and caming make up its Old World charm.

PRIVACY RATING



Black Nickel



Brushed Nickel



Brass

Kensington™

Kensington speaks European elegance while offering modest privacy with its **1** clear bevels, **2** glue chip glass, **3** granite glass and caming.

PRIVACY RATING



Black Nickel



Brushed Nickel


Pembridge™

Simplistic in its design, Pembridge features a field of **1** hammered glass framed by **2** gray baroque glass and **3** multifaceted bevels. A central diamond shape adds a decorative touch.

PRIVACY RATING



Black Nickel



Brushed Nickel

Brass¹

¹Brass caming not available for Impact-rated products.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Continues on next page.

Axis®

Simple and smart, Axis combines **1** narrow reeded glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of **2** clear glass bevels completes this linear design, ideal for Modern home styles.

PRIVACY RATING

Black Nickel

**Calix**

Calix includes an on-trend "x" design and a delicate diamond pattern with **1** clear glass, providing fine-lined geometric appeal.

PRIVACY RATING

10

Black Nickel

**Latitude**



Latitude showcases **1** seedy glass and simple curved details in a half-moon geometric design.

PRIVACY RATING

2

10

Black Nickel



¹See your Therma-Tru seller for details on product availability.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Echelon

Echelon provides **1** clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.

PRIVACY RATING

1

10

Black Nickel



Brushed Nickel

Brass

Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

1 Single-Hand Operator**2** Privacy Bar**Screen Vented**

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.

**Privacy & Textured Glass****REEDED**

Privacy Rating: 7

**SATIN ETCH**

Privacy Rating: 10

**CHORD**

Privacy Rating: 10

**CHINCHILLA**

Privacy Rating: 10

**RAINGLASS**

Privacy Rating: 8

**GRANITE**

Privacy Rating: 10

Divided Lites


Additional grid patterns can be created through our simulated divided lite (SDL) lineal program. See your Therma-Tru seller for details.



Note: See page 277 for important product details that may help with your purchase decision.
Right Page: Smooth-Star, 3/4 Shaker, Clear Glass with SDLs, Door – S7512, Sidelites – S7512SL





SDL BAR OPTIONS



Smooth SDL bars are color-matched to PrismaGuard. Alpine.

GBG BAR OPTIONS



¹Almond and Bronze GBGs available in flat bars only.

²Available in Special Quote Program.

- Simulated Divided Lites (SDL)
 Simulated Divided Lites (SDL1)
 Simulated Divided Lites (SDL2)


- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
 Flat Almond Grilles Between Glass (GBGF)

- Flat Bronze Grilles Between Glass (GBGF)
 Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

- Fixed Grilles (FXG)

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf¹

Smooth-Star. 4-Block Dentil Shelf¹



¹Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

²Flush-glazed designs offer up to a 16% increase in visible glass area compared to conventional lite frames.

Note: See your Therma-Tru seller or visit thermatru.com for details on product sizes and options, limited warranties, exclusions and Riders.

Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Clear Glass with Grille Sticks, Transom – 19200T, Finish – Acorn; Dentil Shelf

Flush-Glazed Glass Designs

Flush-glazed glass feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. Expand your view by 16%² — choose flush-glazed glass for more natural light and a sleek, uninterrupted aesthetic.




Lip-Lite Frame

See the difference.

Flush-glazed glass provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking
Look for the (🔥) symbol.



Flush-Glazed Glass with Square Sticking
Look for the (💧) symbol.



Lip-Lite Frame

Warranty riders for peace of mind.

Flush-Glazed Riders

For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.



Flush-Glazed Full Lites


Note: Product images show exterior side of door.



Fiber-Classic & Smooth-Star

TRANSOMS

For transoms,
see page 201.




PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Oak

FC1205_ 2'6"x6'8"
2'8"x6'8"
3'0"x6'8"
FC1207_ 2'6"x6'8"
2'8"x6'8"
3'0"x6'8"
2010_ 2'6"x6'8"
2'8"x6'8"
3'0"x6'8"
2050_ 2'6"x6'8"
2'8"x6'8"
3'0"x6'8"
2050_SL 12"x6'8"
14"x6'8"
FC5700_ 2'6"x6'8"
2'8"x6'8"
3'0"x6'8"
FC85700_ 2'6"x8'0"
2'8"x8'0"
2'10"x8'0"
3'0"x8'0"



Oak

FC5710_ 2'6"x6'8"
2'8"x6'8"
3'0"x6'8"
FC5720_ 2'6"x8'0"
2'8"x6'8"
3'0"x8'0"
FC85720_ 2'6"x8'0"
2'8"x6'8"
3'0"x8'0"
FC691_ 2'6"x6'8"
2'8"x6'8"
3'0"x6'8"
FC685L_ 2'6"x6'8"
2'8"x6'8"
3'0"x6'8"
FC685R_ 2'6"x6'8"
2'8"x6'8"
3'0"x6'8"
FC8685R_ 2'6"x8'0"
2'8"x8'0"
3'0"x8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass options. For details on glass options, see page 111.

XK = Reeded XC = Chord XR = Rainglass
XE = Satin Etch XJ = Chinchilla XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – FC5700, Sidelite – FC5700SL, Finish – Wildflower Honey

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold ▶.



Oak

FC5700_SL 12"x6'8"
14"x6'8"
FC5710_SL 12"x6'8"
14"x6'8"
FC5720_SL 12"x6'8"
14"x6'8"
S1205_ 2'6"x6'8" ▲
2'8"x6'8" ▲
2'10"x6'8" ▲
3'0"x6'8" ▲
S1207_ 2'6"x6'8" ▲
2'8"x6'8" ▲
2'10"x6'8" ▲
3'0"x6'8" ▲
S2010_ 2'6"x6'8" ▲
2'8"x6'8" ▲
2'10"x6'8" ▲
3'0"x6'8" ▲
S2050_ 2'6"x6'8" ▲
2'8"x6'8" ▲
2'10"x6'8" ▲
3'0"x6'8" ▲

Smooth

S1205_ 2'6"x6'8" ▲
2'8"x6'8" ▲
2'10"x6'8" ▲
3'0"x6'8" ▲
S1207_ 2'6"x6'8" ▲
2'8"x6'8" ▲
2'10"x6'8" ▲
3'0"x6'8" ▲
S2010_ 2'6"x6'8" ▲
2'8"x6'8" ▲
2'10"x6'8" ▲
3'0"x6'8" ▲
S2050_ 2'6"x6'8" ▲
2'8"x6'8" ▲
2'10"x6'8" ▲
3'0"x6'8" ▲

Smooth

S5705_ 2'6"x6'8" ▲
2'8"x6'8" ▲
2'10"x6'8" ▲
3'0"x6'8" ▲
S85705_ 2'6"x8'0" ▲
2'8"x8'0" ▲
2'10"x8'0" ▲
3'0"x8'0" ▲
S5715_ 2'6"x6'8" ▲
2'8"x6'8" ▲
2'10"x6'8" ▲
3'0"x6'8" ▲
S85715_ 2'6"x8'0" ▲
2'8"x8'0" ▲
2'10"x8'0" ▲
3'0"x8'0" ▲
S5725_ 2'6"x6'8" ▲
2'8"x6'8" ▲
2'10"x6'8" ▲
3'0"x6'8" ▲
S85725_ 2'6"x8'0" ▲
2'8"x8'0" ▲
2'10"x8'0" ▲
3'0"x8'0" ▲
S2010_SL 10"x6'8" ▲
12"x6'8" ▲ (70")
14"x8'0"
S85226_SL 12"x8'0" ▲
14"x8'0"
14"x6'8" ▲ (70")
S2000_SL-2C* 10"x6'8" ▲
12"x6'8" ▲
14"x6'8" ▲ (70")
S2000_SL-2C* 10"x6'8" ▲
12"x8'0" ▲
14"x8'0"
S2000_SL-2C* 10"x6'8" ▲
12"x8'0" ▲
14"x8'0"

Smooth

S5700_ 2'6"x6'8" ▲
2'8"x6'8" ▲
2'10"x6'8" ▲
3'0"x6'8" ▲
S85700_ 2'6"x8'0" ▲
2'8"x8'0" ▲
2'10"x8'0" ▲
3'0"x8'0" ▲
S5710_ 2'6"x6'8" ▲
2'8"x6'8" ▲
2'10"x6'8" ▲
3'0"x6'8" ▲
S85710_ 2'6"x8'0" ▲
2'8"x8'0" ▲
2'10"x8'0" ▲
3'0"x8'0" ▲
S5720_ 2'6"x6'8" ▲
2'8"x6'8" ▲
2'10"x6'8" ▲
3'0"x6'8" ▲
S85720_ 2'6"x8'0" ▲
2'8"x8'0" ▲
2'10"x8'0" ▲
3'0"x8'0" ▲
S691_ 2'6"x6'8" ▲
2'8"x6'8" ▲
2'10"x6'8" ▲
3'0"x6'8" ▲
S8691_ 2'6"x8'0" ▲
2'8"x8'0" ▲
2'10"x8'0" ▲
3'0"x8'0"



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

Continues on next page.

Flush-Glazed Glass with
Detailed Sticking (FG)

Flush-Glazed Glass with
Square Sticking (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDL)

Simulated Divided Lites (SDLF1)

Simulated Divided Lites (SDLF2)

Vented Sidelite Options

Simulated Divided Lites (SDLF1)


Elevated 10" Bottom
Rail Options

6'6" Height Available

Fiber-Classic & Smooth-Star

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES *Continued*

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold .




Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded XC = Chord XR = Rainglass
XE = Satin Etch XJ = Chinchilla XN = Granite

PRIVACY & TEXTURED GLASS



CLEAR GLASS WITH DIVIDED LITES






CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*



CLEAR GLASS WITH DIVIDED LITES *Continued*

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold ▶.

Fiber-Classic & Smooth-Star



CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

Flush-Glazed Glass with Detailed Sticking (FG)
Flush-Glazed Glass with Square Sticking (FG)
Low-E Glass (LE)

Simulated Divided Lites (SDL)
Simulated Divided Lites (SDLFI)
Simulated Divided Lites (SDLF2)
Flat or Contour White Grilles Between Glass (GBGF / GBGC)
Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
6'6" Height Available

Flat Almond Grilles Between Glass (GBGF)
Flat Bronze Grilles Between Glass (GBGF)
Flat or Contour White Grilles Between Glass (GBGF / GBGC)


Vented Sidelite Options
WBDR Options
Elevated 10" Bottom Rail Options
6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES *Continued*



Fiber-Classic & Smooth-Star

Smooth									
S3400R	S83400R	S3300	S83300	S3500L	S83500L	S3500R	S83500R	S685L	S8685L
▲●* 2 E 6									
2'6" x 6'8"	2'6" x 8'0"								
2'8" x 6'8"	2'8" x 8'0"								
2'10" x 6'8"	2'10" x 8'0"								
3'0" x 6'8"	3'0" x 8'0"								



Smooth		Smooth		Smooth		Smooth		Smooth	
S685R	S8685R	S3600L	S83600L	S3600R	S83600R	S5700SL	S85227SL	S5710SL	S85228SL
▲●* 2 E 6	▲●* 2 E 6	▲●* 2 E 6	▲●* 2 E 6	▲●* 2 E 6	▲●* 2 E 6	▲●* 2 E	▲●* 2 E	▲●* 2 E	▲●* 2 E
2'6" x 6'8" Δ	2'6" x 8'0"	2'6" x 6'8"	2'6" x 8'0"	2'6" x 6'8"	2'6" x 8'0"	10" x 6'8" Δ	12" x 8'0"	10" x 6'8" Δ (7'0")	12" x 8'0"
2'8" x 6'8" Δ	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	12" x 6'8" Δ	14" x 8'0"	12" x 6'8" Δ (7'0")	14" x 8'0"
2'10" x 6'8" Δ	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	14" x 6'8" Δ	16" x 8'0"	14" x 6'8" Δ (7'0")	16" x 8'0"
3'0" x 6'8" Δ	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"

CLEAR GLASS



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Note: See page 277 for important product details that may help with your purchase decision.

Right Page, Top: Smooth-Star, Chinchilla Glass with SDLs, Door – S2104XJ, Finish – Granite

Flush-Glazed 3/4 Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



NEW
Mahogany
FCM7540_



NEW
Mahogany
FCM87540_



NEW
Mahogany
FCM7560_



NEW
Mahogany
FCM7512_



NEW
Mahogany
FCM7540_SL



Smooth
S7540_




Smooth
S87540_



Smooth
S87560_



Smooth
S7512_



Smooth
S7540_SL



Smooth
S2103_



Smooth
S82103_



Smooth
S2104_



Smooth
S82105_



Smooth
S82106_



Smooth
S2250_

Flush-Glazed Glass with
Detailed Sticking (FG)

Simulated Divided Lites (SDL)

WBDR Options

Elevated 10" Bottom
Rail Options

Vented Sidelite Options

Flush-Glazed Glass with
Square Sticking (FG)

Simulated Divided Lites (SDLF)

6'6" Height Available

Note: Product images show exterior side of door.

PRIVACY & TEXTURED GLASS



Smooth
S2103_SL
12" x 6'8"
14" x 6'8"
S2104_SL
12" x 6'8"
14" x 6'8"
S2250_SL
12" x 6'8"
14" x 6'8"



Mahogany FCM7500
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
FCM87500
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
Mahogany FCM7500SL
12" x 6'8"
14" x 6'8"
Smooth S7500
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
Smooth S87500
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
Smooth S7500SL
12" x 6'8"
14" x 6'8"




Smooth S7560SL
12" x 6'8"
14" x 6'8"
Smooth S7512SL
12" x 6'8"
14" x 6'8"
Smooth S2103
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
Smooth S82103
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
Smooth S2104
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
Smooth S82104
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
Smooth S2105
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
Smooth S82105
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
Smooth S2250
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
Smooth S82250
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"


CLEAR GLASS WITH DIVIDED LITES



Smooth
S2200
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
Smooth
S82200
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
Smooth
S8000_SL
12" x 8'0"
14" x 8'0"



Mahogany FCM7540
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
Mahogany FCM87540
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
Mahogany FCM7560
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
Mahogany FCM87560
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 6'8"
Mahogany FCM7512
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
Mahogany FCM87512
2'6" x 8'0"
2'8" x 8'0"
2'10" x 6'8"
3'0" x 8'0"



Smooth S82106
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
Smooth S82107
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
Smooth S84886SL
12" x 8'0"
14" x 8'0"
Smooth S2103SL
12" x 6'8"
14" x 6'8"
Smooth S2104SL
12" x 6'8"
14" x 6'8"
Smooth S92SL
12" x 6'8"
14" x 6'8"
Smooth S1401
2'6" x 6'8"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
Smooth S81401
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany FCM7540SL
12" x 6'8"
14" x 6'8"
Mahogany FCM7560SL
12" x 6'8"
14" x 6'8"
Mahogany FCM7512SL
12" x 6'8"
14" x 6'8"
Smooth S7540
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
Smooth S87540
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
Smooth S7560
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
Smooth S87560
2'6" x 8'0"
2'8" x 6'8"
2'10" x 8'0"
3'0" x 6'8"
Smooth S7512
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
Smooth S87512
2'6" x 8'0"
2'8" x 6'8"
2'10" x 8'0"
3'0" x 8'0"
Smooth S7540SL
12" x 6'8"
14" x 6'8"



Smooth S1401SL
12" x 6'8"
14" x 6'8"
Mahogany FCM7500
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 8'0"
Mahogany FCM87500
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
Smooth S7500
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
Smooth S87500
2'6" x 8'0"
2'8" x 6'8"
2'10" x 8'0"
3'0" x 8'0"
Smooth S7500_SL
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Impressions Storm & Entry Door System - IM100, Finish - Brown; Smooth-Star, Clear Glass with SDLs, Door - S2150, Finish - Elk



Flush-Glazed Glass with Detailed Sticking (FG)
Flush-Glazed Glass with Square Sticking (FG)
Low-E Glass (LE)

Simulated Divided Lites (SDL)
Simulated Divided Lites (SDLF)
Flat or Contour White Grilles Between Glass (GBGF / GBGC)
Flat Bronze Grilles Between Glass (GBGF)

Flat Almond Grilles Between Glass (GBGF / GBGC)
Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
Elevated 10" Bottom Rail Options


Flush-Glazed 1/2 Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Flush-Glazed Craftsman Lites

SARATOGA™



CLEAR GLASS WITH DIVIDED LITES



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not available with Reeded (XK) glass.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 277 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Low-E Glass with SDLs, Door - S4200, Sidelite - S3200SL, Finish - Canyon

Right Page: Fiber-Classic Mahogany Collection, Saratoga Glass, Door - FCM6240, Sidelites - FCM6201SL, Transom - 19750T, Finish - Sweet Date

CLEAR GLASS


Flush-Glazed Glass with Detailed Sticking (FG)
 Flush-Glazed Glass with Square Sticking (FG)
 Low-E Glass (LE)

Black Nickel Caming (1D)
 Brushed Nickel Caming (1C)
 Simulated Divided Lites (SDL)
 Simulated Divided Lites (SDLF)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)
 Flat Almond Grilles Between Glass (GBGF)
 Flat Bronze Grilles Between Glass (GBGF)
 Vented Sidelite Options
 Elevated 10" Bottom Rail Options

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES *Continued*

Fiber-Classic & Smooth-Star




Mahogany

FCM4812_SL*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S4812_*
12" x 8'0"
14" x 8'0"



Smooth

S4813_*
28" x 6'8" (7'0")
210" x 6'8" (7'0")
30" x 6'8" (7'0")




Smooth

S84813_*
28" x 8'0"
210" x 8'0"
30" x 8'0"



Smooth

S4814_*
28" x 6'8" (7'0")
210" x 6'8" (7'0")
30" x 6'8" (7'0")



Smooth

S84814_*
28" x 8'0"
210" x 8'0"
30" x 8'0"




Mahogany

FCM4814
28" x 6'8" (7'0")
210" x 6'8" (7'0")
30" x 6'8" (7'0")



Mahogany

FCM4816
28" x 6'8" (7'0")
210" x 6'8" (7'0")
30" x 6'8" (7'0")



Mahogany

FCM2050SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Mahogany

FCM4812SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S4812
28" x 6'8" (7'0")
210" x 6'8" (7'0")
30" x 6'8" (7'0")

Fiber-Classic & Smooth-Star




Smooth

S4813_*
28" x 6'8" (7'0")
210" x 6'8" (7'0")
30" x 8'0"




Smooth

S84813_*
28" x 8'0"
210" x 8'0"
30" x 8'0"



Smooth

S4814_*
28" x 6'8" (7'0")
210" x 6'8" (7'0")
30" x 8'0"



Smooth

S84814_*
28" x 8'0"
210" x 8'0"
30" x 8'0"




Smooth

S4816_*
28" x 6'8" (7'0")
210" x 6'8" (7'0")
30" x 8'0"



Mahogany

FCM4810
28" x 6'8" (7'0")
210" x 6'8" (7'0")
30" x 8'0"



Mahogany

FCM4810
28" x 6'8" (7'0")
210" x 6'8" (7'0")
30" x 8'0"



Mahogany

FCM2000SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S4810
28" x 6'8" (7'0")
210" x 6'8" (7'0")
30" x 8'0"



Smooth

S2000SL
10" x 6'8" Δ (7'0")
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

Flush-Glazed Glass with Detailed Sticking (FG)
Flush-Glazed Glass with Square Sticking (FG)
Low-E Glass (LE)
Simulated Divided Lites (SDLT)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)
Flat Almond Grilles Between Glass (GBGF)
Flat Bronze Grilles Between Glass (GBGF)
Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
Vented Sidelite Options
Elevated 10" Bottom Rail Options
6'6" Height Available

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.

Lite Frames

Therma-Tru® doors and sidelites are available with select lite frame options to complement the door's overall aesthetic.

Fiber-Classic & Smooth-Star



The Advanta lite frame is a patented design, U.S. Patent No. 10,655,382.

Advanta® Lite Frame¹

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Look for the (ID) symbols.

	ADVANTA LITE FRAME	STANDARD LITE FRAME
Flat Option		
Scrolled Option		
Plugless Design	■	
Buff Option	■	■
White Option (Alpine Color-Matched)	■	■
Durable Weather-Resistant Material	■	■
Decorative & Privacy Glass¹	■	
Clear & Specialty Glass¹	■	■

¹See your Therma-Tru seller for details on product availability.

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Oak Collection, Riserva Glass, Door – FC574, Sidelites – FC573SL, Finish – Wildflower Honey



For Impact-rated lite frame, see page 27.


Full Lites




Note: Product images show exterior side of door.

TRANSOMS

For transoms, see page 201.



BLACKSTONE[♦]



No Stile Lines

Black Nickel Caming (ID)

Brushed Nickel Caming (IC)

Scrolled & Flat Advanta Lite Frame

Vented Sidelite Options
WBDR Options
WBDR / HVHZ Options

Elevated 10" Bottom Rail Options

6'6" Height Available



Mahogany

FCM16
28" x 6'8"
210" x 6'8"
3'0" x 6'8"

Mahogany

FCM8114
28" x 8'0"
210" x 8'0"
3'0" x 8'0"

Mahogany

FCM668
28" x 6'8" (7'0")
210" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Mahogany

FCM814
28" x 8'0"
210" x 8'0"
3'0" x 8'0"

Mahogany

FCM8114SL
12" x 8'0"
14" x 8'0"
14" x 6'8" (7'0")

Mahogany

FCM18101SL
10" x 6'8"**
12" x 6'8" (7'0")
14" x 8'0"

Oak

FC16
28" x 6'8" (7'0")
210" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

81800P
28" x 8'0"
210" x 8'0"
3'0" x 8'0"



Oak

FC668
28" x 6'8" (7'0")
210" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

FC814
28" x 8'0"
210" x 8'0"
3'0" x 8'0"

Smooth

FC100SL
10" x 6'8"**
12" x 6'8" (7'0")
14" x 8'0"

Smooth

81968SL
12" x 6'8" (7'0")
14" x 8'0"

Smooth

S139
26" x 6'8" (7'0")
28" x 6'8" (7'0")
210" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

Smooth

S241
26" x 6'8" (7'0")
28" x 6'8" (7'0")
210" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

S139SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S604SL
10" x 6'8"**
12" x 6'8" (7'0")
14" x 6'8" (7'0")

SALINAS® X



Oak

FC46SL
10" x 6'8"**
12" x 6'8"
14" x 6'8"

Oak

81800PSL
12" x 8'0"
14" x 8'0"

Smooth

18101SL
12" x 6'8" (7'0")
14" x 8'0"

Smooth

81800SL
12" x 8'0"
14" x 8'0"

Smooth

S916
28" x 6'8" (7'0")
210" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S814
28" x 8'0"
210" x 8'0"
3'0" x 8'0"

Smooth

S668
28" x 6'8" (7'0")
210" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S815
28" x 8'0"
210" x 8'0"
3'0" x 8'0"

Mahogany

FCM113
28" x 6'8" (7'0")
210" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Mahogany

FCM873
28" x 8'0"
210" x 8'0"
3'0" x 8'0"

Mahogany

FCM817
26" x 8'0"**
28" x 6'8" (7'0")
210" x 8'0"
3'0" x 6'8" (7'0")

Mahogany

FCM814SL
10" x 6'8"**
12" x 8'0"
14" x 8'0"

Oak

FCM873SL
12" x 8'0"
28" x 6'8" (7'0")
210" x 8'0"
3'0" x 6'8" (7'0")

FC113
26" x 6'8" (7'0")
28" x 8'0"
210" x 8'0"
3'0" x 6'8" (7'0")

FC369
26" x 6'8" (7'0")
28" x 8'0"
210" x 8'0"
3'0" x 6'8" (7'0")

FC817
26" x 6'8" (7'0")
28" x 8'0"
210" x 8'0"
3'0" x 6'8" (7'0")



Mahogany

FCM100
28" x 6'8"
210" x 6'8"
3'0" x 6'8"

Mahogany

FCM872
28" x 8'0"
210" x 8'0"
3'0" x 8'0"

Mahogany

FCM241
26" x 6'8" (7'0")*
28" x 8'0"
210" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Mahogany

FCM822
28" x 8'0"
210" x 8'0"
3'0" x 8'0"

Mahogany

FCM872SL
12" x 8'0"
14" x 8'0"
3'0" x 8'0"

Mahogany

FCM816SL
10" x 6'8"**
12" x 6'8" (7'0")
14" x 8'0"

Oak

FCM81968SL
12" x 8'0"
14" x 8'0"
14" x 6'8" (7'0")

Oak

FC100
26" x 6'8" (7'0")*
28" x 6'8" (7'0")
210" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

81968P
28" x 8'0"
210" x 8'0"
3'0" x 8'0"

Oak

FC241
26" x 6'8" (7'0")*
28" x 6'8" (7'0")
210" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

81919PSL
12" x 8'0"
14" x 8'0"
14" x 6'8" (7'0")

Smooth

FC814SL
12" x 8'0"
14" x 8'0"
14" x 6'8" (7'0")

Smooth

81919SL
12" x 8'0"
14" x 8'0"
14" x 6'8" (7'0")

Smooth

S6008
26" x 6'8" (7'0")*
28" x 8'0"
210" x 8'0"
3'0" x 8'0"

S85893
26" x 8'0"**
28" x 6'8" (7'0")
210" x 8'0"
3'0" x 8'0"

S369
26" x 6'8" (7'0")*
28" x 8'0"
210" x 8'0"
3'0" x 8'0"

S817
26" x 8'0"**
28" x 6'8" (7'0")
210" x 8'0"
3'0" x 8'0"

S6008SL
12" x 8'0"
14" x 8'0"
14" x 6'8" (7'0")

S85893SL
12" x 8'0"
14" x 8'0"
14" x 6'8" (7'0")

S6134SL
10" x 6'8"**
12" x 6'8" (7'0")
14" x 8'0"

S85931SL
12" x 8'0"
14" x 8'0"
14" x 6'8" (7'0")

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

■ No Stile Lines

◆ Black Nickel Caming (ID)

■ Brushed Nickel Caming (IC)

◆ Wrought Iron (IW)

■ Scrolled & Flat

■ Advanta Lite Frame

Not available for 2'4" and 2'6" doors or 10" sidelites.

● Vented Sidelite Options

■ WBDR Options

■ WBDR / HVHZ Options

■ Elevated 10" Bottom Rail Options

▲ 6'6" Height Available

MAPLE PARK ◆◆


Mahogany
FCM900
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany
FCM1006
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")


Mahogany
FCM812SL
10" x 6'8"
12" x 6'8" (70")
14" x 6'8" (70")



Oak
FC900
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

Oak
FC1006
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

Oak
FC900SL
10" x 6'8"
12" x 6'8" (70")
14" x 6'8" (70")



Oak
FC812SL
10" x 6'8"
12" x 6'8" (70")
14" x 6'8"

Oak
S6100
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

Smooth
S6100
12" x 6'8" (70")
14" x 6'8" (70")
3'0" x 6'8" (70")

TEXAS STAR ◆◆


Smooth
S602SL
10" x 6'8"
12" x 6'8" (70")
14" x 6'8" (70")

Smooth
S85932SL
12" x 8'0"
14" x 8'0"
14" x 6'8" (70")



Mahogany
FCM142
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany
FCM1029
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

Mahogany
FCM817SL
10" x 6'8"
12" x 6'8" (70")
14" x 6'8" (70")

WELLESLEY ◆◆◆


Mahogany
FCM104
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany
FCM874
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

SARATOGA ◆◆


Smooth
S1006
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")
3'6" x 6'8"

Smooth
S6100SL
12" x 6'8"
14" x 6'8"

Smooth
S6131SL
10" x 6'8"
12" x 6'8" (70")
14" x 6'8" (70")



Mahogany
FCM905
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany
FCM6093
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany
FCM815SL
10" x 6'8"
12" x 6'8" (70")
14" x 6'8" (70")

Mahogany
FCM893SL
12" x 8'0"
14" x 8'0"

Mahogany
FCM81986SL
12" x 8'0"
14" x 8'0"



Smooth
FC817SL
12" x 6'8" (70")
14" x 6'8" (70")

Smooth
S6070
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

Smooth
S1029
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

Smooth
S6070SL
12" x 6'8"
14" x 6'8"
3'6" x 6'8"

Smooth
S6135SL
10" x 6'8"
12" x 6'8" (70")
14" x 6'8" (70")



Oak
FC905
2'6" x 6'8"
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

Oak
FC6093
2'6" x 6'8" (70")
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

Oak
FC905SL
10" x 6'8"
12" x 8'0"
14" x 8'0"

Oak
81986PSL
12" x 8'0"
14" x 8'0"

Oak
FC815SL
12" x 6'8" (70")
14" x 8'0"

Smooth
81986SL
12" x 8'0"
14" x 8'0"

Smooth
S154
2'6" x 6'8"
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")
3'6" x 6'8"

Smooth
S6093
2'6" x 6'8" (70")
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")
3'6" x 6'8"

Smooth
S154SL
12" x 6'8"
14" x 6'8"

Smooth
S8602SL
12" x 8'0"
14" x 8'0"



Mahogany
FCM6094
2'6" x 6'8" (70")
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany
FCM821
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany
FCM818SL
12" x 6'8" (70")
14" x 8'0"

Mahogany
FCM81921SL
12" x 8'0"
14" x 8'0"

Oak
FC874SL
12" x 8'0"
14" x 8'0"

Oak
FC104
2'6" x 6'8" (70")
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

Oak
81921P
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak
FC6094
2'6" x 6'8" (70")
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

Oak
FC821
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

WELLESLEY Continues on next page.

*Not available with Advanta Lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

◆ No Stile Lines

◆ Black Nickel Caming (ID)

◆ Brushed Nickel Caming (IC)

◆ Brass Caming (IA)

◆ Vented Sidelite Options

◆ Scrolled & Flat
Advanta Lite Frame

◆ Not available for 2'4" and
2'6" doors or 10" sidelites.

◆ 6'6" Height Available

◆ WBDR Options


◆ WBDR / HVHZ Options

◆ Elevated 10" Bottom
Rail Options

Fiber-Classic & Smooth-Star



RISERVA® X




♦ No Stile Lines
 ♦ Black Nickel Caming (ID)
 ♦ Brushed Nickel Caming (IC)
 ♦ Brass Caming (IA)

✖ Wrought Iron (IW)
 □ Scrolled & Flat
 Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
 ♦ Vented Sidelite Options
 ♦ WBDR Options
 ♦ WBDR / HVHZ Options

♦ Elevated 10" Bottom
 Rail Options
 Δ 6'6" Height Available



Fiber-Classic & Smooth-Star



Fiber-Classic & Smooth-Star





PEMBRIDGE™



*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.





Mahogany

FCM2223
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM82223
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM2389
28" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

FCM82389
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM2389SL
10" x 6'8"
12" x 6'8"
14" x 6'8" (70")

FCM82389SL
12" x 8'0"
14" x 8'0"
14" x 6'8" (70")



Mahogany

FCM82223SL
12" x 8'0"
14" x 8'0"
14" x 6'8" (70")

FCM2223
12" x 8'0"
2'10" x 6'8" (70")
3'0" x 6'8" (70")



Oak

FC2223
12" x 8'0"
2'10" x 6'8" (70")
3'0" x 6'8" (70")

FC82223
14" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM82213SL
12" x 8'0"
14" x 8'0"



Oak

FC2213
12" x 8'0"
2'10" x 6'8" (70")
3'0" x 8'0"



Oak

FC82213
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




Oak

FC2382
28" x 8'0"
2'10" x 6'8" (70")
3'0" x 6'8" (70")



Oak

FC2213SL
10" x 6'8"
12" x 8'0"
14" x 8'0"



Oak

FC2389
28" x 6'8" (70")
2'10" x 6'8"
3'0" x 6'8" (70")




Oak

FC82389
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




Oak

FC2223SL
10" x 6'8"
12" x 6'8"
14" x 6'8"



Smooth

S2223
28" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")




Smooth

S2389
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




Smooth

S82223
28" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")




Smooth

S2213
28" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")




Smooth

S82213
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2382
28" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")



Smooth

S2213SL
12" x 6'8"
14" x 6'8"
3'6" x 6'8"



Mahogany

FCM2233
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM82233
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2223SL
12" x 6'8"
14" x 6'8"
14" x 8'0"



Mahogany

FCM2213
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Mahogany

FCM2382
28" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")



Mahogany

FCM2382SL
10" x 6'8"
12" x 8'0"
14" x 8'0"



Mahogany

FCM2385
28" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")




Mahogany

FCM82385
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




Mahogany

FCM82385SL
10" x 6'8"
12" x 8'0"
14" x 8'0"



Oak

FC2233
28" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")



Oak

FC2385
28" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")



FCM82385
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2223SL
12" x 6'8"
14" x 6'8"
14" x 8'0"



Smooth

S2389SL
10" x 6'8"
12" x 6'8"
14" x 6'8"




Mahogany

FCM2213
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM2382
28" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")



Mahogany

FCM2382SL
10" x 6'8"
12" x 8'0"
14" x 8'0"




Mahogany

FCM2385
28" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")




Mahogany

FCM82385
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC2233
28" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")



Oak

FC2385
28" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")

♦ No Stile Lines
♦ Black Nickel Caming (ID)
♦ Brushed Nickel Caming (IC)
♦ Brass Caming (IA)

♦ Scrolled & Flat
Advanta Lite Frame
Not available for 24" and
26" doors or 10" sidelites.
● Vented Sidelite Options



♦ Elevated 10" Bottom Rail Options
♦ WBDR Options
♦ WBDR / HVHZ Options
△ 6'6" Height Available

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold ▶.

Fiber-Classic & Smooth-Star



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

*Not available with Advanta lite frame.

**Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.



PRIVACY & TEXTURED GLASS




PRIVACY & TEXTURED GLASS *Continues on next page.*




Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold ▶.



Fiber-Classic & Smooth-Star



CLEAR GLASS WITH DIVIDED LITES



INTERNAL BLINDS



CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

No Stile Lines

Low-E Glass (LE)

Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

Flat Almond Grilles Between Glass (GBGF)

Flat Bronze Grilles Between Glass (GBGF)

Flat Lite Frame

Scrolled & Flat Advanta Lite Frame

Not available for 24" and 26" doors or 10" sidelites.

Vented Sidelite Options

WBDR Options

WBDR / HVHZ Options

Elevated 10" Bottom Rail Options


6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES *Continued*

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold ▶.



Mahogany
FCM1284
2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")



Mahogany
FCM828
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany
FCM81828
2'6" x 8'0"**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany
FCM81208P
2'6" x 8'0"**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany
FCM81829
2'6" x 8'0"**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany
FCM1201SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")



Mahogany
FCM1202SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")



Oak
FC1212
2'6" x 6'8"**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 6'8" (70")



Oak
FC1203
2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")



Oak
FC138
2'6" x 6'8"**
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")



Oak
1285
2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")



Oak
FC1208
2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")



Oak
FC1200
2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")



Oak
FC18
2'6" x 6'8"**
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")



Mahogany
FCM1200SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")



Mahogany
FCM12102SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")



Mahogany
FCM81208PSL
12" x 8'0"
14" x 8'0"



Mahogany
FCM81208SL
12" x 8'0"
14" x 8'0"



Mahogany
FCM6124SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")



Mahogany
FCM6125SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")



Mahogany
FCM6126SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")



Oak
1284
2'6" x 6'8" (70")*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 6'8" (70")



Oak
FC828
2'6" x 8'0"**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak
81828
2'6" x 8'0"**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak
81208P
2'6" x 8'0"**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak
81208
2'6" x 8'0"**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak
FC1209SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")



Oak
FC1201SL
12" x 6'8" (70")
14" x 6'8" (70")



Mahogany
FCM198
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FCM1289
2'8" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")



Mahogany
FCM1289SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")



Oak
FC1209
2'6" x 6'8"**
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")



Oak
FC1201
2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")



Oak
FC1211
2'6" x 6'8"**
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")



Oak
FC1202
2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")



Oak
FC1211SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8"



Oak
FC1202SL
12" x 6'8" (70")
14" x 6'8"



Oak
FC1208SL
12" x 6'8" (70")
14" x 6'8"



Oak
FC1200SL
12" x 6'8" (70")
14" x 6'8"



Oak
FC18SL
12" x 6'8" (70")
14" x 6'8"



Oak
12102SL
12" x 6'8" (70")
14" x 8'0"



Oak
81208PSL
12" x 8'0"**
14" x 8'0"



Oak
81208SL
12" x 8'0"**
14" x 8'0"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

■ No Stile Lines
■ Low-E Glass (LE)
■ Simulated Divided Lites (SDL)
■ Flat or Contour White Grilles Between Glass (GBGF / GBGC)



◆ Flat Almond Grilles Between Glass (GBGF)
◆ Flat Bronze Grilles Between Glass (GBGF)
■ Scrolled & Flat Advanta Lite Frame
■ Vented Sidelite Options
■ WBDR Options
■ Scrolled Advanta Lite Frame
■ 6'6" Height Available

■ Standard Lite Frame Available
■ WBDR / HVHZ Options
■ Not available for 2'4" and 2'6" doors or 10" sidelites.

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

CLEAR GLASS WITH DIVIDED LITES *Continued*

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold ▶.



*Not available with Advanta lite frame.
Note: See page 277 for important product details that may help with your purchase decision.

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- Standard Lite Frame Available
- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- Elevated 10" Bottom Rail Options

CLEAR GLASS WITH DIVIDED LITES *Continued*

Fiber-Classic & Smooth-Star

CLEAR GLASS



*Not available with Advanta lite frame.

**Available with Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Oak Collection, Maple Park Glass, Door – FC777, Sidelite – FC900SL, Finish – Raven


3/4 Lites



Note: Product images show exterior side of door.


TRANSOMS

For transoms,
see page 201.



Fiber-Classic & Smooth-Star

BLACKSTONE®



CRYSTALLINE™



CRYSTALLINE Continues on next page.

- No Stile Lines
- Brushed Nickel Caming (1C)
- Flat Bronze Grilles Between Glass (GBGF)
- Standard Lite Frame Available
- Vented Sidelite Options
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Lite Frame
- Low-E Glass (LE)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available
- 6'6" Height Available

CRYSTALLINE™ ◇ ■ Continued



Oak
Smooth

FC38SL | 81953PSL
12" x 6'8" | 12" x 8'0"
14"x 6'8" | 14"x 8'0"




Smooth

S977 | 81953PSL
12" x 6'8" | 12" x 8'0"
210"x 6'8" | 210"x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Smooth

S981 | 81953PSL
28" x 6'8" | 28" x 8'0"
210"x 6'8" | 210"x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Smooth

S888 | 81953PSL
28" x 6'8" | 28" x 8'0"
12" x 6'8" | 12" x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S758SL | 81953PSL
12" x 6'8" | 12" x 8'0"
14"x 6'8" | 14"x 8'0"



Mahogany
Mahogany

FCM131 | FCM131SL
28" x 6'8" | 28" x 8'0"
210"x 6'8" | 210"x 8'0"
3'0" x 6'8" | 3'0" x 8'0"




Mahogany
Mahogany

FCM131SL | FCM883SL
12" x 6'8" | 12" x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth
Smooth

S6010 | S895
28" x 6'8" | 28" x 8'0"
210"x 6'8" | 210"x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Mahogany
Mahogany

FCM902 | FCM902SL
28" x 6'8" | 28" x 8'0"
210"x 6'8" | 210"x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Oak
Oak

FC902 | FC777
28" x 6'8" | 28" x 8'0"
210"x 6'8" | 210"x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Oak
Oak

81957P | FC777
28" x 6'8" | 28" x 8'0"
210"x 6'8" | 210"x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Fiber-Classic & Smooth-Star

FCM887SL | FCM902
12" x 6'8" | 12" x 8'0"
14"x 6'8" | 14"x 8'0"

SALINAS®



Mahogany

FCM115 | FCM115SL
28" x 6'8" | 28" x 8'0"
210"x 6'8" | 210"x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

FCM115SL | FCM884SL
12" x 6'8" | 12" x 8'0"
14"x 6'8" | 14"x 8'0"



Oak

FC115 | FC115SL
28" x 6'8" | 28" x 8'0"
210"x 6'8" | 210"x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Oak

FC115 | FC115SL
28" x 6'8" | 28" x 8'0"
210"x 6'8" | 210"x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Oak

81955P | 81955PSL
28" x 6'8" | 28" x 8'0"
210"x 6'8" | 210"x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Oak

81955PSL | 81955PSL
12" x 6'8" | 12" x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S6009 | 81955PSL
28" x 6'8" | 28" x 8'0"
210"x 6'8" | 210"x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Oak

FC907 | FC776
28" x 6'8" | 28" x 8'0"
210"x 6'8" | 210"x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Oak

81956P | 81956PSL
28" x 6'8" | 28" x 8'0"
210"x 6'8" | 210"x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Oak

81956PSL | 81956PSL
12" x 6'8" | 12" x 8'0"
14"x 6'8" | 14"x 8'0"



Smooth

S6092 | S982
28" x 6'8" | 28" x 8'0"
210"x 6'8" | 210"x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Smooth

S891 | S6092SL
28" x 6'8" | 28" x 8'0"
210"x 6'8" | 210"x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Smooth

S891SL | S6092SL
12" x 6'8" | 12" x 8'0"
14"x 6'8" | 14"x 8'0"



SARATOGA™ ◇ ■



Black Nickel Caming (1D)
Brushed Nickel Caming (1C)
Wrought Iron (1W)

Scrolled & Flat
Advanta Lite Frame
Not available for 2'4" and
2'6" doors or 10" sidelites.
WBDR / HVHZ Options

WBDR Options
WBDR / HVHZ Options

TEXAS STAR ◆◆



Mahogany
FCM143
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FCM143SL
12" x 6'8"
14" x 6'8"
3'0" x 6'8"



Oak
FCM8103SL
12" x 8'0"
14" x 8'0"
3'0" x 6'8"



Oak
FC143
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC778
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
81958P
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak
FC143SL
12" x 6'8"
14" x 6'8"
3'0" x 6'8"



Smooth
S6071
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC543
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC529
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC8529
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak
FC545SL
12" x 6'8"
14" x 8'0"
3'0" x 6'8"




Smooth
S543
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
S529
28" x 6'8"
2'10" x 8'0"
3'0" x 8'0"



Smooth
S8529
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth
S545SL
12" x 6'8"
14" x 8'0"
3'0" x 8'0"



Smooth
S8545SL
12" x 8'0"
14" x 8'0"
3'0" x 8'0"

WELLESLEY™ ◆◆◆



Smooth
S6072
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S85901
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany
S6071SL
12" x 6'8"
14" x 6'8"
3'0" x 6'8"



Smooth
85901SL
12" x 8'0"
14" x 8'0"
3'0" x 8'0"



Mahogany
FCM147
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FCM147SL
12" x 6'8"
14" x 6'8"
3'0" x 6'8"



Oak
FCM885SL
12" x 8'0"
14" x 8'0"
3'0" x 6'8"



Oak
FC147
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC779
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
81959P
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak
FCM912
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FCM912SL
12" x 6'8"
14" x 6'8"
3'0" x 6'8"



Oak
FCM892SL
12" x 8'0"
14" x 8'0"
3'0" x 6'8"



Oak
FC912
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC780
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth
81960P
28" x 6'8"
2'10" x 8'0"
3'0" x 8'0"



Smooth
FC912SL
12" x 6'8"
14" x 8'0"
3'0" x 6'8"



Smooth
S912
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

RISERVA® X



Oak
FC147SL
12" x 6'8"
14" x 8'0"
3'0" x 6'8"



Smooth
81959PSL
12" x 8'0"
14" x 8'0"
3'0" x 6'8"



Smooth
S6091
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S983
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Smooth
S892
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany
S6091SL
12" x 6'8"
14" x 6'8"
3'0" x 6'8"



Mahogany
S892SL
12" x 8'0"
14" x 8'0"
3'0" x 6'8"



Smooth
FCM543
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
FCM545SL
12" x 6'8"
14" x 6'8"
3'0" x 6'8"



Mahogany
FCM8545SL
12" x 8'0"
14" x 8'0"
3'0" x 6'8"



Mahogany
FCM543
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S97
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S85902
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth
S757SL
12" x 6'8"
14" x 6'8"
3'0" x 6'8"



Smooth
S85902SL
12" x 8'0"
14" x 8'0"
3'0" x 6'8"



Mahogany
FCM156
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FCM1442SL
12" x 6'8"
14" x 6'8"
3'0" x 6'8"



Oak
FC156
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC20042
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




Oak
81961P
28" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

KENSINGTON™ Continues on next page.

◆ Black Nickel Caming (ID)
■ Brushed Nickel Caming (IC)
◆ Brass Caming (IA)
◆ Wrought Iron (IW)

■ Scrolled & Flat
Advanta Lite Frame
Not available for 2'4" and
2'6" doors or 10" sidelites.
◆ WBDR / HVHZ Options
◆ WBDR Options

KENSINGTON™   *Continued*



Fiber-Classic & Smooth-Star

PEMBRIDGE™



3'0" x 6'8"



CALIX 



3'0" x 6'8" | 3'0" x 8'0" | 3'0" x 6'8"

3'0" x 8'0"


LATITUDE ◆ ◆ ◆



AXIS. 



3'0" x 6'8" 3'0" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



3'0" x 6'8" 3'0" x 6'8" 3'0" x 8'0" 3'0" x 6'8" 3'0" x 6'8" 3'0" x 8'0"

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

**Scrolled & Flat
Advanta Lite Frame**
Not available for 2'4" and
2'6" doors or 10" sidelites.

**Scrolled & Flat
Advanta Lite Frame**
Not available for 2'4" and
2'6" doors or 10' sidelites.




Fiber-Classic & Smooth-Star



Fiber-Classic & Smooth-Star

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold ▶.



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite



◀ Low-E Glass (LE)
◀ Simulated Divided Lites (SDL)
◀ Flat Lite Frame

◀ Scrolled & Flat Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.
◀ Scrolled Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.

◀ Standard Lite Frame Available
◀ WBDR Options
◀ WBDR / HVHZ Options

CLEAR GLASS WITH DIVIDED LITES


Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold ▶.

Fiber-Classic & Smooth-Star



Note: See page 277 for important product details that may help with your purchase decision.
Fiber-Classic Oak Collection, Axis Glass, Door – FC1646, Finish – Barley

Fiber-Classic & Smooth-Star



▶ Low-E Glass (LE)
■ Simulated Divided Lites (SDL)
◆ Flat or Contour White Grilles Between Glass (GBGF)
◆ Flat Bronze Grilles Between Glass (GBGC)

◆ Flat Almond Grilles Between Glass (GBGF)
◆ Scrolled & Flat Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.

◆ Scrolled Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.
▶ Standard Lite Frame Available
WBDR Options
WBDR / HVHZ Options

CLEAR GLASS *Continued*

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold ▶.




Oval Lites




TRANSOMS

For transoms,
see page 201.



BLACKSTONE®



Note: See page 277 for important product details that may help with your purchase decision.

Top: Fiber-Classic Mahogany Collection, Concorde Glass, Door – FCM916, Sidelites – FCM809SL, Finish – Rustic Clay

WELLESLEY™



Smooth

S997
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM106
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM163
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC713
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC163
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC796
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Fiber-Classic & Smooth-Star



Smooth

S774
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6082
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S999
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM916
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM915
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC916
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC915
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

KENSINGTON™



Oak

FC797
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S773
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6084
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1000
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM151
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM789
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC709
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

KENSINGTON Continues on next page.

Black Nickel Caming (ID)
Brushed Nickel Caming (IC)
Brass Caming (IA)

Scrolled & Flat
Advanta Lite Frame
Not available for 2'4" and
2'6" doors or 10" sidelites.
Flat Lite Frame

Scrolled & Flat
Advanta Lite Frame
Not available for 2'4" and
2'6" doors or 10" sidelites.
Turtle Glass

Standard Lite Frame Available
WBDR Options




FC151	FC798	S709	S163	S1001
2'8" x 6'8"				
2'10" x 6'8"				
3'0" x 6'8"				



TRANSOMS

For transoms,
see page 201.

PEMBRIDGE™  

FCM6577	FCM6575	FC6577	FC06575	FC6576	S6577	S6575	S6576
2'8" x 6'8"	2'8" x 6'8"	2'8" x 6'8"	2'10" x 6'8"	2'8" x 6'8"	2'8" x 6'8"	2'10" x 6'8"	2'10" x 6'8"
2'10" x 6'8"	2'10" x 6'8"	2'10" x 6'8"	3'0" x 6'8"	2'10" x 6'8"	2'10" x 6'8"	3'0" x 6'8"	3'0" x 6'8"
3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"		3'0" x 6'8"		3'0" x 6'8"	

CLEAR GLASS



FCM80	FCM160	FC710	FC160	FC789	S770	S6080	S992
2'8" x 6'8"	2'8" x 6'8"	2'8" x 6'8"	2'10" x 6'8"	2'8" x 6'8"	2'8" x 6'8"	2'10" x 6'8"	2'10" x 6'8"
2'10" x 6'8"	2'10" x 6'8"	2'10" x 6'8"	3'0" x 6'8"	2'10" x 6'8"	2'10" x 6'8"	3'0" x 6'8"	3'0" x 6'8"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Pembridge Glass, Door S6576

Right Page: Fiber-Classic Mahogany Collection, Salinas Glass, Door – FCM114, Sidelites – FCM814SL, Transom – SART, Finish – Raven

BLACKSTONE™ 

FCM109	FCM863	FCM6032	FCM6052	FCM109SL	FCM863SL	FC109	81933P	81975P	FC109SL	81933PSL
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 6'8"	12' x 6'8"	12' x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"	2'8" x 8'0"	12' x 6'8"	12' x 8'0"
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 6'8"	14' x 6'8"	14' x 8'0"	3'0" x 6'8" (7'0")	3'0" x 8'0"	3'0" x 8'0"	14' x 6'8"	14' x 8'0"
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 6'8"							



S6000	S81933P	S6032	S86032	S4314	S84314	S6052	S972	S85905	S6000SL	S85912SL
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 8'0"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 8'0"	12' x 6'8"	12' x 8'0"
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 8'0"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 8'0"	14' x 6'8"	14' x 8'0"
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 8'0"		

 Low-E Glass (LE)

 Black Nickel Caming (1D)

 Brushed Nickel Caming (1C)

 Brass Caming (1A)

 Scrolled & Flat Advanta Lite Frame

 Not available for 24" and 26" doors or 10" sidelites.

 Scrolled Advanta Lite Frame

 Not available for 24" and 26" doors or 10" sidelites.

 Standard Lite Frame Available

 WBDR Options

 Elevated 10" Bottom Rail Options

 WBDR / HVHZ Options



Mahogany Mahogany Oak Oak Oak Smooth Smooth

FCM898 FCM898SL 81935P 81977P 81935PSL S81935P S86027


2'8" x 8'0" 12' x 8'0" 14' x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'8" x 8'0" 12' x 8'0" 14' x 8'0" 3'0" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth Smooth Smooth Smooth Smooth S35 S833 S294SL S85915SL

S6025 S86025 S4328 S84328 S6045 S35 S833 S294SL S85915SL

2'8" x 6'8" (7'0") 2'8" x 8'0" 2'8" x 6'8" 2'8" x 8'0" 2'8" x 6'8" 2'8" x 8'0" 2'8" x 8'0" 12' x 6'8" 14' x 8'0"



Smooth Smooth Smooth Mahogany Mahogany Mahogany

S84319 S85907 S85914SL FCM101 FCM864 FCM6025 FCM6045

2'8" x 8'0" 2'8" x 8'0" 12' x 8'0" 14' x 8'0" 2'8" x 6'8" 2'10" x 8'0" 3'0" x 8'0" 2'8" x 6'8" 2'10" x 8'0" 3'0" x 8'0" 2'8" x 6'8" 2'10" x 8'0" 3'0" x 8'0"



Mahogany Oak Oak Oak Smooth

FCM101SL FCM864SL FC101 81936P 81978P FC101SL 81936PSL S211 S81936P

12' x 6'8" 12' x 8'0" 2'6" x 6'8" 2'8" x 8'0" 2'8" x 8'0" 12' x 8'0" 14' x 8'0" 2'6" x 6'8" 2'8" x 8'0" 2'8" x 8'0" 3'0" x 8'0" 2'6" x 6'8" (7'0") 3'0" x 8'0" 2'6" x 6'8" (7'0") 3'0" x 8'0"




Mahogany Mahogany Mahogany Mahogany Oak Oak

FCM114 FCM865 FCM6031 FCM6051 FCM114SL FCM865SL FC114 81937P 81980P

2'8" x 6'8" 2'8" x 8'0" 2'8" x 6'8" 2'8" x 8'0" 12' x 6'8" 12' x 8'0" 2'6" x 6'8" 2'8" x 8'0" 2'8" x 8'0"

2'10" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 14' x 8'0" 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0" 3'0" x 8'0" 3'0" x 8'0" 3'0" x 8'0" 3'0" x 8'0" 3'0" x 8'0" 3'0" x 8'0" 3'0" x 8'0" 3'0" x 8'0"



Oak Smooth Smooth Smooth Smooth

FC114SL 81937PSL S6006 S81937P S6031 S86031 S4325 S84325 S6051

12' x 6'8" 12' x 8'0" 2'6" x 6'8" 2'8" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 8'0" 2'8" x 8'0" 2'8" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 8'0"

14' x 6'8" 14' x 8'0" 2'10" x 8'0" 2'10" x 8'0" 2'10" x 8'0" (7'0") 3'0" x 8'0" 3'0" x 8'0" 3'0" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

2'10" x 6'8" (7'0") 3'0" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 2'10" x 8'0" (7'0") 3'0" x 8'0" 3'0" x 8'0" 3'0" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

◇ Black Nickel Caming (ID)
◻ Brushed Nickel Caming (IC)
✖ Wrought Iron (IW)

■ Scrolled & Flat Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.
■ WBDR Options
■ WBDR / HVHZ Options

■ Flat Advanta Lite Frame
Not available for 24" and 26" doors or 10" sidelites.
■ Elevated 10" Bottom Rail Options

SALINAS Continues on next page.

MAPLE PARK  

Fiber-Classic & Smooth-Star



Smooth	Smooth
S973  	S893  
2'8" x 6'8"  2'10" x 6'8"  3'0" x 6'8" 	2'8" x 8'0"  2'10" x 8'0"  3'0" x 8'0" 
2'10" x 6'8"  3'0" x 6'8"  3'0" x 8'0" 	2'8" x 8'0"  14" x 6'8"  14" x 8'0" 



Mahogany	Mahogany	Mahogany
FCM901  	FCM886  	FCM6107  
2'8" x 6'8"  2'10" x 6'8"  3'0" x 6'8" 	2'8" x 8'0"  2'10" x 8'0"  3'0" x 8'0" 	2'8" x 6'8"  2'10" x 6'8"  3'0" x 6'8" 
2'10" x 6'8"  3'0" x 6'8"  3'0" x 8'0" 	2'8" x 8'0"  14" x 6'8"  14" x 8'0" 	2'8" x 6'8"  2'10" x 6'8"  3'0" x 6'8" 



Mahogany	Oak	Oak	Oak	Smooth	Smooth
FCM906SL  	FCM888SL  	FC906  	81938P  	8198IP  	FC906SL  
2'8" x 6'8"  14" x 6'8"  14" x 8'0" 	12" x 8'0"  14" x 8'0"  14" x 8'0" 	2'6" x 6'8"  2'8" x 8'0"  2'10" x 8'0"  3'0" x 8'0" 	2'8" x 8'0"  2'10" x 8'0"  3'0" x 8'0" 	2'8" x 8'0"  14" x 8'0"  3'0" x 8'0" 	12" x 6'8"  14" x 8'0"  3'0" x 8'0" 
2'10" x 6'8"  3'0" x 6'8"  3'0" x 8'0" 	2'8" x 8'0"  14" x 6'8"  14" x 8'0" 	2'8" x 6'8"  2'10" x 6'8"  3'0" x 6'8" 	2'8" x 8'0"  2'10" x 8'0"  3'0" x 8'0" 	2'8" x 8'0"  14" x 8'0"  3'0" x 8'0" 	12" x 6'8"  14" x 8'0"  3'0" x 8'0" 
3'0" x 6'8"  3'0" x 8'0" 	2'8" x 8'0"  14" x 6'8"  14" x 8'0" 	2'8" x 6'8"  2'10" x 8'0"  3'0" x 8'0" 	2'8" x 8'0"  2'10" x 8'0"  3'0" x 8'0" 	2'8" x 8'0"  14" x 8'0"  3'0" x 8'0" 	12" x 6'8"  14" x 8'0"  3'0" x 8'0" 



Smooth	Smooth
S213  	S81938P  
2'6" x 6'8"  2'8" x 8'0"  2'10" x 8'0"  3'0" x 8'0" 	2'8" x 8'0"  2'10" x 8'0"  3'0" x 8'0" 
2'8" x 6'8"  2'10" x 8'0"  3'0" x 8'0" 	2'8" x 8'0"  2'10" x 8'0"  3'0" x 8'0" 



Smooth	Smooth
S6029  	S86029  
2'8" x 6'8"  2'10" x 8'0"  3'0" x 8'0" 	2'8" x 8'0"  2'10" x 8'0"  3'0" x 8'0" 
2'10" x 6'8"  3'0" x 8'0" 	2'8" x 8'0"  2'10" x 8'0"  3'0" x 8'0" 

SARATOGA  

Smooth	Smooth	Smooth	Mahogany	Mahogany	Mahogany
S6108  	S6106  	S85897  	S6101SL  	S85918SL  	FCM906  
2'8" x 6'8"  2'10" x 6'8"  3'0" x 6'8" <img alt="W icon" data-bbox="254 905 267 9					

TEXAS STAR  *Continued*

WELLESLEY™ 

RISERVA® 

CONCORDE *Continues on next page.*
 **Black Nickel Caming (ID)**
 **Brushed Nickel Caming (IC)**
 **Brass Caming (IA)**
 **Scrolled & Flat Advanta Lite Frame**
Not available for 24" and 26" doors or 10" sidelites.
 **WBDR Options**
 **WBDR / HVHZ Options**
 **E Elevated 10" Bottom Rail Options**

Fiber-Classic & Smooth-Star



KENSINGTON™ 



PEMBRIDGE™



PEMBRIDGE *Continues on next page.*

*Not available with Advanta lite frame.
Note: See page 277 for important product details that may help with your purchase decision.






174

- ◆ Black Nickel Caming (ID)
- Brushed Nickel Caming (IC)
- ❖ Brass Caming (1A)
- ✗ Wrought Iron (IW)

The logo for the Scrolled & Flat Advanta Lite Frame. It features a blue square icon with a white diagonal line, followed by the text "Scrolled & Flat" in a bold, black, sans-serif font, and "Advanta Lite Frame" in a slightly smaller, bold, black, sans-serif font.

- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Fiber-Classic & Smooth-Star

Smooth
S6536 | S86536
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"Smooth
S6565SL | S86560SL
12' x 6'8" | 14' x 6'8"
12' x 8'0" | 14' x 8'0"Mahogany
FCM1654 | FCM81654
2'8" x 6'8" | 2'10" x 6'8"
2'8" x 8'0" | 3'0" x 8'0"Mahogany
FCM1656 | FCM81656
2'8" x 6'8" | 2'10" x 6'8"
2'8" x 8'0" | 3'0" x 8'0"Mahogany
FCM1658 | FCM1656SL
2'8" x 6'8" | 14" x 6'8"
2'10" x 6'8" | 14" x 8'0"
3'0" x 6'8" | 3'0" x 6'8"Mahogany
FCM81654SL | FCM394
12' x 6'8" | 12' x 6'8"
12' x 8'0" | 14" x 6'8"
3'0" x 6'8" | 3'0" x 6'8"Mahogany
FC386 | FC3836
2'8" x 6'8" | 2'10" x 6'8"
2'8" x 8'0" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"Mahogany
FC387SL | FC3892
12' x 6'8" | 2'8" x 8'0"
14" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"Oak
FC386SL | FC387SL
2'8" x 6'8" | 12' x 6'8"
2'8" x 8'0" | 14" x 6'8"
3'0" x 6'8" | 3'0" x 6'8"Oak
S386 | S8386
2'8" x 6'8" | 2'8" x 8'0"
2'8" x 8'0" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"Smooth
S386SL | S8386SL
2'8" x 6'8" | 12' x 6'8"
2'8" x 8'0" | 14" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"Smooth
S386 | S8386
2'8" x 6'8" | 2'8" x 8'0"
2'8" x 8'0" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"Smooth
S386SL | S8386SL
2'8" x 6'8" | 12' x 6'8"
2'8" x 8'0" | 14" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"Smooth
S386 | S8386
2'8" x 6'8" | 2'8" x 8'0"
2'8" x 8'0" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"Smooth
S386SL | S8386SL
2'8" x 6'8" | 12' x 6'8"
2'8" x 8'0" | 14" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"Smooth
S386 | S8386
2'8" x 6'8" | 2'8" x 8'0"
2'8" x 8'0" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"Oak
FC1654 | FC81654
2'6" x 6'8" | 2'8" x 6'8"
2'8" x 6'8" | 2'10" x 6'8"
2'10" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | 3'0" x 6'8" (70")Oak
FC81653 | FC1656SL
2'8" x 8'0" | 12' x 6'8"
2'10" x 8'0" | 14" x 6'8"Oak
FC1656SL | FC81654SL
12' x 6'8" | 12' x 8'0"
14" x 6'8" | 14" x 8'0"Smooth
S1654 | S81654
2'6" x 6'8" | 2'8" x 6'8"
2'8" x 6'8" | 2'10" x 8'0"
2'10" x 6'8" | 3'0" x 8'0"Smooth
S1656 | S81656
2'8" x 6'8" (70") | 2'8" x 6'8"
2'10" x 6'8" (70") | 2'10" x 8'0"
3'0" x 6'8" (70") | 3'0" x 8'0"Smooth
S1656SL | S81654SL
2'8" x 6'8" | 12' x 6'8"
2'10" x 6'8" | 14" x 6'8"
3'0" x 6'8" | 3'0" x 6'8" (70")Smooth
S387 | S8387
2'8" x 6'8" (70") | 2'8" x 6'8"
2'10" x 6'8" (70") | 2'10" x 8'0"
3'0" x 6'8" (70") | 3'0" x 8'0"Smooth
S4310 | S84310
2'8" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"Smooth
S394 | S8392
2'8" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"Smooth
S392 | S8392
2'8" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"Smooth
S387SL | S8386SL
12' x 6'8" | 12' x 6'8"
14" x 6'8" | 14" x 8'0"Smooth
S386SL | S8386SL
12' x 6'8" | 12' x 6'8"
14" x 6'8" | 14" x 8'0"Smooth
S386 | S8386
12' x 6'8" | 12' x 6'8"
14" x 6'8" | 14" x 8'0"Smooth
S386SL | S8386SL
12' x 6'8" | 12' x 6'8"
14" x 6'8" | 14" x 8'0"Smooth
S386 | S8386
12' x 6'8" | 12' x 6'8"
14" x 6'8" | 14" x 8'0"Smooth
S386SL | S8386SL
12' x 6'8" | 12' x 6'8"
14" x 6'8" | 14" x 8'0"Smooth
S386 | S8386
12' x 6'8" | 12' x 6'8"
14" x 6'8" | 14" x 8'0"Smooth
S386SL | S8386SL
12' x 6'8" | 12' x 6'8"
14" x 6'8" | 14" x 8'0"Smooth
S4311 | S84311
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"Smooth
S1658 | S84311
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"Smooth
S1653 | S81653
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"Smooth
S1653 | S81653
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"Smooth
S1656SL | S81654SL
12' x 6'8" | 12' x 6'8"
14" x 6'8" | 14" x 8'0"Smooth
FCM386 | FCM8386
2'8" x 6'8" | 2'10" x 6'8"
2'8" x 8'0" | 3'0" x 8'0"
2'10" x 6'8" | 3'0" x 6'8"Smooth
FCM387 | FCM387
2'8" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | 3'0" x 6'8"Smooth
S4310 | S84310
2'8" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"Smooth
S394 | S84310
2'8" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"Smooth
FCM8498 | FCM8498SL
2'8" x 8'0" | 2'8" x 8'0"
2'10" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | 3'0" x 8'0"Smooth
FCM8498 | FCM8498SL
2'8" x 8'0" | 2'8" x 8'0"
2'10" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | 3'0" x 8'0"Smooth
FCM8498 | FCM8498SL
2'8" x 8'0" | 2'8" x 8'0"
2'10" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | 3'0" x 8'0"Smooth
FCM8498 | FCM8498SL
2'8" x 8'0" | 2'8" x 8'0"
2'10" x

Fiber-Classic & Smooth-Star



Smooth Smooth Smooth

S84322 S8489 S8498SL
6 6 6
2'0" x 8'0" 2'0" x 8'0" 12" x 8'0"
2'10" x 8'0" 2'10" x 8'0" 14" x 8'0"
3'0" x 8'0" 3'0" x 8'0" 3'0" x 8'0"



Mahogany Mahogany Mahogany Mahogany

FCM65_ FCM6022_ FCM6042_ FCM8321_
6 6 6 6
2'8" x 6'8" 2'8" x 6'8" 2'8" x 6'8" 2'8" x 6'8"
2'10" x 6'8" 2'10" x 6'8" 2'10" x 6'8" 2'10" x 6'8"
3'0" x 6'8" 3'0" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



Smooth Smooth Mahogany Mahogany Mahogany Mahogany

S263_SL S3487_SL FCM62_ FCM862_ FCM6021_ FCM6041_ FCM104_
6 6 6 6 6 6 6
12" x 6'8" 12" x 8'0" 2'8" x 6'8" 2'8" x 8'0" 2'8" x 6'8" 2'8" x 6'8" 2'8" x 6'8"
14" x 6'8" 14" x 8'0" 3'0" x 6'8" 3'0" x 8'0" 3'0" x 6'8" 3'0" x 6'8" 2'10" x 6'8" (7'0")
2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0" 3'0" x 6'8" 3'0" x 6'8" 3'0" x 6'8" 3'0" x 6'8"



Mahogany Mahogany Oak Oak Oak Oak

FCM65_SL FCM3487_SL FC65_ FC8321_ FC832_ FC63_SL FC3487_SL
6 6 6 6 6 6 6
12" x 6'8" 12" x 8'0" 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'8" x 8'0" 12" x 6'8" 12" x 8'0"
14" x 6'8" 14" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 8'0" 14" x 6'8" 14" x 8'0"
3'0" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 8'0" 3'0" x 8'0" 3'0" x 8'0" 3'0" x 8'0"



Mahogany Oak Oak Oak Oak Smooth

FCM62_SL FCM862_SL FC62_ 81929P_ FC104_ 81971P_ FC48_SL 81929P_SL S206_ S81929P_
6 6 6 6 6 6 6 6 6 6
12" x 6'8" 12" x 8'0" 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'8" x 8'0" 2'8" x 8'0" 12" x 6'8" 12" x 8'0" 2'8" x 6'8" (7'0")
14" x 6'8" 14" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 14" x 6'8" 14" x 8'0" 2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 8'0"



Smooth Smooth Smooth Smooth Smooth Smooth Smooth

S262_ S6022_ S6042_ S32_ S8321_ S86022_ S832_
6 6 6 6 6 6 6
2'8" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'8" x 6'8" 2'8" x 6'8" 2'8" x 8'0" 2'8" x 8'0" 2'8" x 8'0"
2'10" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 2'10" x 8'0" 2'10" x 8'0"
3'0" x 6'8" (7'0") 3'0" x 6'8" 3'0" x 6'8" 3'0" x 8'0" 3'0" x 8'0" 3'0" x 8'0" 3'0" x 8'0"



Smooth Smooth Smooth Smooth Smooth Smooth Smooth

S6021_ S86021_ S4305_ S84305_ S6041_ S104_ S30_ S830_ S210_SL S85910_SL
6 6 6 6 6 6 6 6 6 6
2'8" x 6'8" (7'0") 2'8" x 8'0" 2'8" x 6'8" 2'8" x 8'0" 2'8" x 6'8" 2'8" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'8" x 8'0" 12" x 6'8" 12" x 8'0"
2'10" x 6'8" (7'0") 3'0" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 8'0" 14" x 6'8" 14" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

◆ Black Nickel Caming (ID)
■ Brushed Nickel Caming (IC)
◆ Brass Caming (IA)

◆ Simulated Divided Lites (SDL)
■ Scrolled & Flat
Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.



◆ Scrolled
Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
◆ WBDR Options
◆ WBDR / HVHZ Options
◆ Elevated 10" Bottom Rail Options

Fiber-Classic & Smooth-Star

INTERNAL BLINDS



CLEAR GLASS WITH DIVIDED LITES



*Not available with Advanta lite frame.

**Features a gliding operation and sash locking system.

Note: See page 277 for important product details that may help with your purchase decision.

No Stile Lines
Low-E Glass (LE)
Simulated Divided Lites (SDL)


Contour or Flat White Grilles Between Glass (GBGF / GBGC)
Contour or Flat Almond Grilles Between Glass (GBGF / GBGC)
Contour or Flat Bronze Grilles Between Glass (GBGF / GBGC)

Scrolled & Flat Advanta Lite Frame
WBDR Options
WBDR / HVHZ Options
Standard Lite Frame Available

Elevated 10" Bottom Rail Options

CLEAR GLASS WITH DIVIDED LITES Continues on next page.

CLEAR GLASS WITH DIVIDED LITES *Continued*



★ Low-E Glass (LE)
■ Simulated Divided Lites (SDL)
◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
■ Standard Lite Frame Available

◆ Flat Almond Grilles Between Glass (GBGF)
◆ Flat Bronze Grilles Between Glass (GBGF)
◆ Fixed Grilles (FXG)
■ Scrolled & Flat Advanta Lite Frame
◆ WBDR Options
◆ WBDR / HVHZ Options
◆ Elevated 10" Bottom Rail Options

◆ WBDR Options
◆ WBDR / HVHZ Options
◆ Elevated 10" Bottom Rail Options

Fiber-Classic & Smooth-Star




*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Clear Glass, Door - S289, Finish - Onyx



TRANSOMS

For transoms,
see page 201.

Fiber-Classic & Smooth-Star

BLACKSTONE. ◆◆



Smooth

S6013

2'8" x 6'8"
2'8" x 8'0"
2'10" x 6'8"
3'0" x 6'8"

SEDONA ◆◆



Smooth

S294

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

SALINAS. ✕



Smooth

S6014

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

MAPLE PARK. ◆◆



Smooth

S6104

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

SARATOGA.™ ◆◆



Smooth

S291

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

WELLESLEY.™ ◆◆◆



Smooth

S292

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

RISERVA. ✕



Smooth

S585

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

CONCORDE.™ ◆◆◆



Smooth

S430

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

◆ No Stile Lines
◆ Low-E Glass (LE)
◆ Black Nickel Caming (1D)

◆ Brushed Nickel Caming (1C)
◆ Brass Caming (1A)
◆ Wrought Iron (1W)

◆ Standard Lite Frame Available
◆ Scrolled & Flat Advanta Lite Frame
◆ Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
◆ WBDR Options
◆ WBDR / HVHZ Options

◆ Elevated 10" Bottom Rail Options

KENSINGTON ◆◆◆**PEMBRIDGE** ◆◆◆◆◆**AXIS** ◆**CALIX** ◆◆◆◆◆**Center Lites**

Note: Product images show exterior side of door.

Fiber-Classic & Smooth-Star



Smooth

S162

28" x 6'8"
210" x 6'8"
30" x 6'8"


Smooth

S6572

28" x 6'8"
210" x 6'8"
30" x 6'8"

Smooth

S1661

28" x 6'8"
210" x 6'8"
30" x 6'8"

Smooth

S398

28" x 6'8"
210" x 6'8"
30" x 6'8"**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**

Smooth

S807

28" x 6'8"
210" x 6'8"
30" x 6'8"

Smooth

S289

28" x 6'8"
210" x 6'8"
30" x 6'8"**CLEAR GLASS WITH DIVIDED LITES**

Smooth

S807

28" x 6'8"
210" x 6'8"
30" x 6'8"

Smooth

S1411

28" x 6'8"
210" x 6'8"
30" x 6'8"**CLEAR GLASS**

Smooth

S289

28" x 6'8"
210" x 6'8"
30" x 6'8"**BLACKSTONE** ◆◆

Oak

FC80943

28" x 6'8"
210" x 6'8"
30" x 6'8"

Oak

FC86243

28" x 6'8"
210" x 6'8"
30" x 6'8"

Smooth

S9343

28" x 6'8"
210" x 6'8"
30" x 6'8"

Smooth

S83143

28" x 6'8"
210" x 6'8"
30" x 6'8"**SEDONA** ◆◆

Oak

FC80952

28" x 6'8"
210" x 6'8"
30" x 6'8"

Oak

FC86252

28" x 6'8"
210" x 6'8"
30" x 6'8"

Smooth

S9352

28" x 6'8"
210" x 6'8"
30" x 6'8"**SALINAS** X

Smooth

S83152

28" x 8'0"
210" x 8'0"
30" x 8'0"

Oak

FC80953

28" x 8'0"
210" x 8'0"
30" x 8'0"

Smooth

S9353

28" x 8'0"
210" x 8'0"
30" x 8'0"

Smooth

S83153

28" x 8'0"
210" x 8'0"
30" x 8'0"**MAPLE PARK** ◆◆

Oak

FC80955

28" x 8'0"
210" x 8'0"
30" x 8'0"

Oak

FC86255

28" x 8'0"
210" x 8'0"
30" x 8'0"**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded
XE = Satin EtchXC = Chord
XJ = ChinchillaXR = Rainglass
XN = Granite

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Salinas Glass, Door - S9353, Sidelites - S6008SL, Finish - Canyon

Low-E Glass (LE)

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)

Wrought Iron (IW)

Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Flat Almond Grilles Between Glass (GBGF)

Flat Bronze Grilles Between Glass (GBGF)

Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Fixed Grilles (FXG)

Scrolled & Flat Advanta Lite Frame

Not available for 24" and 26" doors or 10" sidelites.

Scrolled Advanta Lite Frame

Not available for 24" and 26" doors or 10" sidelites.

Standard Lite Frame Available

Fiber-Classic & Smooth-Star

MAPLE PARK ◆◆◆**SARATOGA** ◆◆◆**PEMBRIDGE** ◆◆◆◆

Fiber-Classic & Smooth-Star



Smooth **Oak** **Smooth** **Oak** **Smooth** **Smooth**

S9355

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth **Oak** **Smooth** **Oak** **Smooth** **Smooth**

S83155

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth **Oak** **Smooth** **Oak** **Smooth** **Smooth**

FC80954

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth **Oak** **Smooth** **Oak** **Smooth** **Smooth**

FC86254

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth **Oak** **Smooth** **Oak** **Smooth** **Smooth**

S9354

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth **Oak** **Smooth** **Oak** **Smooth** **Smooth**

S83154

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"


Smooth **Oak** **Smooth** **Oak** **Smooth** **Smooth**

S9342

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth **Oak** **Smooth** **Oak** **Smooth** **Smooth**

FC6534

2'8" x 6'8"
2'10" x 8'0"
3'0" x 8'0"

Smooth **Oak** **Smooth** **Oak** **Smooth** **Smooth**

S6534

2'8" x 6'8"
2'10" x 8'0"
3'0" x 8'0"**WELLESLEY** ◆◆◆

Oak **Oak** **Smooth** **Smooth** **Oak** **Oak** **Smooth** **Smooth**

FC80949
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC86249
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S9349
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83149
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

RISERVA X

Oak **Oak** **Smooth** **Smooth** **Oak** **Oak** **Smooth** **Smooth**

FC507
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC549
2'8" x 8'0"
2'10" x 8'0"
3'0" x 6'8"

S507
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

AXIS ◆

Oak **Oak** **Smooth** **Smooth** **Oak** **Oak** **Smooth** **Smooth**

FC1655
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC81649
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S1655
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81649
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CALIX ◆◆◆

Oak **Oak** **Smooth** **Smooth** **Oak** **Oak** **Smooth** **Smooth**

FC393
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC8390
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S393
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CONCORDE ◆◆◆

Smooth **Oak** **Oak** **Smooth** **Smooth** **Smooth** **Smooth** **Smooth** **Smooth**

S549
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FC80947
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC86247
2'8" x 8'0"
2'10" x 6'8"
3'0" x 8'0"

KENSINGTON ◆◆

Smooth **Smooth** **Smooth** **Smooth** **Smooth** **Smooth** **Smooth** **Smooth** **Smooth**

FC80942
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC86242
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

Smooth **Oak** **Oak** **Smooth** **Smooth** **Smooth** **Smooth** **Smooth** **Smooth**

S8390
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FC809203
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC862203
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S93203
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S831203
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla


XR = Rainglass
XN = Granite

◆ Black Nickel Caming (1D)
◆ Brushed Nickel Caming (1C)
◆ Brass Caming (1A)

◆ Scrolled & Flat
Advanta Lite Frame
Not available for 2'4" and
2'6" doors or 10" sidelites.

◆ Wrought Iron (1W)
◆ WBDR / HVHZ Options

PRIVACY & TEXTURED GLASS



INTERNAL BLINDS



Craftsman Lites



Note: Product images show exterior side of door.


TRANSOMS

For transoms, see page 201.

OPTIONAL DENTIL SHELVES*




4-Block Dentil Shelf
Available for all Craftsman-lite Fiber-Classic Mahogany Collection doors.




4-Block Dentil Shelf
Available for all Craftsman-lite Smooth-Star doors.

Fiber-Classic & Smooth-Star

CLEAR GLASS WITH DIVIDED LITES



CLEAR GLASS



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla
XR = Rainglass

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

**Available with Advanta flat lite frame only.

***Available with Advanta flat lite frame or Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Calix Glass, Door- S3540, Finish – Arctic Ice

SEDONA



MAPLE PARK



SARATOGA



RISERVA



RISERVA Continues on next page.



Low-E Glass (LE)



Black Nickel Caming (ID)



Brushed Nickel Caming (IC)



Brass Caming (IA)



Simulated Divided Lites (SDL)



Flat or Contour White Grilles Between Glass (GBGF / GBGC)



Flat or Contour Black Grilles Between Glass (GBGF / GBGC)



Flat Almond Grilles Between Glass (GBGF)



Fixed Grilles (FXG)



Scrolled & Flat Advanta Lite Frame

Not available for 2'4" and 2'6" doors or 10" sidelites.



Standard Lite Frame Available



WBDR / HVHZ Options

RISERVA® X *Continued*
PEMBRIDGE™


Smooth

S508 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM6520 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S2640* 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S82640* 2'8" x 6'8" 2'10" x 6'8" 3'0" x 8'0"



Smooth

S6520 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM1650 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CALIX


Smooth

S2620* 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S82620* 2'8" x 6'8" 2'10" x 8'0" 3'0" x 8'0"



Mahogany

S1650 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

FCM6975 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S3540* 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S83540* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S6975 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S86975 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

AXIS®


Smooth

S607_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S8607_ 2'8" x 6'8" 2'10" x 8'0" 3'0" x 8'0"



Mahogany

S608_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM601_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S2610_ * 2'8" x 6'8" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S82610_ * 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S601_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Fiber-Classic & Smooth-Star

PRIVACY & TEXTURED GLASS


Mahogany

FCM601_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S2610_ * 2'8" x 6'8" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S82610_ * 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S601_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES


Mahogany

FCM605_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM606_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM607_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM608_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S605_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S8605_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S606_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S8606_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES


Mahogany

FCM605 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM606 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM607 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM608 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S605 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S8605 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S606 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS



Smooth

S607 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S8607 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S608 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM601 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S2610* 2'8" x 6'8" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S82610* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S601 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Standard Lite Frame Available

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

*Available with Advanta flat lite frame or Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.

- ◆ Black Nickel Caming (ID)
■ Brushed Nickel Caming (IC)
◆ Brass Caming (IA)
◆ Wrought Iron (IW)

- ◆ Simulated Divided Lites (SDL)
■ Flat Lite Frame
◆ Scrolled & Flat Advanta Lite Frame
◆ Flat Advanta Lite Frame

- Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
◆ WBDR Options
◆ WBDR / HVHZ Options
■ Elevated 10" Bottom Rail Options

Minimal Lites

Fiber-Classic & Smooth-Star




Note: Product images show exterior side of door.

CONCORDE™

TRANSOMS

For transoms,
see page 201.



FCM735 Mahogany

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC735 Oak

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



S735 Smooth

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



FCM8745 Mahogany

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC745 Oak

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

MAPLE PARK®



Mahogany
FCM736
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak
FCM8736
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth
FC8736
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

SARATOGA™



Mahogany
FCM707
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak
FCM8707
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth
S736
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



S745 Smooth

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



FCM8752 Mahogany

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC752 Oak

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



S752 Smooth

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



FCM704 Mahogany

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

WELLESLEY™



Smooth
S707
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Mahogany
FCM721
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak
FCM8721
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth
S721
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth
S8721
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FC704 Oak

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



S704 Smooth

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



FCM708 Mahogany

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



FC708 Oak

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



S708 Smooth

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Note: See page 277 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Concorde Glass, Door – FC917, Sidelite – FC910SL

Low-E Glass (LE)

Black Nickel Caming (ID)

Brushed Nickel Caming (IC)

Brass Caming (IA)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

Flat Almond Grilles Between Glass (GBGF)

Flat Bronze Grilles Between Glass (GBGF)

Elevated 10" Bottom Rail Options

PEMBRIDGE™

Fiber-Classic & Smooth-Star



FCM8745 Mahogany

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC745 Oak

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



FC917 S454

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC23 S255

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS



FC803 S256

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"CLEAR GLASS
WITH DIVIDED LITES

S236 S8317

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM6570 FCM86570

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC6570 FC86570

2'6" x 6'8" (7'0")*
2'8" x 8'0"
2'10" x 6'8"
3'0" x 6'8"

S6570 S86570

2'6" x 6'8" (7'0")*
2'8" x 8'0"
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

AXIS®



FCM1645 FCM81645

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC1645 FC81645

2'6" x 6'8" (7'0")*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S1645 S81645

2'6" x 6'8" (7'0")*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded
XE = Satin EtchXC = Chord
XJ = ChinchillaXR = Rainglass
XN = Granite

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED GLASS



Mahogany

FCM61_ FCM861_

2'8" x 6'8"



Oak

FC61_ FC861_

2'6" x 6'8" (7'0")*



Smooth

S296_ S896_

2'6" x 6'8" (7'0")*

CLEAR GLASS



Mahogany

FCM61 FCM861

2'8" x 6'8"



Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.



Smooth

S140STC

2'6" x 6'8" (7'0")*

Smooth

S8140STC

2'8" x 8'0"*

Smooth

S141STC

2'6" x 6'8" (7'0")*

Smooth

S6063STC

2'6" x 6'8" (7'0")*

Scrolled & Flat
Advanta Lite Frame
Not available for 2'4" and
2'6" doors or 10" sidelites.

E

Elevated 10" Bottom
Rail Options

- No Stile Lines
- Low-E Glass (LE)
- Black Nickel Caming (ID)
- Brushed Nickel Caming (IC)

- Brass Caming (IA)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBFW)
- Fixed Grilles (FXG)

- Flat Bronze Grilles Between Glass (GBGF)
- Flat White Grilles Between Glass Only (GBFW)
- Standard Lite Frame Available

Fiber-Classic & Smooth-Star

197


Solid Panel



Note: Product images show exterior side of door.

TRANSOMS

For transoms,
see page 201.



Oak
1000
2'0" x 6'8"
2'4" x 6'8" Δ
2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")



Smooth
81000
2'0" x 8'0"
2'4" x 8'0"
2'10" x 6'8"
2'6" x 8'0"
3'0" x 6'8"
2'8" x 8'0"
3'0" x 8'0"



Smooth
S93
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S45
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S220
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth
S8200
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth
S1100
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth
S81100
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany
FCM31
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
FCM220
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
FCM205
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
FCM755
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
FCM600
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
FCM60
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
FCM860
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany
FCM1000
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak
FCM81000
2'0" x 8'0"
2'4" x 8'0"
2'6" x 8'0"
2'8" x 8'0" (7'0")
2'10" x 8'0"
3'0" x 8'0" (7'0")

FC31
2'0" x 8'0"
2'4" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
3'0" x 8'0"

FC809
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC755
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC862
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FC60
2'8" x 6'8" (7'0")
2'9" x 6'8" (7'0")
2'10" x 8'0"
2'10" x 6'8" (7'0")
3'0" x 8'0"

FC860
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth
S3301
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S83301
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth
S3401L
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S83401L
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth
S3401R
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S83401R
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth
S3601L
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S83601L
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth
S3601R
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S83601R
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth
S5701
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S85701
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth
S5721
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth
S85721
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.

■ No Stile Lines

■ Door Divider Bars (DDBF2)

■ WBDR Options

■ WBDR / HVHZ Options

▲ 6'6" Height Available

■ Elevated 10" Bottom Rail Options

Hinged Patio Doors

Fiber-Classic®, Smooth-Star®, Profiles™ & Traditions

Flexible options for any home.

Our Fiber-Classic, Smooth-Star, Profiles and Traditions product lines extend to the patio with a wide assortment of options that combine form and function. Explore convenient options to control natural light and privacy, complement window grid patterns and more, all backed by Therma-Tru's outstanding warranties.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass, Doors – S118

Bottom: Smooth-Star, Clear Glass with SDLs, Doors – S85715, Finish – Alpine, Onyx

DOOR SELECTIONS



**Fiber-Classic®
Mahogany
Collection™**



**Fiber-Classic®
Oak Collection™**



Smooth-Star®




**Profiles™
& Traditions**

(Wood-grained images shown in Driftwood stain.)


GLASS SELECTIONS



Internal Blinds



Low-E / Clear



Divided Lites



**Simulated
Divided
Lites**



**Grilles
Between
Glass**



**Fixed
Grilles**

■ = Available	Fiber-Classic	Smooth-Star	Profiles	Traditions
Door Selections				
Material	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	10 Years	Door: 5 Years Glass: 10 Years
Finish Options	Stain or Paint	Paint	Paint	Paint
Flush-Glazed Glass Selections				
Internal Blinds			■	
Low-E Glass with and without Divided Lites	■	■		
Clear Glass with and without Divided Lites	■	■		
Privacy & Textured Glass with and without Divided Lites	■	■		
Lip-Lite Glass Selections				
Internal Blinds	■	■	■	■
Low-E Glass with and without Divided Lites	■	■	■	■
Clear Glass with and without Divided Lites	■	■	■	■
Privacy & Textured Glass with and without Divided Lites	■	■	■	■
Available Sizes				
Heights	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	2'0"-3'0"	2'0"-3'0"	2'0"-3'0"	2'0"-3'0"
Double Widths	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"
Triple Widths	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"
Retrofit Openings	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
Additional Options				
Vented Sidelites (Single / Double Widths)	6'6", 6'8", 8'0" Heights in 24"-60" Widths	6'6", 6'8", 8'0" Heights in 24"-60" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	■	■	■	■
Tru-Defense Eligible	■	■	■	■

Retractable Screen Doors

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 32-33 for details.

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

Flush-Glazed Warranty Riders

See page 115 for details on the Flush-Glazed Rider for Construction & Installation, and the Flush-Glazed Rider for Homeowners.

Flush-Glazed

Internal Blinds




AVAILABLE COLLECTIONS

- Smooth-Star.

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS




Prairie Style Divided Lites




AVAILABLE COLLECTIONS

- Fiber-Classic® Oak
- Smooth-Star.

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS




Colonial Style Divided Lites




AVAILABLE COLLECTIONS

- Fiber-Classic® Oak
- Smooth-Star.

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Low-E / Clear Glass




AVAILABLE COLLECTIONS

- Fiber-Classic® Oak
- Smooth-Star.

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Lite Frames


Internal Blinds




AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Colonial Style Divided Lites




AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS




Prairie Style Divided Lites




AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Low-E / Clear Glass




AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Profiles™ Steel Doors

Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Screen Vented Glass, Door – 1004HD
Bottom: Profiles, Sedona Glass, Door – 996HD, Sidelite – 139SL




Traditions Steel Doors

Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Top: Traditions, Clear Glass, Door – TS118, Sidelites – 100SL
Bottom: Traditions Door – TS210



Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

■ 1-1/4" lock stiles.

■ 12-1/2" lock blocks.

■ No stile lines.

■ Primed, ready-to-paint surface.

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.¹

20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 232-235.



Profiles Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



	Profiles	Traditions
■ = Available		
▪ = Not Applicable		
P = Paint		

Door Widths

2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	▪

Door Heights

6'6"	■	■
6'8"	■	■
7'0"	■	▪
8'0"	▪	■

Glass Options

Decorative	16	16
Privacy & Textured	6	6
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■

Frame Options

Advanta Lite Frame	■	■
Standard Lite Frame	■	■
Impact Lite Frame	■	■

Additional Options

Finish	P	P
--------	---	---

RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options on pages 202-207.

5'0" Patio Opening = (2) 2'4" Doors
6'0" Patio Opening = (2) 2'10" Doors

Decorative & Specialty Glass Designs²



Black Nickel



Brushed Nickel



Black Nickel



Brushed Nickel

Blackstone®

Glass Privacy Rating: 7



Black Nickel

Brushed Nickel

Crystalline™

Glass Privacy Rating: 7

Black Nickel



Brushed Nickel

Sedona

Glass Privacy Rating: 7



Black Nickel



Brushed Nickel

Maple Park®

Glass Privacy Rating: 6



Wrought Iron

Brushed Nickel

Saratoga™

Glass Privacy Rating: 7

Black Nickel



Brushed Nickel

Texas Star

Glass Privacy Rating: 5



Black Nickel



Brass

Riserva

Glass Privacy Rating: 10



Black Nickel

Brushed Nickel

Concorde™

Glass Privacy Rating: 8

Black Nickel



Brushed Nickel

Kensington™

Glass Privacy Rating: 8




Black Nickel



Brass

Axis

Glass Privacy Rating: 7




Black Nickel

Brushed Nickel

Calix

Glass Privacy Rating: 1

Black Nickel




Brass

Latitude

Glass Privacy Rating: 2



Black Nickel



Brass

Also Available:

Internal Blinds

Screen Vented

¹Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

²Decorative glass designs are shown in Profiles only.

³Brass caming not available for Impact.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.




Wrought Iron




Salinas


Glass Privacy Rating: 10



Brushed Nickel



Black Nickel



Brass



Black Nickel



Brass



Black Nickel



Brass


Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear Opaque

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold .

CONCORDE™



1028
2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")
3'6" x 6'8" (70")

416SL
2'6" x 6'8" (70")
10" x 6'8" (70")
12" x 6'8" (70")
14" x 6'8" (70")

KENSINGTON™



626
2'8" x 6'8" (70")
2'10" x 6'8" (70")
12" x 6'8" (70")
14" x 6'8" (70")

626SL
10" x 6'8" (70")

PEMBRIDGE™



6500HD
2'4" x 6'8" (70")
2'6" x 6'8" (70")
2'8" x 6'8" (70")
3'0" x 6'8" (70")
3'6" x 6'8" (70")

6500SL
10" x 6'8" (70")
12" x 6'8" (70")
14" x 6'8" (70")
2'0" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")
3'6" x 6'8" (70")

PRIVACY & TEXTURED GLASS



118
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")
3'6" x 6'8" (70")

100 SL
10" x 6'8" (70")
12" x 6'8" (70")
14" x 6'8" (70")

INTERNAL BLINDS



130
2'4" x 6'8" (70")*
2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")
3'6" x 6'8" (70")

130SL
10" x 6'8" (70")*
12" x 6'8" (70")
14" x 6'8" (70")

CLEAR GLASS WITH DIVIDED LITES



1201
2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")
3'6" x 6'8" (70")

1202
2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")
3'6" x 6'8" (70")

1203
2'6" x 6'8" (70")*
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")
3'6" x 6'8" (70")

Profiles & Traditions Steel

Profiles & Traditions Steel


AXIS®



1651HD
2'4" x 6'8" (70")*
2'6" x 6'8" (70")
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")
3'6" x 6'8" (70")

1651SL
10" x 6'8" (70")
12" x 6'8" (70")
14" x 6'8" (70")

CALIX



2389HD
2'8" x 6'8" (70")
2'10" x 6'8" (70")
12" x 6'8" (70")
14" x 6'8" (70")

2389SL
10" x 6'8" (70")
12" x 6'8" (70")
14" x 6'8" (70")


LATITUDE



2382HD
2'8" x 6'8" (70")
2'10" x 6'8" (70")
12" x 6'8" (70")
14" x 6'8" (70")

2382SL
10" x 6'8" (70")
12" x 6'8" (70")
14" x 6'8" (70")

ECHELON



2385HD
2'8" x 6'8" (70")
2'10" x 6'8" (70")
3'0" x 6'8" (70")
3'6" x 6'8" (70")

2385SL
10" x 6'8" (70")
12" x 6'8" (70")
14" x 6'8" (70")

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not available with Advanta Lite Frame.

**Not available with Reeded (XK) glass.

***Available with Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.

Low-E Glass (LE)

Turtle Glass

Black Nickel Caming (ID)

Brushed Nickel Caming (IC)

Brass Caming (IA)

Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Flat Almond Grilles Between Glass (GBGF)

Fixed Grilles (FXG)

Flat Bronze Grilles Between Glass (GBGF)

Flat Lite Frame

Standard Lite Frame Available

Scrolled & Flat Advanta Lite Frame

Not available for 2'4" and 2'6" doors or 10" sidelites.

WBDR / HVHZ Options

BLACKSTONE®



1037HD
28" x 6'8"
210" x 6'8"
30" x 6'8"

1037SLHD
12" x 6'8"
14" x 6'8"

CRYSTALLINE™



1042HD
28" x 6'8"
210" x 6'8"
30" x 6'8"

956SLHD
12" x 6'8"
14" x 6'8"

SEDONA



965HD
28" x 6'8"
210" x 6'8"
30" x 6'8"

965SLHD
12" x 6'8"
14" x 6'8"

SALINAS®



968HD
28" x 6'8"
210" x 6'8"
30" x 6'8"

971SLHD
12" x 6'8"
14" x 6'8"


AXIS®



1644HD
28" x 6'8"
210" x 6'8"
30" x 6'8"

1644SLHD
12" x 6'8"
14" x 6'8"

CALIX



391HD
28" x 6'8"
210" x 6'8"
30" x 6'8"

391SLHD
12" x 6'8"
14" x 6'8"


LATITUDE



469HD
28" x 6'8"
210" x 6'8"
30" x 6'8"

469SLHD
12" x 6'8"
14" x 6'8"

MAPLE PARK®



1009HD
28" x 6'8"
210" x 6'8"
30" x 6'8"

1009SLHD
12" x 6'8"
14" x 6'8"

SARATOGA™



1039HD
28" x 6'8"
210" x 6'8"
30" x 6'8"

1039SLHD
12" x 6'8"
14" x 6'8"

TEXAS STAR



1040HD
28" x 6'8"
210" x 6'8"
30" x 6'8"

1040SLHD
12" x 6'8"
14" x 6'8"

WELLESLEY™



1041HD
28" x 6'8"
210" x 6'8"
30" x 6'8"

1041SLHD
12" x 6'8"
14" x 6'8"

PRIVACY & TEXTURED GLASS



961HD
28" x 6'8"
210" x 6'8"
30" x 6'8"

959HD
12" x 6'8"
14" x 6'8"



6720HD_SL
28" x 6'8"
210" x 6'8"
30" x 6'8"

959HD_SL
12" x 6'8"
14" x 6'8"

INTERNAL BLINDS



5425
28" x 6'8"
210" x 6'8"
30" x 6'8"

5425SL
12" x 6'8"
14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



2109HD
28" x 6'8"
210" x 6'8"
30" x 6'8"

2110HD
12" x 6'8"
210" x 6'8"
30" x 6'8"

RISERVA®



544HD
28" x 6'8"
210" x 6'8"
30" x 6'8"

546SLHD
12" x 6'8"
14" x 6'8"

CONCORDE™



967HD
28" x 6'8"
210" x 6'8"
30" x 6'8"

967SLHD
12" x 6'8"
14" x 6'8"

KENSINGTON™



03142HD
28" x 6'8"
210" x 6'8"
30" x 6'8"

966SLHD
12" x 6'8"
14" x 6'8"

PEMBRIDGE™



6582HD
28" x 6'8"
210" x 6'8"
30" x 6'8"

6580SLHD
12" x 6'8"
14" x 6'8"

CLEAR GLASS



1403HD
28" x 6'8"
210" x 6'8"
30" x 6'8"

1400SLHD
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite



Low-E Glass (LE)



Black Nickel Caming (1D)



Brushed Nickel Caming (1C)



Brass Caming (1A)



Wrought Iron (1W)



Simulated Divided Lites (SDL)




Flat or Contour White Grilles Between Glass (GBGF / GBGC)




Flat or Contour Black Grilles Between Glass (GBGF / GBGC)



Flat Almond Grilles Between Glass (GBGF)



Flat or Contour Black Grilles Between Glass (GBGF / GBGC)



Scrolled & Flat Advanta Lite Frame (WBDR / HVHZ)

Not available for 24" and 26" doors or 10" sidelites.



Scrolled Advanta Lite Frame (WBDR / HVHZ)



Standard Lite Frame Available



WBDR / HVHZ Options

Oval Lites



Profiles & Traditions Steel

1/2 Lites



Profiles & Traditions Steel

WELLESLEY



RISERVA




SALINAS



MAPLE PARK



CONCORDE



KENSINGTON



Low-E Glass (LE)

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

Standard Lite Frame Available
WBDR / HVHZ Options

*Not available with Advanta Lite Frame.

Note: See page 277 for important product details that may help with your purchase decision.



6560HD
2'6" x 6'8" (7'0")
2'8" x 6'8"
2'10" x 6'8"
2'10" x 6'8" (7'0")
3'0" x 6'8"
6565HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
6568HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
6565LHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")
3'0" x 6'8"




1660HD
2'6" x 6'8" (7'0")
2'8" x 6'8"
2'10" x 6'8"
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
1657HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
1659HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
1657SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")
3'0" x 6'8"



1121HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
131
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
132SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")
3'0" x 6'8" (7'0")



243HD
2'8" x 6'8" (7'0")
2'10" x 6'8"
3'0" x 6'8"
1004HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
1102HD
2'8" x 6'8" (7'0")
2'10" x 6'8"
3'0" x 6'8"
137
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



835HD
2'8" x 6'8" (7'0")
2'10" x 6'8"
3'0" x 6'8"
395HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
397HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
395SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")



262HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
982HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
1123HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
263SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")
3'0" x 6'8"



262HD
2'6" x 6'8" (7'0")
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
982HD
2'6" x 6'8" (7'0")
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
1123HD
2'6" x 6'8" (7'0")
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
115HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
263SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1408HD
2'6" x 6'8" (7'0")
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
1405HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
1406HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



206HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8"
980HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
1101HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
104
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
210SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")
3'0" x 6'8"



132HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
984HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1405SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")
206HD
2'6" x 6'8" (7'0")
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
980HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
1101HD
2'8" x 6'8" (7'0")
2'10" x 6'8"
3'0" x 6'8"
104
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
105
2'6" x 6'8" (7'0")
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" (7'0")
210SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not available with Advanta Lite Frame.

**Features a gliding operation and sash locking system.

Note: See page 277 for important product details that may help with your purchase decision.

◆ Low-E Glass (LE)

◆ Black Nickel Caming (1D)

◆ Brushed Nickel Caming (1C)

◆ Brass Caming (1A)

◆ Simulated Divided Lites (SDL)

◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)

◆ Flat Almond Grilles Between Glass (GBGF)

◆ Fixed Grilles (FXG)

◆ Flat Bronze Grilles Between Glass (GBGF)

◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

◆ Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10' sidelites.

◆ Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10' sidelites.

◆ Standard Lite Frame Available

◆ WBDR / HVHZ Options

◆ Elevated 10" Bottom Rail Options

Twin 1/2 Lites



CLEAR GLASS WITH DIVIDED LITES



263HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")


1411HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS



289HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Craftsman Lites



SEDONA



604HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

MAPLE PARK.



609HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SARATOGA™



602HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

RISERVA®



508HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PEMBRIDGE™



6520HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



AXIS.



1650HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CALIX



6975HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



605HD_**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



606HD_**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



607HD_**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



608HD_**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

 Low-E Glass (LE)

 Black Nickel Caming (ID)

 Brushed Nickel Caming (1C)

 Brass Caming (IA)

 Wrought Iron (IW)

 Simulated Divided Lites (SDL)

 Flat or Contour White Grilles Between Glass (GBGF / GBGC)

 Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

 Flat Almond Grilles Between Glass (GBGF)

 Fixed Grilles (FXG)

 Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

 WBDR / HVHZ Options

 Standard Lite Frame Available

 Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

PRIVACY & TEXTURED GLASS

601_HD*

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"**CLEAR GLASS WITH DIVIDED LITES**

605HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

606HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

607HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

608HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"**CLEAR GLASS**

601HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"**CLEAR GLASS WITH DIVIDED LITES**

255HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**CLEAR GLASS**

256HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**CLEAR GLASS WITH DIVIDED LITES**

236HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

237HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**PEMBRIDGE™**

6570HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

6570SLHD

12" x 6'8" (7'0")
14" x 6'8" (7'0")**Minimal Lites****MAPLE PARK®**

736HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**SARATOGA™**

707HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**WELLESLEY™**

721HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**CONCORDE™**

735HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**PEMBRIDGE™**

745HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**AXIS®**

1643HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

1643SLHD

12" x 6'8" (7'0")
14" x 6'8" (7'0")**PRIVACY & TEXTURED GLASS**

296HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

296SLHD

12" x 6'8" (7'0")
14" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**CLEAR GLASS**

296HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

296SLHD

12" x 6'8" (7'0")
14" x 6'8" (7'0")**CLEAR GLASS WITH DIVIDED LITES**

752HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**CLEAR GLASS**

704HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**CONCORDE™**

708HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

454HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")**Solid Panel**

969HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

978HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1005HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

205HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

203HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

210HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

100

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded
XE = Satin EtchXC = Chord
XJ = ChinchillaXR = Rainglass
XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.

Low-E Glass (LE)

Black Nickel Caming (ID)

Brushed Nickel Caming (IC)

Brass Caming (IA)

Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

Flat Almond Grilles Between Glass (GBGF)

Flat Lite Frame

Flat Bronze Grilles Between Glass (GBGF)

Fixed Grilles (FXG)

Flat Lite Frame

Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.

WBDR / HVHZ Options

Elevated 10" Bottom Rail Options

Standard Lite Frame Available

WBDR / HVHZ Options

Elevated 10" Bottom Rail Options

Full Lites

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold ▶.

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



TS128
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS108
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



6184 SL*
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")



6185 SL*
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")



6186 SL*
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")



632 SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")

PRIVACY & TEXTURED GLASS



TS118
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



818
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Profiles & Traditions Steel

PRIVACY & TEXTURED GLASS



100 SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")

818 SL
12" x 6'8"
14" x 6'8"



TS130
2'4" x 6'8"**
2'6" x 6'8"**
2'8" x 6'8"**
2'10" x 6'8"
3'0" x 6'8"



829
2'6" x 8'0"**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



130SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")



829SL
12" x 6'8"
14" x 6'8"

INTERNAL BLINDS



TS128
2'6" x 6'8"**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS1200
2'6" x 6'8"**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS108
2'6" x 6'8"**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



828
2'6" x 8'0"**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



808
2'6" x 8'0"**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



1201SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")



1202SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")



1200SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not available with Reeded (XK) glass.

**Not available with Advanta Lite Frame.

***Available with Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.



632SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")

828SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")

6184SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")

86184SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")

6185SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")

86185SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")

6186SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")

86186SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")

CLEAR GLASS



TS198
2'6" x 6'8"**
2'8" x 6'8"**
2'10" x 6'8"
3'0" x 6'8"

198SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")

TS118
2'0" x 6'8"***
2'4" x 6'8"***
2'6" x 6'8"***
2'8" x 6'8"***
2'10" x 6'8"***
3'0" x 6'8"

818
2'0" x 8'0"***
2'6" x 8'0"***
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

100SL
10" x 6'8"**
12" x 6'8" (70")
14" x 6'8" (70")

818SL
12" x 8'0"
14" x 8'0"

1/2 Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



TS262
2'9" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8321
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS263 SL
12" x 6'8"
14" x 6'8"

TS206
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8206
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS104
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS210 SL
12" x 6'8"
14" x 6'8"

PRIVACY & TEXTURED GLASS



Low-E Glass (LE)

Turtle Glass

Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

Flat Almond Grilles Between Glass (GBGF / GBGC)

Flat Bronze Grilles Between Glass (GBGF)

Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Scrolled & Flat Advanta Lite Frame

Not available for 2'4" and 2'6" doors or 10' sidelites.

Standard Lite Frame Available

WBDR / HVHZ Options

Elevated 10" Bottom Rail Options

Scrolled & Flat Advanta Lite Frame


Not available for 2'4" and 2'6" doors or 10' sidelites.

Scrolled Advanta Lite Frame

Not available for 2'4" and 2'6" doors or 10' sidelites.

Elevated 10" Bottom Rail Options

INTERNAL BLINDS



TS132
2'6" x 6'8"**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8132
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS131
2'6" x 6'8"**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 8'0"

TS132SL
12" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS243
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS137
12" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS263
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS137
12" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



8322
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



8323
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



8324
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




TS262
2'6" x 6'8"**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 8'0"



8321
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



TS115
2'6" x 6'8"**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS263SL
12" x 6'8"
14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



TS263
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS1411
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS



TS289
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SCREEN VENTED LITES*

INTERNAL BLINDS



TS132
2'6" x 6'8"**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8132
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS131
2'6" x 6'8"**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 8'0"

TS132SL
12" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS243
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS137
12" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Twin 1/2 Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



TS263
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PRIVACY & TEXTURED GLASS



TS289
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



TS263
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS1411
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS



TS289
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Minimal Lites

PRIVACY & TEXTURED GLASS



TS296
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

896
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS296 SL
12" x 6'8"
14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES




TS752
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8752
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



TS704
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8704
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



TS255
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS236
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8317
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Features a gliding operation and sash locking system.

**Not available with Advanta Lite Frame.

Note: See page 277 for important product details that may help with your purchase decision.

Low-E Glass (LE)
Simulated Divided Lites (SDL)
Flat or Contour White Grilles Between Glass (GBGF / GBGC)

Flat Almond Grilles Between Glass (GBGF / GBGC)
Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
Flat Bronze Grilles Between Glass (GBGF / GBGC)

Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10' sidelites.
Fixed Grilles (FXG)
Standard Lite Frame Available

WBDR / HVHZ Options
Elevated 10" Bottom Rail Options
Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10' sidelites.

WBDR / HVHZ Options
Elevated 10" Bottom Rail Options
6'6" Height Available

CLEAR GLASS



TS237
* 28" x 6'8"
210" x 6'8"
30" x 6'8"
(Scalloped Lite Frame)



TS708
* 28" x 6'8"
210" x 6'8"
30" x 6'8"



8708
* 28" x 8'0"
210" x 8'0"
30" x 8'0"



TS256
* 28" x 6'8"
210" x 8'0"
30" x 8'0"




TS296
* 26" x 6'8"
28" x 6'8"
210" x 6'8"
30" x 6'8"




896
* 28" x 8'0"
210" x 8'0"
30" x 8'0"



TS296SL
* 12" x 6'8"
14" x 6'8"



TS210
* 26" x 6'8"
28" x 6'8"
210" x 6'8"
30" x 6'8"



TS100
* 26" x 8'0"
28" x 8'0"
210" x 8'0"
30" x 8'0"



800
* 20" x 6'8"
24" x 6'8"
26" x 6'8"
28" x 6'8"
210" x 6'8"
30" x 6'8"

Solid Panel

Transoms

Transoms can be painted to match a Profiles™ or Traditions door system.

BLACKSTONE®



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

SEDONA



19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

SALINAS®




SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

MAPLE PARK®



FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

SARATOGA™



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19740T
3'0" Door Only

WELLESLEY™




19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19720T
3'0" Door Only

RISERVA®



RSRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

CONCORDE™



CRNT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

KENSINGTON™



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

PEMBRIDGE™



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

AXIS®



AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

CALIX



CXRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems

WBDR / HVHZ Options

Elevated 10" Bottom Rail Options

Standard Lite Frame Available

LATITUDE



LTRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



LT30T
3'0" Door Only

ECHELON



ECRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



EC30T
3'0" Door Only

CLEAR GLASS



Grille Sticks Applied



19020T
* 3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T
* 3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
* 3'0" Door Only

19210T
* 12" & 14" Sidelite Only

Low-E Glass (LE)

Black Nickel Caming (1D)

Fixed Grilles (FXG)

Brushed Nickel Caming (1C)

Scrolled & Flat Advanta Lite Frame

Not available for 24" and 26" doors or 10" sidelites.

Brass Caming (1A)

Standard Lite Frame Available

WBDR / HVHZ Options

Elevated 10" Bottom Rail Options

Standard Lite Frame Available




Therma-Tru offers an industry-leading selection of Fire-rated doors certified to carry the Warnock Hersey Mark.

Therma-Tru® Fire-Rated Doors

Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.¹ Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles.

- Smooth-Star® 20-minute Fire-rated fiberglass doors are constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.²



For California Projects

Therma-Tru Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) and other State WUI requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.

Note: Therma-Tru Fire-rated doors are approved for use in all Wildland Urban Interface (WUI) zones.

20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

ADDITIONAL OPTIONS

- Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label. See page 235.

For Florida Projects

Therma-Tru Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR) including the Gulf and Texas coast.



¹To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

²Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style. Note: To see the third-party Intertek (Warnock-Hersey) listing reports, visit thermatru.com/performancedata.

Left: Smooth-Star Door - SSF120

20-Minute Fire-Rated Wood Edge – Fiberglass

SMOOTH-STAR.



20-Minute Fire-Rated Wood Edge – Steel



PROFILES™



TRADITIONS



Note: See page 277 for important product details that may help with your purchase decision.


Right Page: Smooth-Star Door – SSF45, Finish – Alpine

■ No Stile Lines

● WBDR Options

● Elevated 10" Bottom Rail Options

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches — Ari, Línea and Echo — the entrance becomes modern art.




It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.

THE CREATIVITY IS UNLIMITED

Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.



¹Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.


Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Top: Pulse Línea, Echelon Glass with Flat Lite Frame, Door – S81EC, Finish – Golden Wheat

Right Page: Pulse Ari, Satin Etch Glass, Door – S2XE, Finish – Indigo

1 START WITH A STYLE

Combine doors and sidelites to create an entrance that fits your vision.




3 SELECT A GLASS

Find an available glass design to complete the statement you want to make.

Privacy & Textured Glass


Available for all Pulse door styles.




Low-E also available.

Decorative Glass

Available for Línea.



Available for Ari.



Available for Echo.



4 THEN SELECT A FRAME

Choose the flat profile for modern appeal or scrolled profile for vintage style.



Flat Profile Lite Frame



Scrolled Profile Lite Frame



Our patented Advanta¹ lite frame now comes default with every Pulse[®] door system, unless otherwise noted.

2 CHOOSE A MATERIAL

Each style is available in any of these material choices.



Wood-Grained Fiberglass:
Mahogany or Oak
(Shown in Driftwood stain.)

Smooth
Fiberglass

Steel

	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8"○	2'6" x 8'0"○	2'6" x 6'8"○	2'6" x 8'0"○	2'6" x 6'8"○	2'6" x 8'0"○
	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"
	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"
	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"
Sidelites	10" x 6'8"•	12" x 8'0"	10" x 6'8"•	12" x 8'0"	10" x 6'8"•	12" x 8'0"
	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"
	14" x 6'8"		14" x 6'8"		14" x 6'8"	

• Available in full-lite sidelites only.

○ Available in Línea and Echo only.

 Select styles are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR[®] requirements in all 50 states.



¹See your Therma-Tru seller for details on product availability.

Note: Product images show exterior side of door.



Línea

Note: Product images show exterior side of door.



It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.



LÍNEA Continues on next page.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 277 for important product details that may help with your purchase decision.




Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

★ Low-E Glass (LE)
◆ Black Nickel Caming (1D)
■ Brushed Nickel Caming (1C)

◆ Brass Caming (1A)
◆ Wrought Iron (1W)
■ Scrolled & Flat Advanta Lite Frame
◆ WBDR / HVHZ Options






Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Product images show exterior side of door.



ECHO *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

★ Low-E Glass (LE)

◆ Black Nickel Caming (1D)

■ Brushed Nickel Caming (1C)

◆ Brass Caming (1A)

■ Standard Lite Frame Available

■ Scrolled & Flat

■ Advanta Lite Frame

■ WBDR / HVHZ Options



■ Elevated 10" Bottom Rail Options

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Note: Product images show exterior side of door.



Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite





- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Standard Lite Frame Available
- Scrolled & Flat Advanta Lite Frame
- Elevated 10" Bottom Rail Options

ECHO *Continues on next page*



Sidelites

Note: Product images show exterior side of door.



It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

SIDELITES *Continue on next page*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite



Low-E Glass (LE)



Wrought Iron (1W)



Black Nickel Caming (1D)



Brushed Nickel Caming (1C)



Brass Caming (1A)



Standard Lite Frame Available



WBDR / HVHZ Options



Scrolled & Flat Advanta Lite Frame



E



Pulse

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XX = Reeded
XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass
XN = Granite


Low-E Glass (LE)

Black Nickel Caming (1D)

Vented Sidelite Options

Scrolled & Flat
Advanta Lite Frame

Standard Lite
Frame Available



It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 277 for important product details that may help with your purchase decision.


Right Page: Pulse Echo, Satin Etch Glass with Flat Lite Frame, Door - S85XE, Sidelite - S85ESL, Finish - Onyx



Finish Options

Add Curb Appeal with Color

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.



Finished for Lasting Beauty

Today's homeowners expect perfection — PrismaGuard offers an impeccable, factory-applied finish that meets the toughest expectations.

- Designed for optimal performance with Therma-Tru fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.



Classic Craft Finish
Transferable



Fiber-Classic,
Smooth-Star, Pulse,
Steel Finish



Professional
Application



Durable
Topcoat



Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the (Y) symbol.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Left Page: Smooth-Star, Clear Glass with SDLs, Doors – S2104, Finish – Cypress

Right Page: Pulse Ari, Reeded Glass with Flat Lite Frame, Door – FC83XK, Finish – Golden Wheat



Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru® doors it was designed for.



Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.



Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.



PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.



Shown on Classic Craft Fir Grain.



Order 4" x 4" samples of select PrismaGuard finish colors at store.thermatru.com.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.



- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.



COLOR MATCHES AVAILABLE

Explore other products from Fortune Brands Outdoors designed to match select colors shown here. Look for the (M) symbol. See your Therma-Tru seller for details.



Alpine




Granite



Peregrine (M)



Onyx



Obsidian (M)



Indigo



Estuary (M)



Arctic Ice (M)



Cypress



Golden Wheat (M)



Canyon (M)




Ruby Red



Cabernet



Chestnut



Elk (M)

Order 4" x 4" samples of select PrismaGuard finish colors at store.thermatru.com.

(M) = Inspired by Yellowstone National Park.

Left Page: Smooth-Star, Calix Glass, Door - S2223, Finish - Golden Wheat

SAME-DAY STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors and composite door frames.



ALL-INCLUSIVE KIT

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.¹

Visit thermatru.com/samedaystain for ordering information and easy-to-follow instructions.

Shown on Classic Craft Fir Grain.



Finish Options

5 YEAR

LIMITED WARRANTY

For complete details on the Same-Day Stain and topcoat limited warranty, visit thermatru.com/finishing or ask your seller for more details.

¹Actual coverage may vary based on product selected, application method and desired appearance.


Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Door System Components

PROVEN TO PERFORM, PROTECT AND PRESERVE

A Therma-Tru complete door system is the culmination of more than 60 years of expertise in material science, engineering and manufacturing. We design on-trend entryways and test them against extreme environmental conditions — far beyond industry standards — to ensure maximum durability and safety. And we back our systems with comprehensive, industry-leading warranties.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at thermatru.com/parts.



Composite Door Frame¹ featuring Tru-Guard™ Composite Technology



TRU[®] GUARD

COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.

Order composite door frame samples at store.thermatru.com.



REINFORCED MULLIONS

Provide additional structural support and stability. All mullions are reinforced with a co-extruded **A** LVL core to provide additional structural support and stability and feature a **B** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

AVAILABLE TEXTURES



Ready to finish.

Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry — no sanding or priming required.



Ready to install.
 Ready to finish.

White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is — no painting required. Or finish with stain or paint to complement the entry — no sanding or priming required.

THE ADVANTAGE IS CLEAR

Performance

Resists Moisture and Humidity — Eliminates Risk of Swelling, Warping and Splitting



Resists Mold, Fungus and Rot — Does Not Absorb or Retain Moisture



Resists Insects — Helps Protect from Wood-Ingesting Insects



Tested to be up to 50% stronger on average than standard wood door frames against kick-ins.²



Impact and 20-Minute Fire Code Compliant³



Aesthetics

Ready to Finish — No Sanding or Priming Required



Ready-to-Install Option — No Finishing Required — White Smooth



Universal Grain Complements a Wide Range of Wood Species — Buff Grained



Screw Plugs Match Frame Material and Conceal External Fasteners



Warranty

Therma-Tru Products & Applications

Warranty

For First Homeowner

Warranty Riders

Transferable 1x to Second Homeowner

Composite Door Frame
+ Classic Craft Door
+ Components

LIFETIME
LIMITED WARRANTY
Transferable

**Lifetime Transferable
Full-System Rider**

Composite Door Frame
+ Fiber-Classic, Smooth-Star, Pulse Fiberglass Door
+ Components

LIFETIME
LIMITED WARRANTY

**10-Year Transferable
Full-System Rider**

Composite Door Frame Only

LIFETIME
LIMITED WARRANTY

¹See your Therma-Tru seller for details on product availability.

²Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

³To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Riders. Frame-only warranty option for customers without a Therma-Tru door system.

Composite Door Frame Parts

See your Therma-Tru seller for a full list of available product sizes and options.

Jambs




Mullions




Storm Door-Ready Mullions



Trim



Mull Casing




Transom Sills



Storm Door-Ready Mullion Adaptor



Storm Door Adaptor



Screen Track Cap




Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

Our rot-free composite door frame is **50% stronger** at resisting forced entry than wood.¹

Pendulum Impact Test



CODE-COMPLIANT OPTIONS

Therma-Tru® composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.²

 Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.²

 20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.²

¹Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

²To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof. To see the third-party Intertek (Warnock-Hersey) listing reports, visit thermatru.com/performancedata.

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface.


Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru® seller for a complete list of options.

INSWING OPTIONS



Continuous length with spread mullion capability to fill 49"-75" rough openings.¹

Hardwood Adjustable Sill



- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush screws.

Basic Composite Adjustable Sill (Economy)




- Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.

Value Composite Adjustable Sill (Economy)



- Composite cap and nosing.
- Adjustable flush screws.
- Injection-molded composite substrate.

Inswing Sill Extenders



1"

1-3/8"

2"

3-1/4"

OUTSWING OPTIONS



Composite Outswing Sill (Premium)

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.



Aluminum Sill with Thermal Break

- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.



Coastal Sill (For Coastal Regions)

- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Public Access Sill



Public Access Sill with Thermal Break² (For ADA Applications)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

SILL FINISHES



Mill



Bronze

■ = Available

CAP COLORS




Lightwood (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)



Hardwood

Inswing Options	Outswing Options	Public Access (Inswing / Outswing)
Composite Adjustable (Premium)	Composite Outswing (Premium)	Composite (Inswing / Outswing)
Hardwood Adjustable	Hardwood Adjustable	Hardwood (Inswing / Outswing)
Value Composite Adjustable (Economy)	Value Composite Adjustable (Economy)	Value Composite (Inswing / Outswing)
Coastal	Coastal	Coastal

Sill Finishes

Mill

Bronze

Cap Colors

Lightwood

Darkwood

Hardwood

Sill Configurations

Single

French

Double Patio

Triple Patio

Lineal

Sidelite Configurations

Boxed Sidelites

Single with Sidelites

French with Sidelites

Single Vented Sidelites

French Vented Sidelites

Depths

4-3/16"

5-3/4"

6-9/16"

7-3/4"

Substrates

Composite Extruded

Composite Injection Molded

Treated Pine

Other Options

Integrated Thermal Break

Screen Rail Available

Sill Extenders Available

Sill Covers Available

Tru-Defense Eligible³

With Anchor Holes

Without Anchor Holes

Note: See your Therma-Tru seller for details on available component and finish color combinations.

¹See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

²Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

³For full details on the Tru-Defense Warranty Rider, visit thermatru.com/trudefense.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision.

Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

INSWING OPTIONS



Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable

Colors:
Bronze
White



Non-kerf-applied option available for replacement applications.
Available in bronze only.

OUTSWING OPTIONS



Outswing Bottom Sweep

Sills:
Aluminum
Coastal

Color:
Bronze



Inactive Door Bottom

Sills:
Composite Outswing

Colors:
Bronze

Inactive Door Bottom



Sills:
Composite Adjustable
Hardwood Adjustable

Colors:
Bronze

ADA / REPLACEMENT



Bottom Sweep

Sills:
Public Access

Color:
Bronze

Sill Protection



Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 262 for availability.



Sill Pan (Recommended)

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

Classic Craft® 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable
Public Access

Fiber-Classic® / Smooth-Star® 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable
Public Access

Basic Pads



Colors:
Bronze
Sills:
Inswing
Applications Only

Weatherstrip

Provides two points of contact and a form-fitting barrier for extra protection against leaks.



Medium-Reach Weatherstrip

Colors:
Bronze
White
Doors:
Square Edge



Long-Reach Weatherstrip

Colors:
Bronze
White
Doors:
Bull Edge

Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.




Rain Deflector (Inswing)

Colors:
Bronze
White



Rain Guard (Outswing)

Colors:
Bronze
White



Bottom of door;
exterior view.

Rain Deflector

Bottom Sweep



Top of door;
exterior view.

Jamb
Rain Guard
Weatherstrip

Hardware

Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door frame at the top, middle and bottom, providing continuous protection along the door edge for enhanced security vs. a traditional deadbolt.

GRIP-STYLE MPLS

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)



Tongue
Heights: 6'8", 7'0", 8'0" | Configurations: Inswing, Outswing

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.



LEVER-STYLE MPLS

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



Tongue
Heights: 6'6", 6'8", 7'0", 8'0" | Configurations: Inswing, Outswing

Shootbolt
(For door systems with an astragal.)
Heights: 6'6", 6'8", 7'0", 8'0" | Configurations: Inswing, Outswing



Vented Sidelite MPLS




Tongue
(Included in vented sidelite units.)



Heights:
6'6", 6'8", 8'0"

Handleset Options for Standard Door MPLS


Designed to complement Therma-Tru® door styles from traditional to contemporary.



FINISH OPTIONS



FINISH OPTIONS



Latch & Deadbolt Strike Plate



ADJUSTABLE SECURITY STRIKE PLATE

(Recommended for standard lock and deadbolt handlesets only.)

Finish Options:

Brushed Nickel
Black Nickel
Polished Chrome
Oil-Rubbed Bronze
Stainless Steel
Zinc Dichromate

A genuine Therma-Tru® adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

- ① Wraps around the door jamb for added support and an exact fit.
- ② 2-1/2" screws fully engage with the frame of the house for added strength.

Hinges


Adjustable Hinge

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



Self-Aligning Ball-Bearing

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)
Contains locating tabs to assist in accurate alignment with specific door systems.




Classic-Craft® Ball-Bearing

(Recommended for Classic Craft premium entryways.)
Ball bearings help protect each hinge pivot for added support and stability.



Self-Aligning

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)
Contains locating tabs to provide accurate alignment with specific door systems.
Note: Non-removable pin option available with fixed pins, providing security on outswing applications.




Classic-Craft® Ball-Bearing - Staggered Hole Pattern

(Recommended for Classic Craft premium entryways.)
Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Security Tab

Security tabs prevent door from being taken off hinges, providing security on outswing applications.




Spring-Loaded

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.¹



HINGE FINISH OPTIONS



■ = Available

Hinge Finish Options

	Adjustable	Classic Craft Ball-Bearing	Classic Craft Ball-Bearing - Staggered Hole Pattern (Non-Removable Pin)	Classic Craft Ball-Bearing - Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning	Self-Aligning (Non-Removable Pin)	Security Tab	Spring-Loaded
Bright Brass	■	■	■	■	■	■	■	■
Brushed Nickel	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	■	■	■	■	■
Polished Chrome	■	■	■	■	■	■	■	■
Oil-Rubbed Bronze	■	■	■	■	■	■	■	■
Stainless Steel		■	■	■	■	■	■	■
Zinc Dichromate		■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.



TEXTURES AVAILABLE

Stainable (Shown in Driftwood stain.)



Aluminum



Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.



STAINABLE / PAINTABLE ASTRAGAL



Shown in Oak grain with Driftwood stain.

Tru-Defense Eligible

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision.

Left Page: Classic Craft Mahogany Grain, Provincial Glass, Doors – CCR804028
Top: Classic Craft Fir Grain, Homeward Glass, Doors – CCA211, Finish – Driftwood



Coastal option also available.

ALUMINUM ASTRAGAL

Heights: 6'6", 6'8", 7'0", 8'0"
Configurations: Inswing, Outswing, Multi-Point Lock, Double Bore, Left-Handed, Right-Handed

Width: 7/8"

Configurations: Inswing, Outswing, Multi-Point Lock, Double Bore, Left-Handed, Right-Handed

Heights: 6'6", 6'8", 7'0", 8'0"

Width: 7/8"

Finish Colors: Bronze, White

Weatherstrip: Bronze

Special Quote Program

In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.



Special Quote GBG Color Options



DIVIDED LITES

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.



PRIVACY & TEXTURED GLASS

Achieve the desired look and level of privacy with additional options, including hammered glass doorlights shown above.




CAMING COLORS

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

3'6" Width Door Style Options

CLASSIC CRAFT.


8'0" Door Styles



Glass Designs


	Homeward	Arborwatch	Augustine	Borrassa	Lucerna	Rainglass	Low-E
Homeward	■		■			■	■
Arborwatch	■		■			■	■
Augustine	◆	◆	◆	◆	◆	◆	◆
Borrassa	◆	◆	◆	◆	◆	◆	◆
Lucerna	◆		◆			◆	
Rainglass							■
Low-E	◆		■			◆	■

6'8" & 8'0" Solid-Panel Door Styles



SMOOTH-STAR®, PROFILES™, TRADITIONS & PULSE.

6'8" & 8'0" Door Styles



All Pulse Styles

Glass Designs

	Blackstone	Crystalline	Sedona	Salinas	Maple Park	Saratoga	Texas Star	Wellesley	Riserva	Concorde	Kensington	Pembridge	Axis	Calix	Latitude	Echelon	Privacy & Textured Glass	Internal Blinds	Divided Lites	Clear	Solid Panel
Blackstone	*♦	*				♦*															
Crystalline	*♦	*																			
Sedona	*♦		♦*	*		♦*															
Salinas	*♦	*																			
Maple Park	*♦																				
Saratoga	*♦		♦*	*		♦*															
Texas Star	*♦																				
Wellesley	*♦	*																			
Riserva	*♦	*	♦*	*		♦*															
Concorde	*♦	*																			
Kensington	*♦																				
Pembridge	*♦	*	♦*	*		♦*															
Axis	*♦	*	♦*	*		♦*															
Calix	*♦	*	♦*	*		♦*															
Latitude	*♦	*																			
Echelon	*♦	*	♦*	*		♦*															
Privacy & Textured Glass	*♦	*	♦*	*		♦*															
Internal Blinds	*♦	*																			
Divided Lites	*♦	*																			
Clear	*♦	*	♦*	*		♦*															
Solid Panel																				*♦	*

KEY

- Classic Craft® Casual Styles
- ◆ Classic Craft® Traditional Styles
- ▲ Classic Craft® Modern Styles
- * Smooth-Star®
- Profiles™ & Traditions

7'0" Height Door Style Options

Door Styles	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29		
Glass Designs	▼▲*♦	▲*♦	*	♦											▼▲*♦	♦															
Blackstone	▼▲*♦	▲*♦	*	♦																											
Crystalline	▼▲*♦																														
Sedona	▼▲*♦	▲*♦	*	♦																											
Salinas	▼▲*♦	▲*♦	*	♦																											
Maple Park	▼▲*♦	▲*♦	*	♦				▲*♦																							
Saratoga	▼▲*♦	▲*♦	*	♦			▼*	▲*♦															♦	▼*							
Texas Star	▼▲*♦	▲*♦	*																												
Wellesley	▼▲*♦	▲*♦	*	♦				▲*♦															♦								
Riserva	▼▲*♦	▲*♦	*	♦																											
Concorde	▼▲*♦	▲*♦	*	♦				▲*♦	♦														♦								
Kensington	▼▲*♦	▲*♦	*	♦																				♦							
Pembridge	▼▲*♦	▲*♦	*	♦					♦			▲*♦											♦			♦					
Axis	▼▲*♦	▲*♦	*	♦								▲*♦											♦			♦					
Calix	▼▲*♦	▲*♦	*																												
Latitude	▼▲*♦																														
Echelon	▼▲*♦																														
Privacy & Textured Glass	▼▲*♦	▲*♦	*	▼▲*♦	♦			▼*				▲*♦											♦	▼*	♦						
Internal Blinds	▼▲*♦	▲*♦	*	▼▲*♦																			♦								
Screen Vented		♦	*	♦																											
Divided Lites	▼▲*♦	▲*♦	*		♦	♦	▼*	▲*♦	♦													♦	▼▲*♦	♦	▼*						
Clear	▼▲*♦	▲*♦	*	▼▲*♦	♦	♦	▼*	▲*♦	♦													♦	▼▲*♦	♦	▼*	♦					
Solid Panel																											*	▲*	▲▼▲*		



6'6" Height Door Style Options

Door Styles			
Glass Designs			
Blackstone	▲*	▲*	
Crystalline	▲*	▲*	
Sedona	▲*	▲*	
Salinas	▲*	▲*	
Maple Park	▲*	▲*	
Saratoga	▲*	▲*	
Texas Star	▲*	▲*	
Wellesley	▲*	▲*	
Riserva	▲*	▲*	
Concorde	▲*	▲*	
Kensington	▲*	▲*	
Pembridge	▲*	▲*	
Axis	▲*	▲*	
Calix	▲*	▲*	
Latitude	▲*	▲*	
Echelon	▲*	▲*	
Privacy & Textured Glass	▲*	▲*	
Internal Blinds	▲*	▲*	
Screen Vented			
Divided Lites	▲*	▲*	
Clear	▲*	▲*	
Solid Panel			▲* ▶



KEY

- ▲ Classic Craft® Modern Styles
 - ▼ Fiber-Classic Mahogany™
 - ▲ Fiber-Classic Oak™
 - * Smooth-Star®
 - Profiles™ & Traditions

Entry & Patio Door System Product Details

Feature	Classic Craft	Fiber-Classic & Pulse Wood-Grained	Smooth-Star & Pulse Smooth	Profiles & Pulse Steel (6'8")	Traditions & Pulse Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Fir, Walnut, Mahogany; High-Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel — Top Rail	Composite	Composite	Composite	Wood	Wood
Panel — Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	1-1/4" Wood	1-1/4" Wood
Lock Block	4" Full-Length Engineered Lumber Stile	22-1/2" Wood	12-1/2" Wood	12-1/2" Wood	6'8": 12-1/2" Wood / 8'0": 22-1/2" Wood
Height Options	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'8" & 8'0"
Width Options	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Lite Frame Options	SMC Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame
Glass Options	Deco / Privacy & Textured / Low-E IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG
Sill¹	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Aluminum	Inswing: Value Composite Adjustable Outswing: Aluminum
Weatherstrip — Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip — Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip — Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	—	—
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges¹	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame¹	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame	2" Frame	2" Frame	2" Frame	2" Frame
Residential Limited Warranty	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

276 ¹Standard product recommendations shown; additional options may be available.

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at thermatru.com:

- Therma-Tru Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star and Pulse Door Systems; Steel – Pulse, Profiles_™, and Traditions Door Systems
- Therma-Tru Tru-Defense Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft, Fiber-Classic, Smooth-Star and Pulse Fiberglass Door Systems
- Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic and Smooth-Star Flush-Glazed Fiberglass Door Systems
- Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic and Smooth-Star Flush-Glazed Fiberglass Door Systems
- PrismaGuard Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star, and Pulse Door Systems; Steel – Pulse, Profiles_™, and Traditions
- Same-Day Stain 5-Year Limited Warranty: Same-Day Stain and Topcoat for Use on Therma-Tru Fiberglass Door Systems and Fypon Stainable Polyurethane Products
- Therma-Tru Composite Door Frame featuring Tru-Guard_™ Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star, and Pulse Fiberglass Door Systems
- Therma-Tru Composite Door Frame featuring Tru-Guard_™ Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star, and Pulse Fiberglass Door Systems

Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at thermatru.com:

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
 - Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining
- NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit thermatru.com for more details.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Classic Craft	CCA320XN	56	CCA3400XRSL	84	CCA8220XN	83	CCA82360XJ	57	CCA84940XJ	57	CCM303	63	CCM8301CARXN	76	CCR1851SL	65	CCR81515	71	CCV06020	81	CCV8100XRSL	85
19020T	CCA230XNSL	58	CCA3401SL	82	CCA8220XR	83	CCA82360XN	57	CCA84940XN	57	CCM303L	79	CCM8301CARXR	76	CCR200	93	CCR81516	70	CCV06020XE	80	CCV8102SL	64
19200T	CCA230XR	56	CCA3450SL	86	CCA8230	85	CCA82360XR	57	CCA84940XR	57	CCM303LXC	76	CCM8302L	78	CCR20020	77	CCR81518	70	CCV06022	80	CCV8103SL	64
19210T	CCA230XRSL	58	CCA3450XCSL	84	CCA8230	58	CCA82370	59	CCA84945	89	CCM303LXE	76	CCM8302LXC	75	CCR20020XC	75	CCR81838	74	CCV06023	80	CCV8108SL	65
19220T	CCA230	59	CCA3450XNSL	84	CCA8230SL	60	CCA82370XC	57	CCA87100	86	CCM303LXN	76	CCM8302LXE	75	CCR20020XN	75	CCR81839	74	CCV06028	80	CCV8111SL	62
AB30T	CCA230SL	60	CCA3450XNSL	84	CCA8230XC	56	CCA82370XE	57	CCA87100XR	84	CCM303LXR	76	CCM8302LXN	75	CCR20022	73	CCR81841	73	CCV10020	61	CCV81414	69
ABRT	CCA230XC	56	CCA3450XRSL	84	CCA82300	58	CCA82370XJ	57	CCA8711	83	CCM303R	79	CCM8302LXR	75	CCR20023	72	CCR81845	74	CCV10022	55	CCV81415	69
CC040T	CCA230XCSL	58	CCA3500SL	86	CCA82300XE	56	CCA82370XN	57	CCA8712	82	CCM303RXC	76	CCM8302R	78	CCR20027	69	CCR81845A	74	CCV10023	55	CCV81418	62
CC400T	CCA230XE	56	CCA3500XCSL	84	CCA82300XESL	58	CCA82370XR	57	CCA87131	83	CCM303RXE	76	CCM8302RXC	75	CCR20037	70	CCR81846	74	CCV10027	54	CCV81423SL	62
CC420T	CCA230XESL	58	CCA3500XJSL	84	CCA82300XI	56	CCA82380	59	CCA87132	82	CCM303RXN	76	CCM8302RXE	75	CCR20037A	70	CCR81846A	74	CCV10028	55	CCV81512	71
CCA1100	CCA230XJ	56	CCA3500XNSL	84	CCA82300XJSL	58	CCA82380XC	56	CCA87200	85	CCM303RXR	76	CCM8302RXN	75	CCR200A	92	CCR81847	74	CCV100SL	61	CCV81515	71
CCA1125	CCA230XJS	58	CCA3500XRS	84	CCA82300XK	56	CCA82380XE	56	CCA87200XR	83	CCM304L	78	CCM8302RXR	75	CCR2025SL	61	CCR81851SL	65	CCV100SL	67	CCV81516	71
CCA1127	CCA230XK	56	CCA3501SL	82	CCA82300XKSL	58	CCA82380XJ	56	CCA87300	85	CCM304LXC	76	CCM8303L	79	CCR2025SL	67	CCR8200	93	CCV100SL	87	CCV81519	63
CCA1133	CCA230XKSL	58	CCA3560SL	86	CCA82300XN	56	CCA82380XK	56	CCA87300XR	83	CCM304LXE	76	CCM8303LXC	76	CCR202020	77	CCR820020	77	CCV100XCSL	66	CCV81838	74
CCA1145	CCA230XN	56	CCA3560XCSL	84	CCA82300XNSL	58	CCA82380XN	56	CCA87400	86	CCM304LXN	76	CCM8303LXE	76	CCR2025XESL	66	CCR820020XC	75	CCV100XCSL	85	CCV81839	74
CCA1147	CCA230XNSL	58	CCA3560XJSL	84	CCA82300XR	56	CCA82380XR	56	CCA87400XR	84	CCM304LXR	76	CCM8303LXN	76	CCR2025XHSL	93	CCR820020XN	75	CCV100XESL	66	CCV81843	65
CCA1149	CCA230XR	56	CCA3560XNSL	84	CCA82300XRS	58	CCA8240	85	CCA87600	86	CCM304R	78	CCM8303LXR	76	CCR2025XJSL	66	CCR820022	73	CCV100XESL	85	CCV81844	74
CCA1150	CCA230XRS	58	CCA3560XRS	84	CCA82300XC	83	CCA82400	60	CCA87600XR	84	CCM304RC	76	CCM8303R	79	CCR2025XNSL	66	CCR820023	72	CCV100XHSL	55	CCV81851SL	65
CCA1158	CCA2340	59	CCA4900	59	CCA8230XJ	83	CCA82400SL	61	CCA89100	83	CCM304RXE	76	CCM8303RXC	76	CCR2025XRS	66	CCR820027	69	CCV100XHSL	63	CCV8205	93
CCA1166	CCA2340SL	61	CCA4900XC	57	CCA8230XN	83	CCA82400XC	57	CCA9100	83	CCM304RXN	76	CCM8303RX	76	CCR205	93	CCR820028	72	CCV100XJS	66	CCV820520	78
CCA1423SL	CCA2340XC	56	CCA4900XE	57	CCA8230XR	83	CCA82400XCSL	58	CCA9100SL	83	CCM304RXR	76	CCM8303RXN	76	CCR20520	77	CCR820030	77	CCV100XJS	85	CCV820520XC	75
CCA210	CCA2340XCSL	58	CCA4900XJ	57	CCA8231	82	CCA82400XE	57	CCA9300	83	CCM305CAL	79	CCM8303RXXR	76	CCR20520XC	75	CCR820030A	78	CCV100XNSL	54	CCV820520XN	75
CCA210SL	CCA2340XE	56	CCA4900XN	57	CCA82310	58	CCA82400XESL	58	CCA9419	62	CCM305CALXC	77	CCM8304L	79	CCR20520XN	75	CCR820030C	75	CCV100XNSL	63	CCV820522	73
CCA210XC	CCA2340XESL	58	CCA4900XR	57	CCA82310SL	60	CCA82400XJ	57	CCA9424	80	CCM305CALXE	77	CCM8304LXC	76	CCR20522	73	CCR820030XN	75	CCV100XNSL	66	CCV820523	72
CCA210XCSL	CCA2340XJ	56	CCA4905	88	CCA82310XC	56	CCA82400XJSL	58	CCA9465	63	CCM305CALXN	77	CCM8304LXE	76	CCR20523	72	CCR820032	73	CCV100XNSL	85	CCV820527	70
CCA210XJ	CCA2340XJS	58	CCA4910L	59	CCA82310XCSL	58	CCA82400XK	57	CCA9475	63	CCM305CALXR	77	CCM8304LXN	76	CCR20527	69	CCR820032A	73	CCV100XRS	66	CCV820528	72
CCA210XSL	CCA2340XKSL	58	CCA4910LX	57	CCA82310XESL	58	CCA82400XKSL	58	CCA9485	62	CCM305CAR	79	CCM8304LXR	76	CCR20537	70	CCR820033	70	CCV100XRS	85	CCV820530	78
CCA210X	CCA2340XKSL	58	CCA4910LXE	57	CCA82310XES	57	CCA82400XKSL	57	CCA9495	63	CCM305CARXC	77	CCM8304LXR	76	CCR20537A	70	CCR820037A	70	CCV103SL	55	CCV820530XC	75
CCA210XNSL	CCA2340XN	58	CCA4910LXJ	57	CCA82310XJS	57	CCA82400XNSL	58	CCA9495	63	CCM305CARXE	77	CCM8304LXC	76	CCR20537	66	CCR820037	70	CCV103SL	64	CCV820530XN	75
CCA210XR	CCA2340XN	58	CCA4910LXN	57	CCA82310XJS	57	CCA82400XN	57	CCA9495	65	CCM305CARX	77	CCM8304RX	76	CCR20537	67	CCR820037	72	CCV108SL	55	CCV820532	73
CCA210XRS	CCA2340XR	56	CCA4910LXR	57	CCA82310XJS	57	CCA82400XRS	58	CCA9494	65	CCM305CARXR	77	CCM8304RXN	76	CCR20537	55	CCR82035XCSL	66	CCV108SL	65		

Fiber-Classic® & Smooth-Star®

CCV940XJ.....85	Fiber-Classic & Smooth-	2050XCSL.....116	81937P.....169	81981P.....171	FC1289SL.....148	FC2389SL.....140	FC5710XRS.....117	FC691XJ.....116	FC81654.....176	FC85720XC.....116	FC89701.....174
CCV940XN.....85	Star.....	2050XE.....116	81937PSL.....169	81982P.....170	FC131SL.....152	FC241.....132	FC5720.....120	FC691XK.....116	FC81654SL.....176	FC85720XE.....116	FC8971.....180
CCV940XR.....85	1000.....199	2050XESL.....116	81938P.....171	81983P.....171	FC131XC.....152	FC31.....198	FC5720SL.....120	FC691XN.....116	FC81655.....176	FC85720XJ.....116	FC8972.....190
CCV950SL.....61	1283.....150	2050XJ.....116	81938PSL.....171	81984P.....172	FC131XE.....152	FC310.....131	FC5720XC.....116	FC691XR.....116	FC81656.....133	FC85720XX.....116	FC900.....134
CCV950SL.....67	1284.....147	2050XJSL.....116	81939P.....170	81985P.....174	FC131XJ.....152	FC32.....164	FC5720XCSL.....117	FC704.....195	FC817SL.....135	FC85720XN.....116	FC900SL.....134
CCV950SL.....87	1285.....147	2050XK.....116	81939PSL.....170	81986PSL.....134	FC131XK.....152	FC32L.....164	FC5720XE.....116	FC707.....194	FC818SL.....136	FC85720XR.....116	FC901.....170
CCV950XCSL.....66	1286.....145	2050XKSL.....116	81940P.....171	81986SL.....134	FC131XN.....152	FC32XC.....159	FC5720XESL.....117	FC708.....195	FC82.....161	FC85722SL.....136	FC901SL.....170
CCV950XCSL.....85	1289.....148	2050XN.....116	81940PSL.....171	85901SL.....154	FC131XR.....152	FC32XCSL.....159	FC5720XJ.....116	FC709.....165	FC820.....137	FC85723SL.....136	FC902.....153
CCV950XESL.....66	2000.....122	2050XNSL.....116	81941P.....172	85919SL.....172	FC138.....147	FC32XE.....159	FC5720XJS.....117	FC710.....166	FC821.....135	FC8574.....136	FC902SL.....153
CCV950XESL.....85	2009.....120	2050XK.....116	81941PSL.....172	AXRT.....201	FC138XC.....142	FC32XESL.....159	FC5720XK.....116	FC712SL.....182	FC822.....142	FC85759.....173	FC905.....134
CCV950XHSL.....93	2010.....119	2050XRS.....116	81942P.....174	BSRT.....201	FC138XE.....142	FC32XJ.....159	FC5720XKS.....117	FC713.....165	FC82213.....141	FC8581.....173	FC905SL.....134
CCV950XJS.....66	2050.....119	8000-18.....119	81942PSL.....174	CNRT.....201	FC138XJ.....142	FC32XJSL.....159	FC5720XN.....116	FC714.....164	FC82213SL.....141	FC8583SL.....173	FC906.....171
CCV950XJS.....85	8000.....122	8000XC.....119	81943P.....164	CX30T.....201	FC138XK.....142	FC32XK.....159	FC5720XNSL.....117	FC721.....194	FC8223.....140	FC860.....198	FC906SL.....171
CCV950XNSL.....66	81000.....199	8000XE.....119	81943PSL.....164	CXRT.....201	FC138XN.....142	FC32XKS.....159	FC5720XKR.....116	FC735.....195	FC82223SL.....140	FC861.....197	FC907.....153
CCV950XNSL.....85	81200.....150	8000XJ.....119	81943PXC.....159	DRS2131SL.....150	FC138XR.....142	FC32XN.....159	FC5720XRS.....117	FC736.....194	FC82233.....141	FC861XC.....197	FC907SL.....153
CCV950XRS.....66	81208.....147	8000XK.....119	81943PXS.....159	DRS82131SL.....150	FC1400.....162	FC32XNSL.....159	FC5720XSL.....136	FC745.....195	FC82233SL.....142	FC861XE.....197	FC910.....137
CCV950XRS.....85	81225.....145	8000XN.....119	81943PXE.....159	EC30T.....201	FC1400SL.....162	FC32XR.....159	FC573.....136	FC752.....195	FC8228.....141	FC861XJ.....197	FC910SL.....137
CCV960.....87	81828.....147	8000XR.....119	81943PXESL.....159	ECRT.....201	FC1402.....162	FC32XRS.....159	FC574.....136	FC755.....198	FC82382SL.....141	FC861XK.....197	FC911.....174
CCV960XC.....85	2228225.....120	81200P.....150	81943PXJ.....159	FC10.....150	FC1404.....190	FC3487S.....182	FC581.....173	FC765.....151	FC82385.....141	FC861XR.....197	FC912.....155
CCV960XJ.....85	2228316.....119	81200PJS.....150	81943PXJS.....159	FC100.....132	FC1408.....182	FC3487XCSL.....178	FC583.....173	FC765SL.....151	FC82385SL.....142	FC861XE.....198	FC912SL.....155
CCV960XN.....85	12101SL.....150	81200PXC.....144	81943PK.....159	FC1006.....134	FC1408SL.....182	FC3487XESL.....178	FC60.....198	FC766.....164	FC82389.....140	FC862.....198	FC912SL.....155
CCV960XR.....85	12101XCSL.....144	81200PXCSL.....144	81943PKS.....159	FC100SL.....133	FC141.....144	FC3487XJS.....178	FC6093.....134	FC766XC.....159	FC82389SL.....140	FC86220.....190	FC915.....165
CCV9918.....68	12101XESL.....144	81200PXE.....144	81943PXN.....159	FC101SL.....168	FC141SL.....145	FC3487XKSL.....178	FC6094.....135	FC766XE.....159	FC8228.....147	FC862203.....190	FC916.....165
CCV9919.....68	12101XJS.....144	81200PXESL.....144	81943PNSL.....159	FC101.....168	FC142.....135	FC3487XNSL.....178	FC6095.....137	FC766XJ.....159	FC8228C.....158	FC862203X.....189	FC917.....196
CCV9922.....62	12101XKSL.....144	81200PXJ.....144	81943PXK.....159	FC1029.....135	FC142SL.....135	FC3487XRS.....178	FC61.....197	FC766KK.....159	FC8228E.....158	FC862203XE.....189	FC92.....161
CCV9925.....54	12101XNSL.....144	81200PXJS.....144	81943PXRS.....159	FC104.....135	FC143.....154	FC369.....133	FC61XC.....197	FC766XN.....159	FC82XJ.....158	FC862203XJ.....189	FC925.....190
CCV9926.....80	12101XRS.....144	81200PXK.....144	81944P.....162	FC104SL.....136	FC143SL.....154	FC38.....151	FC611E.....197	FC766XR.....159	FC82XK.....158	FC862203XK.....189	FC92SL.....162
CCW1000.....90	12102SL.....147	81200PXKS.....144	81944PSL.....162	FC104XC.....179	FC144.....171	FC386.....177	FC611XJ.....197	FC770.....151	FC82XN.....158	FC862203XN.....189	FC92XC.....158
CCW81000.....90	12102XCSL.....143	81200PXN.....144	81945P.....161	FC104XE.....179	FC1442SL.....156	FC387SL.....177	FC611K.....197	FC772.....151	FC82XKR.....158	FC862203XR.....189	FC92XCSL.....158
CCW8900L.....90	12102XESL.....143	81200PXNSL.....144	81945PXC.....158	FC104XJ.....179	FC147.....154	FC389.....157	FC611XN.....197	FC773.....152	FC82XN.....161	FC862204XC.....190	FC92XE.....158
CCW8900R.....90	12102XJS.....143	81200PXPR.....144	81945PXE.....158	FC104XX.....179	FC147SL.....154	FC385L.....152	FC611XR.....197	FC775.....152	FC8210SL.....162	FC862204XE.....190	FC92XESL.....158
CCW8901L.....90	12102XKSL.....143	81200PXSL.....144	81945PXJ.....158	FC104XN.....179	FC148.....138	FC393.....189	FC62.....184	FC776.....153	FC8211.....161	FC862204XJ.....190	FC92XJ.....158
CCW8901R.....90	12102XNSL.....143	81200PXL.....150	81945PK.....158	FC104XR.....179	FC148SL.....138	FC4521.....157	FC626.....138	FC777.....153	FC8211SL.....161	FC862204XK.....190	FC92XJSL.....158
CCW8902L.....90	12102XRS.....143	81200XC.....144	81945PXN.....158	FC105.....172	FC149.....174	FC4521SL.....157	FC626C.....179	FC778.....154	FC8213.....161	FC862204XN.....190	FC92XK.....158
CCW8902R.....91	1283XC.....144	81200XCSL.....144	81945PXR.....158	FC105SL.....172	FC149SL.....174	FC4525.....157	FC626E.....179	FC779.....154	FC8213SL.....161	FC862204XK.....190	FC92XKSL.....158
CCW8903.....91	1283XE.....144	81200XE.....144	81946P.....161	FC108.....131	FC151.....166	FC4525SL.....157	FC626J.....179	FC780.....155	FC8216.....161	FC86242.....188	FC92XN.....158
CCW8904L.....91	1283XJ.....144	81200XESL.....144	81946PSL.....162	FC1089.....161	FC156.....155	FC46SL.....132	FC626K.....179	FC789.....166	FC8218.....182	FC86243.....187	FC92XNSL.....158
CCW8904R.....91	1283XK.....144	81200XJ.....144	81946PXC.....158	FC1089SL.....161	FC16.....132	FC476.....157	FC626N.....179	FC794.....164	FC8219.....182	FC86247.....188	FC92XR.....158
CCW8905.....91	1283XN.....144	81200XJS.....144	81946PXS.....158	FC108SL.....131	FC160.....166	FC476L.....157	FC626R.....179	FC796.....165	FC8232.....182	FC86249.....188	FC92XRS.....158
CCW8906L.....91	1283XR.....144	81200XK.....144	81946PXE.....158	FC109.....167	FC163.....165	FC476XSL.....144	FC635L.....182	FC797.....165	FC82320.....182	FC86252.....187	FCM10.....150
CCW8906R.....91	1284XC.....142	81200XKSL.....144	81946PXESL.....158	FC109SL.....167	FC164.....164	FC477ESL.....144	FC636CSL.....178	FC798.....166	FC8321.....181	FC86253.....1	

Fiber-Classic & Smooth-Star

Continued

FCM12101XESL.....144	FCM18XK.....142	FCM4812XJ.....127	FCM6051.....169	FCM6570.....196	FCM765SL.....151	FCM82223.....140	FCM8571.....136	FCM8752.....195	FC06188XRS.....143	S1207XE.....117	S200.....200
FCM12101XJSL.....144	FCM18XN.....142	FCM4812XJSL.....128	FCM6052.....167	FCM6575.....166	FCM789.....165	FCM82223SL.....140	FCM8572SL.....136	FCM87540.....124	FC06189SL.....148	S1207XJ.....117	S2000.....122
FCM12101XKSL.....144	FCM18XR.....142	FCM4812XN.....127	FCM6055.....180	FCM6577.....166	FCM80.....166	FCM82233.....141	FCM8573SL.....136	FCM87540XCSL.....123	FC06189XCSL.....143	S1207XK.....117	S2000SL.....122
FCM12101XNSL.....144	FCM198.....146	FCM4812XNSL.....128	FCM6056.....174	FCM6580SL.....156	FCM8000SL.....129	FCM82233SL.....141	FCM8574.....136	FCM87540XE.....123	FC06189XESL.....143	S1207XN.....117	S2000SL.....129
FCM12101XRS.....144	FCM2000SL.....129	FCM4812XR.....127	FCM605XC.....192	FCM6582.....156	FCM8000XCSL.....128	FCM82382.....140	FCM8581.....173	FCM87540XJ.....123	FC06189XJSL.....143	S1207XR.....117	S2000SL-2C.....121
FCM12102SL.....146	FCM2000XCSL.....128	FCM4812XRS.....128	FCM605XE.....192	FCM658SL.....181	FCM8000XESL.....128	FCM82382SL.....140	FCM8583SL.....173	FCM87540XN.....123	FC06189XNSL.....143	S1208.....148	S2000SL-4C.....121
FCM12102XCSL.....142	FCM2000XESL.....128	FCM4813.....128	FCM605XJ.....192	FCM65XC.....178	FCM8000XJSL.....128	FCM82385.....141	FCM860.....198	FCM87540XR.....123	FC06189XRS.....143	S1208SL.....149	S2000XC.....119
FCM12102XESL.....142	FCM2000XJSL.....128	FCM4813XC.....127	FCM605XN.....192	FCM65XCSL.....178	FCM8000XKSL.....128	FCM82389.....141	FCM861.....197	FCM87560.....124	FC06190SL.....148	S1209.....148	S2000XCSL.....119
FCM12102XJSL.....142	FCM2000XKSL.....128	FCM4813XE.....127	FCM605XR.....192	FCM65XE.....178	FCM8000XNSL.....128	FCM82389SL.....140	FCM861X.....197	FCM87560XCS.....123	FC06190XCSL.....143	S1209SL.....149	S2000XCSL.....128
FCM12102XKSL.....142	FCM2000XNSL.....128	FCM4813XJ.....127	FCM606.....193	FCM65XESL.....178	FCM8000XRS.....128	FCM82389SL.....140	FCM861XE.....197	FCM87560XE.....123	FC06190XESL.....143	S1211.....148	S2000XCSL-2C.....117
FCM12102XNSL.....142	FCM2000XRS.....128	FCM4813XN.....127	FCM606XC.....192	FCM65XJ.....178	FCM808SL.....131	FCM828.....146	FCM861XJ.....197	FCM87560XJ.....123	FC06190XJSL.....143	S1211SL.....149	S2000XCSL-4C.....117
FCM12102XRS.....142	FCM2009SL.....119	FCM4813XR.....127	FCM606XE.....192	FCM65XJSL.....178	FCM809SL.....137	FCM828X.....158	FCM861XK.....197	FCM87560XN.....123	FC06190XNSL.....143	S1212.....148	S2000XE.....119
FCM1211.....145	FCM205.....198	FCM4814.....129	FCM606XJ.....192	FCM65XK.....178	FCM81000.....198	FCM82X.....158	FCM861XN.....197	FCM87560XR.....123	FC06190XRS.....143	S1228.....148	S2000XESL.....119
FCM1212.....145	FCM2050SL.....129	FCM4814XC.....127	FCM606XN.....192	FCM65XKS.....178	FCM8101SL.....161	FCM82XJ.....158	FCM861XR.....197	FCM881SL.....163	FC06195.....166	S128XC.....143	S2000XESL.....128
FCM1283.....150	FCM2050XCSL.....127	FCM4814XE.....127	FCM606XR.....192	FCM65XN.....178	FCM8101XCSL.....158	FCM82XK.....158	FCM862.....184	FCM881XCSL.....159	FWRT.....201	S128XE.....143	S2000XESL-2C.....117
FCM1283XC.....143	FCM2050XESL.....127	FCM4814XJ.....127	FCM607.....193	FCM65XNSL.....178	FCM8101XESL.....158	FCM82XN.....158	FCM86201SL.....127	FCM881XESL.....159	KNRT.....201	S128XJ.....143	S2000XESL-4C.....117
FCM1283XE.....143	FCM2050XJSL.....127	FCM4814XN.....127	FCM6074.....171	FCM65XR.....178	FCM8101XJSL.....158	FCM82XR.....158	FCM86240.....127	FCM881XJSL.....159	LT30T.....201	S128XK.....143	S2000XJ.....119
FCM1283XJ.....143	FCM2050XKSL.....127	FCM4814XR.....127	FCM6075.....171	FCM65XRSL.....178	FCM8101XKSL.....158	FCM8310SL.....161	FCM86240SL.....127	FCM881XKSL.....159	LTTR.....201	S128XN.....143	S2000XJSL.....119
FCM1283XK.....143	FCM2050XNSL.....127	FCM4816.....129	FCM607XC.....192	FCM668.....132	FCM8101XNSL.....158	FCM8311SL.....160	FCM8626SL.....184	FCM881XNSL.....159	PBRT.....201	S128XR.....143	S2000XJSL.....128
FCM1283XN.....143	FCM2050XRS.....127	FCM4816XC.....127	FCM607XE.....192	FCM670.....184	FCM8101XRS.....158	FCM8313SL.....160	FCM862XC.....179	FCM881XRS.....159	RSRT.....201	S130.....145	S2000XJSL-2C.....117
FCM1283XR.....143	FCM2101SL.....160	FCM4816XE.....127	FCM607XJ.....192	FCM678.....180	FCM8103SL.....154	FCM8321.....181	FCM862XCSL.....179	FCM882SL.....151	S100.....200	S130SL.....145	S2000XJSL-4C.....117
FCM1284.....146	FCM2106.....160	FCM4816XJ.....127	FCM607XN.....192	FCM678SL.....180	FCM8105SL.....151	FCM8321XC.....178	FCM862XE.....179	FCM883SL.....152	S1000.....165	S131.....180	S2000XK.....119
FCM1284XC.....142	FCM2107.....160	FCM4816XN.....127	FCM607XR.....192	FCM6975.....192	FCM8107SL.....155	FCM8321XE.....178	FCM862XESL.....179	FCM884SL.....152	S1001.....166	S132.....180	S2000XKSL.....119
FCM1284XE.....142	FCM2108.....160	FCM4816XR.....127	FCM608.....193	FCM704.....195	FCM8110SL.....159	FCM8321XJ.....178	FCM862XJ.....179	FCM885SL.....154	S1006.....134	S132SL.....180	S2000XKSL.....128
FCM1284XJ.....142	FCM220.....198	FCM508.....192	FCM608X.....192	FCM707.....194	FCM8114.....132	FCM8321XK.....178	FCM862XJSL.....179	FCM886.....170	S100SL.....150	S1350.....126	S2000XN.....119
FCM1284XK.....142	FCM2213.....140	FCM5425.....159	FCM608XE.....192	FCM708.....195	FCM8114SL.....132	FCM8321XN.....178	FCM862XK.....179	FCM886SL.....170	S100XCSL.....144	S137.....181	S2000XNSL.....119
FCM1284XN.....142	FCM2223.....140	FCM5425SL.....159	FCM608XJ.....192	FCM7125SL.....181	FCM8115.....144	FCM8321XR.....178	FCM862XKSL.....179	FCM887SL.....153	S100XESL.....144	S139.....133	S2000XNSL.....128
FCM1284XR.....142	FCM223.....141	FCM543.....154	FCM608XN.....192	FCM721.....194	FCM8115SL.....144	FCM8322.....181	FCM862XN.....179	FCM888.....170	S100XJSL.....144	S139SL.....133	S2000XNSL-2C.....117
FCM1285.....145	FCM2382.....140	FCM545SL.....154	FCM608XR.....192	FCM735.....195	FCM81200.....150	FCM8323.....181	FCM862XNSL.....179	FCM888SL.....171	S100XKSL.....144	S140.....150	S2000XNSL-4C.....117
FCM1285XC.....142	FCM2382SL.....140	FCM571.....136	FCM609.....191	FCM736.....194	FCM81200SL.....150	FCM8324.....181	FCM862XR.....179	FCM889SL.....153	S100XNSL.....144	S1400.....163	S2000XR.....119
FCM1285XN.....142	FCM2385.....141	FCM572SL.....136	FCM6093.....134	FCM745.....195	FCM81200XC.....143	FCM8326.....176	FCM862XRS.....179	FCM890.....137	S100XRSL.....144	S14005L.....163	S2000XRS.....119
FCM1285XJ.....142	FCM2385L.....141	FCM574.....136	FCM6094.....135	FCM7500.....125	FCM81200XCSL.....144	FCM8386SL.....177	FCM863.....167	FCM890SL.....137	S1029.....135	S1401.....125	S2000XRS.....128
FCM1285XK.....142	FCM2389.....140	FCM575.....137	FCM6095.....137	FCM7500SL.....125	FCM81200XE.....143	FCM84521SL.....157	FCM863SL.....167	FCM891.....173	S104.....184	S1401SL.....125	S2000XRS-2C.....117
FCM1285XN.....142	FCM2389SL.....140	FCM577.....173	FCM61.....197	FCM7500SLC.....124	FCM81200XESL.....144	FCM84525SL.....157	FCM864.....168	FCM891SL.....173	S104XC.....179	S1402.....163	S2000XRS-4C.....117
FCM1285XR.....142	FCM241.....132	FCM581.....173	FCM6107.....170	FCM7500SLXE.....124	FCM81200XJ.....143	FCM84527SL.....158	FCM864SL.....168	FCM892SL.....155	S104XE.....179	S1404.....190	S20042.....156
FCM1286.....144	FCM31.....198	FCM583SL.....173	FCM6108.....170	FCM7500SLXJ.....124	FCM81200XJSL.....144	FCM84810.....129	FCM865.....169	FCM893SL.....134	S104XJ.....179	S1405.....183	S2009.....121
FCM1286SL.....144	FCM310.....131	FCM60.....198	FCM6124SL.....146	FCM7500SLXN.....124	FCM81200XK.....143	FCM84810SL.....129	FCM86500.....138	FCM898.....168	S104XK.....179	S1405SL.....183	S2009SL.....121
FCM1287.....146	FCM32.....163	FCM600.....198	FCM6124XC.....142	FCM7500SLXR.....124	FCM81200XKSL.....144	FCM84810XC.....128	FCM86500SL.....138	FCM898SL.....168	S104XN.....179	S1406.....183	S2010.....120
FCM1287											

S2103XN.....123	S2620.....192	S3400LXJ.....118	S430SL.....174	S5700XJ.....117	S601XCSL.....144	S606XE.....192	S6200XE.....126	S7512XNSL.....123	S81086XJSL.....144	S82105XJ.....123	S831203XC.....189
S2103KSL.....124	S262XC.....178	S3400LXK.....118	S430XC.....179	S5700XJSL.....118	S601XE.....193	S606XESL.....143	S6200XESL.....126	S7512XR.....123	S81086XKSL.....144	S82105XK.....123	S831203XE.....189
S2103XNSL.....124	S262XE.....178	S3400LXN.....118	S430XE.....179	S5700XK.....117	S601XESL.....144	S606XJ.....192	S6200XJ.....126	S7512XRSL.....123	S81086XNSL.....144	S82105XN.....123	S831203XJ.....189
S2103XR.....123	S262XJ.....178	S3400LXR.....118	S430XJ.....179	S5700XKSL.....118	S601XJ.....193	S606XJSL.....143	S6200XJSL.....126	S751SL.....164	S81086XRSL.....144	S82105XR.....123	S831203KK.....189
S2103XSL.....124	S262XK.....178	S3400XR.....122	S430XK.....179	S5700XN.....117	S601XJSL.....144	S606XN.....192	S6200XK.....126	S751XCSL.....159	S81100.....199	S82106.....125	S831203XN.....189
S2104.....125	S262XN.....178	S3400XRC.....118	S430XN.....179	S5700XNSL.....118	S601XKSL.....144	S606XNSL.....143	S6200XKSL.....126	S751XESL.....159	S81186SL.....149	S82106XC.....123	S831203XR.....189
S2104SL.....125	S262XR.....178	S3400RXE.....118	S430XR.....179	S5700XR.....117	S601XN.....193	S606XR.....192	S6200XN.....126	S751XJSL.....159	S8120.....200	S82106XE.....123	S83120XC.....190
S2104XC.....123	S2630.....191	S3400RXJ.....118	S4310.....177	S5700XRSL.....118	S601XNSL.....144	S606XRSL.....143	S6200XSL.....126	S751XKSL.....159	S81208.....149	S82106XJ.....123	S83120XE.....190
S2104XCSL.....124	S263SL.....183	S3400RXK.....118	S4311.....176	S5701.....199	S601XR.....193	S607.....193	S6200XR.....126	S751XNSL.....159	S81225.....145	S82106XK.....123	S83120XJ.....190
S2104XE.....123	S263XCSL.....179	S3400RXN.....118	S4314.....167	S5705.....121	S601XRSL.....144	S6070.....135	S6200XRSL.....126	S751XRSL.....159	S8132.....180	S82106XN.....123	S83120XK.....190
S2104XESL.....124	S263XESL.....179	S3400RXR.....118	S4315.....184	S5705XC.....117	S602.....191	S6070SL.....135	S6201SL.....127	S752.....195	S8132SL.....180	S82106XR.....123	S83120XN.....190
S2104XJ.....123	S263XJS.....179	S3401L.....199	S4316.....174	S5705XE.....117	S6021.....184	S6071.....154	S6240.....127	S7540.....124	S814.....132	S82107.....125	S83120XR.....190
S2104XJS.....124	S263XKSL.....179	S3401R.....199	S4320.....175	S5705XJ.....117	S6021XC.....179	S6071SL.....154	S6240SL.....127	S7540SL.....124	S8140.....150	S82107X.....123	S8313.....162
S2104XK.....123	S263XNSL.....179	S3487SL.....183	S4321.....183	S5705XK.....117	S6021XE.....179	S6072.....154	S626.....138	S7540XC.....123	S81401.....125	S82107XE.....123	S8313SL.....163
S2104XN.....123	S263XRS.....179	S3487XCSL.....179	S4323.....175	S5705XN.....117	S6021XJ.....179	S6073.....171	S6500.....139	S7540XE.....123	S81405.....183	S82107XJ.....123	S83142.....189
S2104XKS.....124	S2640.....192	S3487XESL.....179	S4324.....170	S5705XR.....117	S6021XK.....179	S6074.....171	S6500SL.....139	S7540XJ.....123	S81405TC.....197	S82107XK.....123	S83143.....187
S2104XNL.....124	S2650.....191	S3487XJS.....179	S4325.....169	S571.....137	S6021XN.....179	S6075.....172	S6520.....192	S7540XN.....123	S8140X.....144	S82107XN.....123	S83147.....188
S2104XR.....123	S2660.....191	S3487XKSL.....179	S4326.....173	S5710.....121	S6021XR.....179	S6076.....172	S6534.....189	S7540XR.....123	S8140XE.....144	S82107XR.....123	S83149.....188
S2104XRS.....124	S2670.....191	S3487XNSL.....179	S4327.....171	S5710SL.....122	S6022.....182	S607SL.....149	S6536.....176	S755.....200	S8140XJ.....144	S82200.....126	S83152.....187
S2105.....125	S289.....186	S3487XRS.....179	S4328.....169	S5710XC.....117	S6022XC.....178	S607X.....193	S6550.....139	S7560.....124	S8140XK.....144	S82200XC.....124	S83153.....187
S2106.....162	S289XC.....186	S35.....169	S4329.....172	S5710XCSL.....118	S6022XE.....178	S607XCSL.....143	S6550SL.....139	S7560SL.....125	S8140XN.....144	S82200E.....124	S83154.....188
S2107.....162	S289XE.....186	S3500L.....122	S4330.....172	S5710XE.....117	S6022XJ.....178	S607XE.....193	S6560.....175	S7540XCSL.....123	S8140XR.....144	S82200XJ.....124	S83155.....188
S2108.....162	S289XJ.....186	S3500LXC.....118	S45.....199	S5710XESL.....118	S6022KK.....178	S607XESL.....143	S6565.....175	S7540XESL.....123	S8141.....190	S82200KK.....124	S8316.....162
S2108X.....184	S289XK.....186	S3500LXE.....118	S4521.....157	S5710XJ.....117	S6022XN.....178	S607XJ.....193	S6565SL.....176	S7540XJSL.....123	S8144.....183	S82200XN.....124	S8317.....196
S2108XCS.....179	S289XN.....186	S3500LXJ.....118	S4521SL.....157	S5710XJSL.....118	S6022XR.....178	S607XJSL.....143	S6568.....175	S7540XNSL.....123	S8145.....183	S82200NR.....124	S8318.....183
S2108XES.....179	S289XR.....186	S3500LXK.....118	S4525.....157	S5710XK.....117	S6025.....169	S607XN.....193	S6570.....196	S7540XRS.....123	S8145SL.....183	S82213.....141	S8319.....183
S2108XJS.....179	S291.....185	S3500LXN.....118	S4525SL.....157	S5710XKSL.....118	S6026.....174	S607XNSL.....143	S6572.....186	S7560XC.....123	S8149.....174	S82213SL.....141	S832.....183
S2108XKL.....179	S291SL.....171	S3500LXR.....118	S454.....196	S5710XN.....117	S6029.....171	S607XR.....193	S6575.....166	S7560XCSL.....123	S8145L.....132	S82223.....140	S8320.....183
S2108XNS.....179	S292.....185	S3500LX.....122	S4570SL.....131	S5710XNSL.....118	S602SL.....135	S607XRS.....143	S6576.....166	S7560XE.....123	S815.....132	S82223SL.....140	S83200.....127
S2108XRS.....179	S292SL.....172	S3500RXC.....118	S476.....157	S5710XR.....117	S6030.....172	S608.....193	S6577.....166	S7560XESL.....123	S816.....131	S82233.....142	S83200SL.....127
S211.....168	S294.....185	S3500RXE.....118	S4800.....200	S5710XRS.....118	S6031.....169	S6080.....166	S6580.....156	S7560XJ.....123	S81645.....196	S82233SL.....142	S83200XC.....126
S213.....171	S294SL.....169	S3500RXJ.....118	S4810.....129	S5715.....121	S6032.....167	S6082.....165	S6580SL.....156	S7560XJSL.....123	S81646.....157	S82250.....125	S83200XCSL.....126
S214.....172	S296.....197	S3500RXK.....118	S4810SL.....129	S5715XC.....117	S6034.....180	S6084.....165	S6582.....156	S7560XN.....123	S81646SL.....157	S82250.....125	S83200XE.....126
S2150.....126	S296XC.....197	S3500RXN.....118	S4810XC.....128	S5715XE.....117	S6035.....180	S6085.....164	S668.....132	S7560XNSL.....123	S81649.....189	S822XE.....158	S83200XESL.....126
S220.....199	S296XE.....197	S3500RXR.....118	S4810XCSL.....128	S5715XJ.....117	S6036.....175	S6088C.....193	S682.....159	S7560XR.....123	S81650.....192	S822XJ.....158	S83200XJ.....126
S2200.....126	S296XJ.....197	S3501L.....199	S4810XE.....128	S5715XK.....117	S604.....191	S6088E.....193	S685L.....122	S7560XRS.....123	S81651.....139	S822XK.....158	S83200XJSL.....126
S2200XC.....124	S296XX.....197	S3501R.....199	S4810XESL.....128	S5715XN.....117	S6041.....184	S6088X.....193	S685LX.....118	S757SL.....155	S81651SL.....139	S822XN.....158	S83200XK.....126
S2200XCS.....124	S296XN.....197	S3540.....192	S4810XJ.....128	S5715XR.....117	S6041XC.....179	S6091SL.....154	S685R.....122	S758SL.....152	S81652.....139	S822XR.....158	S83200XKSL.....126
S2200XE.....124	S296XR.....197	S3600L.....122	S4810XJS.....128	S5720.....121	S6041XE.....179	S6092SL.....153	S685RXE.....118	S770.....166	S81652SL.....139	S82382.....141	S83200XN.....126
S2200XES.....124	S30.....184	S3600LXC.....118	S4810XN.....128	S5720SL.....122	S6041XJ.....179	S6099.....191	S685LX.....118	S771.....164	S81653.....176	S82382SL.....141	S83200XNSL.....126
S2200XJ.....124	S308SL.....149	S3600LXE.....118	S4810XNSL.....128	S5720XC.....117	S6041XK.....179	S6090.....137	S685LXN.....118	S773.....165	S81654.....176	S82385.....142	S83200XR.....126
S2200XK.....124	S308XCSL.....143	S3600LXJ.....118	S4810XRS.....128	S5720XCSL.....118	S6041XN.....179	S6091.....154	S685LXR.....118	S774.....165	S81654SL.....176	S82385SL.....1	

S83500L.....122	S84586SL.....132	S85228XJSL.....118	S85892.....131	S8605XR.....192	S87500.....125	S90.....164	Steel.....	104XC.....220	19720T.....231	371HD.....222	6186SL.....215
S83500LXC.....118	S8467.....177	S85228KXSL.....118	S85892SL.....131	S8606.....193	S87500XC.....124	S902.....156	100.....225	104XE.....220	19730T.....231	371SLHD.....218	6186SL.....227
S83500LXE.....118	S84800.....200	S85228XNSL.....118	S85893.....133	S8606SL.....149	S87500XE.....124	S902SL.....156	104.....221	104XJ.....220	19740T.....231	374HD.....218	6186XCSL.....214
S83500LJX.....118	S84810.....129	S85228XRSL.....118	S85893SL.....133	S8606XC.....192	S87500XJ.....124	S905L.....126	105.....221	104XK.....220	19750T.....231	391HD.....217	6186XCSL.....226
S83500LXK.....118	S84810SL.....129	S85229SL.....122	S85895.....137	S8606XE.....192	S87500XN.....124	S90X.....159	108.....215	104XN.....220	198SL.....215	391SLHD.....217	6186XESL.....214
S83500LXN.....118	S84810XC.....128	S85229XCSL.....118	S85895SL.....137	S8606XJ.....192	S87500XR.....124	S90X.....159	118.....215	104XR.....220	198SL.....227	395HD.....220	6186XESL.....226
S83500LXR.....118	S84810XCSL.....128	S85229XESL.....118	S85896.....136	S8606XN.....192	S87512.....124	S90X.....159	128.....215	1089SLHD.....217	203HD.....225	395SLHD.....220	6186XJSL.....214
S83500R.....122	S84810XE.....128	S85229XJSL.....118	S85896SL.....136	S8606XR.....192	S87512XC.....123	S90X.....159	130.....215	108XC.....214	205HD.....225	396HD.....222	6186XJSL.....226
S83500RXC.....118	S84810XESL.....128	S85229XKSL.....118	S85897.....170	S8607.....193	S87512XE.....123	S90X.....159	131.....221	108XE.....214	206HD.....221	397HD.....220	6186XNSL.....214
S83500RXE.....118	S84810XJ.....128	S85229XNSL.....118	S85898.....153	S86074.....171	S87512XJ.....123	S90X.....159	137.....221	108XJ.....214	206HDXC.....220	416SL.....214	6186XNSL.....226
S83500RXJ.....118	S84810XJS.....128	S85229XRSL.....118	S85898SL.....153	S8607SL.....149	S87512XN.....123	S91.....152	139.....213	108XK.....214	206HDXE.....220	426HD.....219	6186XRS.....214
S83500RKK.....118	S84810XN.....128	S85230SL.....200	S85901.....154	S8607XC.....193	S87512XR.....123	S912.....155	198.....215	108XN.....214	206HDXJ.....220	430HD.....222	6186XRS.....226
S83500RXN.....118	S84810XNSL.....128	S8529.....155	S85902.....155	S8607XE.....193	S8752.....195	S916.....132	310.....213	108XR.....214	206HDXX.....220	430SLHD.....219	620SL.....213
S83500RXR.....118	S84810XR.....128	S8545SL.....155	S85902SL.....155	S8607XJ.....193	S87540.....124	S916SL.....132	369.....213	1101HD.....221	206HDHN.....220	454HD.....224	623HD.....219
S83501L.....199	S84810XRS.....128	S85700.....121	S85905.....167	S8607XN.....193	S87540XC.....123	S91SL.....152	571.....213	1101XCHD.....220	206HDXR.....220	4572SLHD.....217	625HD.....222
S83501R.....199	S84812.....129	S85700SL.....200	S85907.....168	S8607XR.....193	S87540XE.....123	S92.....162	610.....213	1101XEH.....220	2109HD.....217	469HD.....217	625SLHD.....219
S83540.....192	S84812SL.....129	S85700XC.....117	S85908.....171	S8608.....193	S87540XJ.....123	S9200.....126	620.....213	1101XJHD.....220	210HD.....225	469SLHD.....217	626SL.....214
S83600L.....122	S84812XC.....128	S85700XCSL.....200	S85909.....172	S8608X.....193	S87540XN.....123	S9200X.....126	626.....214	1101XKHD.....220	210SLHD.....221	508HD.....223	627HD.....219
S83600LXC.....118	S84812XCSL.....128	S85700XE.....117	S85910SL.....184	S8608XE.....193	S87540XR.....123	S9200XE.....126	800.....230	1101XNHD.....220	210SLHDXC.....220	5425SL.....217	628HD.....222
S83600LXE.....118	S84812XE.....128	S85700XESL.....200	S85910XCSL.....179	S8608XJ.....193	S87560.....124	S9200XJ.....126	808.....226	1101XRHD.....220	210SLHDXE.....220	544HD.....216	628SLHD.....219
S83600LXJ.....118	S84812XESL.....128	S85700XJ.....117	S85910XESL.....179	S8608XN.....193	S87560XC.....123	S9200XK.....126	810.....230	1102HD.....221	210SLHDXJ.....220	546SLHD.....216	630HD.....218
S83600LXK.....118	S84812XJ.....128	S85700XJS.....200	S85910XJS.....179	S8608XR.....193	S87560XE.....123	S9200XN.....126	818.....227	1111HD.....219	210SLHDXK.....220	576HD.....219	631HD.....219
S83600LXN.....118	S84812XJSL.....128	S85700KK.....117	S85910XKSL.....179	S8609.....191	S87560XJ.....123	S9200XR.....126	828.....226	1112HD.....219	210SLHDXN.....220	578HD.....219	632SL.....215
S83600LXR.....118	S84812XN.....128	S85700XKS.....200	S85910XNSL.....179	S86107.....170	S87560XN.....123	S925.....190	829.....226	1113HD.....219	210SLHDXR.....220	582HD.....219	632SL.....227
S83600R.....122	S84812XNSL.....128	S85700XN.....117	S85910XRS.....179	S86200.....126	S87560XR.....123	S925L.....125	896.....230	1114HD.....218	2110HD.....217	584SLHD.....219	632XCSL.....214
S83600RXC.....118	S84812XR.....128	S85700XNSL.....200	S85912SL.....167	S86200SL.....127	S880.....164	S92XC.....158	916.....213	1115HD.....218	2111HD.....217	588HD.....222	632XCSL.....226
S83600RXE.....118	S84812XRS.....128	S85700XR.....117	S85914SL.....168	S86200XC.....126	S880SL.....164	S92XE.....158	1006.....213	1116HD.....218	211HD.....218	601HD.....224	632XESL.....214
S83600RXJ.....118	S84813.....129	S85700XRS.....200	S85915.....169	S86200XCSL.....126	S880XC.....159	S92XJ.....158	1028.....214	1117HD.....218	236HD.....225	601XCHD.....224	632XESL.....226
S83600RXK.....118	S84813XCSL.....128	S85701.....199	S85916SL.....170	S86200XE.....126	S880XCSL.....159	S92XK.....158	1029.....213	1118HD.....219	237HD.....225	601XEH.....224	632XJSL.....214
S83600RXN.....118	S84813XE.....128	S85705.....121	S85917SL.....171	S86200XESL.....126	S880XE.....159	S92XN.....158	1200.....215	1120HD.....219	2382HD.....214	601XJHD.....224	632XJSL.....226
S83600RXR.....118	S84813XJ.....128	S85705XCS.....117	S85918SL.....170	S86200XJ.....126	S880XESL.....159	S92XR.....158	1201.....215	1121HD.....221	2382SL.....214	601XNHD.....224	632XKSL.....214
S83601L.....199	S84813XN.....128	S85705XE.....117	S85920SL.....174	S86200XJ.....126	S880XJ.....159	S93.....199	1202.....215	1123HD.....221	2385HD.....214	601XKHD.....224	632XKSL.....226
S83601R.....199	S84813XR.....128	S85705XJ.....117	S85922SL.....172	S86200XK.....126	S880XJS.....159	S9320.....190	1203.....215	1123HDXC.....220	2385SL.....214	602HD.....223	632XNSL.....214
S837.....174	S84814.....129	S85705XK.....117	S85924SL.....149	S86200XKS.....126	S880XK.....159	S93203.....190	5425.....217	1123HDXE.....220	2389HD.....214	604HD.....223	632XNSL.....226
S8386.....177	S84814XC.....128	S85705XN.....117	S85925SL.....149	S86200XN.....126	S880XKS.....159	S93203X.....189	8132.....228	1123HDJX.....220	2389SL.....214	605HD.....224	632XRS.....214
S8386SL.....177	S84814XE.....128	S85705XR.....117	S85926SL.....149	S86200XNSL.....126	S880XN.....159	S93203XE.....189	8145.....228	1123HDKX.....220	243HD.....221	605HDXC.....223	632XRS.....226
S8387.....177	S84814XJ.....128	S8571.....137	S85927SL.....131	S86200XR.....126	S880XNSL.....159	S93203XJ.....189	8206.....228	1123HDNX.....220	255HD.....225	605HDXE.....223	6500HD.....214
S8390.....189	S84814XN.....128	S85710.....121	S85928SL.....145	S86200XRS.....126	S880XR.....159	S93203KK.....189	8317.....229	1123HDXR.....220	256HD.....225	605HDXJ.....223	6500SL.....214
S8392.....177	S84814XR.....128	S85710SL.....200	S85930SL.....137	S86201SL.....127	S880XRS.....159	S93203XN.....189	8321.....228	115HD.....221	262HD.....221	605HDXN.....223	6520HD.....223
S84200.....126	S84816.....129	S85710XC.....117	S85931SL.....133	S86240.....127	S881SL.....163	S93203XR.....189	8322.....228	118X.....215	262HDXC.....220	605HDXR.....223	6560HD.....220
S84200SL.....127	S84816XC.....128	S85710XCSL.....200	S85932SL.....135	S86240SL.....127	S881SL.....163	S9320XC.....190	8323.....228	118XE.....215	262HDXE.....220	606HD.....224	6565HD.....220
S84200XC.....126	S84816XE.....128	S85710XE.....1									

8321XE.....227	TS104XR.....227	TS296XC.....229	Pulse.....248	S4CL.....245	S81086XKSL.....247	S81LEC.....242	S84RXR.....245	S8LCL.....246	
8321XJ.....227	TS105.....228	TS296XCSL.....229	DRS2131SL.....247	S4CLSL.....248	S81086XNSL.....247	S81LLT.....242	S84XCSL.....248	S8LPB.....243	
8321XK.....227	TS108.....226	TS296XE.....229	DRS82131SL.....247	S4LAX.....244	S81086XRSL.....247	S81LPB.....241	S84XESL.....248	S8LXC.....246	
8321XN.....227	TS108XC.....226	TS296XESL.....229	S10AXSL.....248	S4LCL.....245	S810AX.....245	S81LRS.....241	S84XJSL.....248	S8LXE.....246	
8321XR.....227	TS108XE.....226	TS296XJ.....229	S10CLSL.....248	S4LPB.....243	S810AXSL.....248	S81LSA.....241	S84XKSL.....248	S8LXJ.....246	
835HD.....220	TS108XJ.....226	TS296XJSL.....229	S10PBL.....247	S4LXC.....245	S810CL.....246	S81LSG.....241	S84XNSL.....248	S8LXK.....246	
86184SL.....227	TS108XK.....226	TS296XK.....229	S10XCSL.....248	S4LXE.....245	S810CLSL.....248	S81LT.....242	S84XRSL.....248	S8LXN.....246	
86185SL.....227	TS108XN.....226	TS296XKSL.....229	S10XESL.....248	S4LXJ.....245	S810LAX.....245	S81LXC.....242	S8572SL.....247	S8LXR.....246	
86186SL.....227	TS108XR.....226	TS296XN.....229	S10XJSL.....248	S4LXK.....245	S810LCL.....246	S81LXE.....242	S85927SL.....247	S8PB.....243	
896GXC.....229	TS115.....228	TS296XNSL.....229	S10KXSL.....248	S4LXN.....245	S810LPB.....244	S81LXJ.....242	S85931SL.....247	S8RAX.....245	
896XE.....229	TS118.....227	TS296XR.....229	S10XNSL.....248	S4LXR.....245	S810LXC.....246	S81LXK.....242	S85932SL.....247	S8RCL.....246	
896GX.....229	TS118XC.....226	TS296XRS.....229	S10XRSL.....248	S4PB.....243	S810LXE.....246	S81LXN.....242	S85AX.....244	S8RPB.....243	
896KX.....229	TS118XE.....226	TS572SL.....213	S1651SL.....247	S4PBSL.....247	S810LXJ.....246	S81LXR.....242	S85AXSL.....248	S8RXC.....246	
896GN.....229	TS118XJ.....226	TS704.....229	S1AX.....242	S4RAX.....244	S810LKK.....246	S81PB.....241	S85CL.....246	S8RXE.....246	
896XR.....229	TS118XK.....226	TS708.....230	S1BL.....240	S4RCL.....245	S810LXN.....246	S81RAX.....242	S85CLSL.....248	S8RXJ.....246	
916SL.....213	TS118XN.....226	TS752.....229	S1BS.....240	S4RPB.....243	S810LXR.....246	S81RBL.....241	S85LAX.....244	S8RXK.....246	
956SLHD.....216	TS118XR.....226		S1CL.....242	S4RXC.....245	S810PB.....244	S81RBS.....240	S85LCL.....245	S8RXN.....246	
959HD.....217	TS1200.....226		S1CX.....242	S4RXE.....245	S810PBSL.....247	S81RCL.....242	S85LPB.....243	S8RXR.....246	
959HDXC.....217	TS1201.....226		S1EC.....242	S4RXJ.....245	S810RAX.....245	S81RCX.....242	S85LXC.....245	S8XC.....246	
959HDXCSL.....217	TS1202.....226		S1LAX.....242	S4RXK.....245	S810RCL.....246	S81REC.....242	S85LXE.....245	S8XE.....246	
959HDXE.....217	TS1203.....226		S1LBL.....240	S4RXN.....245	S810RPB.....244	S81RLT.....242	S85LXJ.....245	S8XJ.....246	
959HDXESL.....217	TS128.....226		S1LBS.....240	S4RXR.....245	S810RXC.....246	S81RPB.....241	S85LXK.....245	S8XK.....246	
959HDXJ.....217	TS128XC.....226		S1LCL.....242	S4XC.....245	S810RXE.....246	S81RRS.....241	S85LXN.....245	S8XN.....246	
959HDXJSL.....217	TS128XE.....226		S1LCX.....242	S4XCSL.....248	S810RXJ.....246	S81RS.....241	S85LXR.....245	S8XR.....246	
959HDK.....217	TS128XJ.....226		S1LEC.....242	S4XE.....245	S810RXK.....246	S81RSA.....241	S85PB.....243	S9AX.....245	
959HDXKSL.....217	TS128XK.....226		100.....235	S1LLT.....242	S4XESL.....248	S810RXN.....246	S81RSG.....241	S85PBSL.....247	S9AXSL.....248
959HDXN.....217	TS128XN.....226		1005HD.....235	S1LPB.....241	S4XJ.....245	S810RXR.....246	S81RXC.....242	S85RAX.....244	S9CL.....246
959HDXNSL.....217	TS128XR.....226		203HD.....235	S1LRS.....241	S4XJSL.....248	S810XC.....246	S81RXE.....242	S85RCL.....246	S9CLSL.....248
959HDXR.....217	TS130.....226		205HD.....235	S1LSA.....241	S4XX.....245	S810XCSL.....248	S81RJ.....242	S85RPB.....243	S9LAX.....245
959HDXRSL.....217	TS131.....228		210HD.....235	S1LSG.....241	S4XKSL.....248	S810XE.....246	S81RXK.....242	S85RXC.....246	S9LCL.....246
959SLHD.....217	TS132.....228		969HD.....235	S1LSN.....241	S4XN.....245	S810XESL.....248	S81RXN.....242	S85RXE.....246	S9LPB.....243
961HD.....217	TS132SL.....228		978HD.....235	S1LT.....242	S4XNSL.....248	S810XJ.....246	S81RR.....242	S85RXJ.....246	S9LXC.....246
961HDXC.....217	TS137.....228		SSF100.....234	S1LXC.....242	S4XR.....245	S810XJSL.....248	S81SA.....241	S85RXK.....246	S9LXE.....246
961HDXE.....217	TS1405SL.....228		SSF1100.....234	S1LXE.....242	S4XRS.....248	S810XK.....246	S81SG.....241	S85RXN.....246	S9LXJ.....246
961HDXJ.....217	TS1408.....228		SSF120.....234	S1LXJ.....242	S572SL.....247	S810XKSL.....248	S81XC.....242	S85RXR.....246	S9LXK.....246
961HDXK.....217	TS1411.....229		SSF160.....234	S1LK.....242	S5AX.....244	S810XN.....246	S81XE.....242	S85XC.....246	S9LXN.....246
961HDXN.....217	TS198.....227		SSF200.....234	S1LXN.....242	S5AXSL.....248	S810XNSL.....248	S81XJ.....242	S85XCSL.....248	S9LXR.....246
961HDXR.....217	TS206.....228		SSF205.....234	S1LXR.....242	S5CL.....246	S810XR.....246	S81XK.....242	S85XE.....246	S9PB.....243
965HD.....216	TS206XC.....227		SSF220.....234	S1PB.....241	S5CLSL.....248	S810XRS.....248	S81XN.....242	S85XESL.....248	S9PBSL.....247
965SLHD.....216	TS206XE.....227		SSF31.....234	S1RAX.....242	S5LAX.....244	S811AX.....245	S81XR.....242	S85XJ.....246	S9RAX.....245
966SLHD.....216	TS206XJ.....227		SSF45.....234	S1RBL.....241	S5LCL.....245	S811AXSL.....248	S82382SL.....247	S85XJSL.....248	S9RCL.....246
967HD.....216	TS206XK.....227		SSF4800.....234	S1RBS.....240	S5LPB.....243	S811CL.....246	S82385SL.....247	S85KK.....246	S9RPB.....243
967SLHD.....216	TS206XN.....227		SSF600.....234	S1RCL.....242	S5LXC.....245	S811CLSL.....248	S82389SL.....247	S85KSL.....248	S9RXC.....246
968HD.....216	TS206XR.....227		SSF755.....234	S1RCX.....242	S5LXE.....245	S811LAX.....245	S83AX.....240	S85KX.....246	S9RXE.....246
969HD.....225	TS210.....230		SSF8100.....234	S1REC.....242	S5LXJ.....245	S811LCL.....246	S83CL.....240	S85XNSL.....248	S9RXJ.....246
971SLHD.....216	TS210SL.....228		SSF81100.....234	S1RLT.....242	S5LKK.....245	S811LPB.....244	S83CX.....240	S85XKR.....246	S9RXK.....246
978HD.....225	TS210XCSL.....227		SSF8120.....234	S1RPB.....241	S5LXN.....245	S811LXC.....246	S83EC.....240	S85XRS.....248	S9RXN.....246
980HD.....221	TS210XESL.....227		SSF8160.....234	S1RRS.....241	S5LXR.....245	S811LXE.....246	S83PB.....240	S86500SL.....247	S9RXR.....246
980HDXC.....220	TS210XJSL.....227		SSF8200.....234	S1RS.....241	S5PB.....243	S811LXJ.....246	S83RS.....240	S86AX.....244	S9XC.....246
980HDXE.....220	TS210XKSL.....227		SSF8205.....234	S1RSA.....241	S5PBSL.....247	S811LKK.....246	S83SG.....240	S86AXSL.....248	S9XCSL.....248
980HDXJ.....220	TS210XNSL.....227		SSF8220.....234	S1RSG.....241	S5RAX.....244	S811LXN.....246	S83SN.....240	S86CL.....246	S9XE.....246
980HDXK.....220	TS210XRS.....227		SSF831.....234	S1RSN.....241	S5RCL.....246	S811LXR.....246	S83XC.....240	S86CLSL.....248	S9XESL.....248
980HDXN.....220	TS236.....229		SSF84800.....234	S1RXC.....242	S5RPB.....243	S811PB.....244	S83XE.....240	S86LAX.....244	S9XJ.....246
980HDXR.....220	TS237.....230		SSF8600.....234	S1RXE.....242	S5RXC.....246	S811PBSL.....247	S83XJ.....240	S86LCL.....246	S9XJS.....248
982HD.....221	TS243.....228		SSF93.....234	S1RXJ.....242	S5RXE.....246	S811RAX.....245	S83XK.....240	S86LPB.....243	S9XK.....246
982HDXC.....220	TS255.....229		SSF960.....234	S1RXK.....242	S5RXJ.....246	S811RCL.....246	S83XN.....240	S86LXC.....246	S9XKSL.....248
982HDXE.....220	TS256.....230		TS100.....235	S1RXN.....242	S5RKK.....246	S811RPB.....244	S83XR.....240	S86LXE.....246	S9XN.....246
982HDXJ.....220	TS262.....228		TS210.....235	S1RXR.....242	S5RXN.....246	S811RXC.....246	S84566SL.....247	S86LXJ.....246	S9XNSL.....248
982HDXK.....220	TS262XC.....227		S1SA.....241	S5XR.....246	S811RXE.....246	S84AX.....244	S86LXK.....246	S9XR.....246	S9XRSL.....248
982HDXN.....220	TS262XE.....227		S1SG.....241	S5XC.....246	S811RXJ.....246	S84XC.....245	S86LXN.....246		
982HDXR.....220	TS262XJ.....227		S1SN.....241	S5XCSL.....248	S811RXK.....246	S84AXSL.....248	S86LXR.....246		
984HD.....220	TS262XK.....227		S1XC.....242	S5XE.....246	S811RXN.....246	S84XE.....245	S86PB.....243		
988HD.....219	TS262XN.....227		S1XE.....242						



Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles at thermatru.com/inspiration.




Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru — the expert in fiberglass door systems — and OSI® — the expert in construction sealants. Get started today at thermatru.com/installer.

Trade Professionals Online

Find everything from selling tools and training materials to technical information at thermatru.com/professionals.



Advancement Center

Learn about Therma-Tru products and programs on our online training platform at brainshark.com/thermatru.



Digital Vault

Explore the Digital Vault to find logos, images, literature and more to help you promote the Therma-Tru products you offer. Create an account today at thermatru.widencollective.com/login.



Design Your Door

Homeowners can research and design a door with their own personal touch — all from the convenience of home. To get started, visit thermatru.com/design-your-door.

